



**LIFE
EXTENSION®**

The Science of a Healthier Life®

LifeExtension.com

February 2021

FEATURE ARTICLES

- 7 Expediting Medical Progress
- 26 Build New Bone & Reduce Fracture Risk
- 38 Senolytic that Prevents Weight Gain
- 49 Benefits of Intermittant Fasting
- 58 Astaxanthin Promotes Heart Health
- 66 Relief from Stress without Drugs

LIFESPAN-ENHANCING EFFECTS of Fisetin



PLUS: OBESITY RAISES ALZHEIMER'S RISK



Life Extension®

Super Sale

The annual **SUPER SALE** enables **premium-grade** nutrient formulas to be obtained at the year's lowest prices.

Long-term supporters know that the **quality** of the products is backed by **Life Extension's** commitment to extended healthy lifespans.

Below are examples of the savings available during the **SUPER SALE**:



SUPER SALE
Four-Unit Per-Bottle Price

Two-Per-Day Multinutrient 120 capsules • Item #02314

High-potency bioactive vitamins, minerals, and plant extracts. Provides a broad spectrum of nutrients in two daily capsules.

\$14.40

NAC (N-Acetyl-Cysteine) 600 mg, 60 capsules • Item #01534

Supports **glutathione** levels for healthy **immune** function.

\$8.33

Curcumin Elite™ 60 vegetarian capsules • Item #02407

Patented turmeric root extract provides **45 times greater** bioavailability.

\$19.80

AMPK Metabolic Activator 30 vegetarian tablets • Item #02207

Dual ingredient plant compounds support youthful **AMPK** activity to promote cellular health. One tablet daily dosing.

\$21.60

Super Ubiquinol CoQ10 100 mg, 60 softgels • Item #01426

Superior ubiquinol form of CoQ10 (**100 mg**) plus shilajit shown to double mitochondrial CoQ10 levels.

\$35.10

Vitamin D3 5,000 IU, 60 softgels • Item #01713

High-potency vitamin D in a softgel to provide greater absorption.

\$5.85

Ultra Prostate Formula 60 softgels • Item #02029

Comprehensive support for an aging prostate gland utilizing extracts from **pygeum**, **nettle**, **flower pollen**, and **saw palmetto**, plus **boron**, **beta-sitosterol**, and **lycopene**.

\$23.63

Bone Restore Elite with Super Potent Vitamin K2 120 capsules • Item #02416

Helps maintain bone density by combining high potency **vitamin K2** (45,000 mcg) with **calcium** and other skeletal-strengthening nutrients.

\$28.35

Super Omega-3 EPA/DHA Fish Oil with Sesame Lignans & Olive Extract
120 softgels • Item #01982

Highly purified **EPA** and **DHA** Fish Oil, with **sesame lignans**, plus **olive extract**.

\$18.90

SUPER SALE ENDS FEBRUARY 1, 2021.

Customers traditionally take advantage of the **SUPER SALE** to stock up on a year's supply of their favorite supplements. To place your order, call 1-800-544-4440 or visit www.LifeExtension.com (**SUPER SALE** pricing available only to customers in the US, Canada, and England.)

These statements have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cure, or prevent any disease.

REPORTS

38 ON THE COVER

FISETIN: A SENOLYTIC THAT EXTENDS LIFESPAN

Fisetin has demonstrated robust systemic health benefits. **Lifespan** increases occur even when fisetin is initiated in old age.

A novel formulation increases **fisetin** bioavailability.




26 BUILD NEW BONE AND REDUCE FRACTURE RISK

Human trials show that **45 mg** a day of vitamin K2 increases **bone density** and *reduces fracture* incidence.



49 BENEFITS OF INTERMITTENT FASTING

A review published in the *New England Journal of Medicine* describes multiple benefits of **intermittent fasting**, including reversal of clinical measures of biological aging.



58 ASTAXANTHIN PROMOTES HEART HEALTH

Astaxanthin is best known for eye, brain, and skin health, but data show it also reduces **cardiovascular** risk factors.



66 PLANT-DERIVED COMPOUNDS REDUCE CHRONIC STRESS

Chronic **stress** can suppress immune function. Two plant compounds safely neutralize anxiety and constant stress.

DEPARTMENTS

7 AS WE SEE IT: EXPEDITING MEDICAL PROGRESS

Clinical trials are enrolling people in the US to evaluate the ability of **fisetin** to combat the effects of degenerative aging.

19 IN THE NEWS

Caloric restriction protects against liver disease; link between obesity and Alzheimer's uncovered; cruciferous vegetables may inhibit aortic calcification; omega-3 promotes heart health.

75 ASK THE DOCTOR


Dr. Alan S. Green explains his therapeutic treatment against aging that includes **metformin**, **rapamycin**, **fisetin**, **quercetin**, and **dasatinib**.

83 SUPER FOODS

The nutrients in **asparagus** may promote bone health, weight loss, and healthy blood pressure, including a compound that may work as a natural ACE inhibitor.


87 HEALTHY EATING

In *Gordon Ramsay Quick and Delicious*, the star chef reveals super-healthy recipes made in under 30 minutes.





Connect with Life Extension Online!



Facebook.com/LifeExtension



Twitter.com/LifeExtension

Customer care is available to take your calls
24 hours a day, 7 days a week: 1-800-678-8989

Visit the Life Extension® Nutrition Center Store

- The Most Complete Line of Life Extension Supplements
- Blood Testing and Analysis
- Personal Consultation with Life Extension Product/Wellness Specialist



Nutrition Center of Florida, Inc., 5990 North Federal Highway,
Fort Lauderdale, FL 33308-2633 • Phone: 954-766-8144

Hours: Monday-Friday 9 am-8 pm, Saturday 9 am-6 pm, Sunday 11 am-5 pm



#1 Rated Catalog/Internet Merchant—3-Time Winner

Ratings based on results of
the 2020 ConsumerLab.com survey
of supplement users. More information at
www.ConsumerLab.com/survey.

Editorial

Editor-in-Chief • Philip Smith
Executive Managing Editor • Renee Price
Medical Editor • Hernando Latorre, MD, MS
Senior Editor • Dan Jewel
Senior Staff Writer • Michael Downey
Department Editor • Laurie Mathena
Associate Editor • Rivka Rosenberger, EdD
Creative Director • Robert Vergara
Art Director • Alexandra Maldonado

Chief Medical Officer

Steven Joyal, MD

Chief Scientific Officer

Andrew Swick, MS, PhD

Scientific Advisory Board

Richard Black, DO • John Boik, PhD • Aubrey de Grey, PhD
Deborah F. Harding, MD • Steven B. Harris, MD • Sandra C. Kaufmann, MD
Peter H. Langsjoen, MD, FACC • Dipnarine Maharaj, MD
L. Ray Matthews, MD, FACS • Ralph W. Moss, PhD
Michael D. Ozner, MD, FACC • Jonathan V. Wright, MD • Xiaoxi Wei, PhD

Contributors

Michael Downey • Chancellor Faloan • Dr. Alan S. Green
Stacy Keller • Laurie Mathena • Susan Palmer • Charles Wyatt

Advertising

Vice President of Marketing • Rey Searles • rsearles@lifeextension.com
National Advertising Manager • JT Hroncich • 404-347-4170

Senior Director of Sales and Business Development

Carolyn Bouchard • cbouchard@lifeextension.com • 954-202-7685

Circulation & Distribution

Life Extension • 3600 West Commercial Blvd., Ft. Lauderdale, FL 33309
Editorial offices: 954-766-8433 • fax: 954-491-5306

Customer Service: 800-678-8989 • Email: customerservice@LifeExtension.com

Wellness specialists: 800-226-2370 • Email: wellness@LifeExtension.com

Life Extension® Magazine values your opinion and welcomes feedback.

Please mail your comments to *Life Extension Magazine*, Attn:

Letters to the Editor, PO Box 407198, Fort Lauderdale, FL 33340

or email us: LEmagazine@LifeExtension.com

LIFE EXTENSION (ISSN 1524-198X) Vol. 27, No. 2 ©2021 is published monthly except bi-monthly in April by LE Publications, Inc. at 3600 West Commercial Blvd., Fort Lauderdale, FL 33309-3338. LE Publications, Inc. All rights reserved. Published 13 times a year. Subscription rate: \$40 per year in the United States. US \$47 in Canada. US \$60 in other countries. Mail subscriptions or address changes to: LE Publications, Inc., P.O. Box 407198, Fort Lauderdale, FL 33340-7198, USA. Or phone us toll-free at: 1-800-841-5433. Canada Subscriptions: Publications mail agreement number 40028967. Return undeliverable Canadian addresses to PO Box 503, RPO West Beaver Creek, Richmond Hill, ON L4B4R6. You will be sent your first issue within six weeks after LE Publications, Inc. receives your subscription fee. Periodicals Postage paid at Fort Lauderdale, FL and at additional mailing offices. POSTMASTER: Send address changes to Life Extension, P.O. Box 407198, Ft. Lauderdale, Florida 33340-7198, USA. Printed in USA. The articles in this magazine are intended for informational purposes only. They are not intended to replace the attention or advice of a physician or other health-care professional. Anyone who wishes to embark on any dietary, drug, exercise, or other lifestyle change intended to prevent or treat a specific disease or condition should first consult with and seek clearance from a qualified health-care professional. LEGAL NOTICE: Health claims contained in articles and advertisements in this publication have not been approved by the FDA with the exception of FDA-approved, qualified health claims for calcium, antioxidant vitamins, folic acid and EPA and DHA omega-3 fatty acids, and selenium as noted where applicable. *Life Extension® Magazine* does not endorse any of the businesses or the products and/or services that may appear in advertisements for non-Life Extension branded products or services contained in it, except to state that they are advertisers who may have paid Life Extension for placement of an advertisement in this publication. Life Extension disclaims any and all responsibilities or warranties as to the accuracy of information contained in advertisements for non-Life Extension branded products or services. For Canadian customers send change of address information and blocks of undeliverable copies to P.O. Box 1051, Fort Erie, ON L2A 6C7.

PROSTATE HEALTH

The best way to keep
You in the picture.

Ultra Prostate Formula was created to help maintain prostate health. It contains a dozen *standardized* ingredients to:

- Support healthy urination
- Promote healthy prostate function
- Encourage prostate cell division

Ultra Prostate Formula is the most comprehensive *standardized*-ingredient prostate-health supplement.

For full product description and to order
Ultra Prostate Formula, call 1-800-544-4440 or
visit www.LifeExtension.com



SUPER SALE PRICE

Item #02029 • 60 softgels

1 bottle **\$25.65** • 4 bottles \$23.63 each

AprèsFlex® is a registered trademark of Laila Nutraceuticals exclusively licensed to PL Thomas-Laila Nutra LLC. HMRlignan™ is a trademark used under sublicense from Linnea S.A. Lyc-O-Mato® is a registered trademark of Lycored Corp. Albion® is a registered trademark of Albion Laboratories, Inc. Graminex® is a registered trademark of Graminex LLC.

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

Gustavo Tovar Baez, MD, operates the Life Extension Clinic in Caracas, Venezuela. He is the first physician in Caracas to specialize in anti-aging medicine.

Ricardo Bernales, MD, is a board-certified pediatrician and general practitioner in Chicago, IL, focusing on allergies, bronchial asthma, and immunodeficiency.

Mark S. Bezzek, MD, FACP, FAARM, FAAEM, is boardcertified in internal medicine, emergency medicine, and anti-aging/regenerative medicine. He is the director of Med-Link Consulting, which specializes in bioidentical hormone replacement therapy, natural alternatives, anti-aging, and degenerative diseases. He holds U.S. patents for a multivitamin/mineral supplement, an Alzheimer's/dementia compilation, and a diabetic regimen.

Thomas F. Crais, MD, FACS, a board-certified plastic surgeon, was medical director of the microsurgical research and training lab at Southern Baptist Hospital in New Orleans, LA, and currently practices in Sun Valley, ID.

William Davis, MD, is a preventive cardiologist and author of *Wheat Belly: Lose the Wheat, Lose the Weight* and *Find Your Path Back to Health*. He is also medical director of the online heart disease prevention and reversal program, *Track Your Plaque* (www.trackyourplaque.com).

Martin Dayton, MD, DO, practices at the Sunny Isles Medical Center in North Miami Beach, FL. His focus is on nutrition, aging, chelation therapy, holistic medicine, and oxidative medicine.

John DeLuca, MD, DC, is a 2005 graduate of St. George's University School of Medicine. He completed his internal medicine residency at Monmouth Medical Center in Long Branch, NJ, in 2008 and is board-certified by the American Board of Internal Medicine. Dr. DeLuca is a Diplomate of the American Academy of Anti-Aging Medicine and has obtained certifications in hyperbaric medicine, pain management, nutrition, strength and conditioning, and manipulation under anesthesia.

Sergey A. Dzugan, MD, PhD, was formerly chief of cardiovascular surgery at the Donetsk Regional Medical Center in Donetsk, Ukraine. Dr. Dzugan's current primary interests are anti-aging and biological therapy for cancer, cholesterol, and hormonal disorders.

Patrick M. Fratellone, MD, RH, is the founder and executive medical director of Fratellone Associates. He completed his internal medicine and cardiology fellowship at Lenox Hill Hospital in 1994, before becoming the medical director for the Atkins Center for Complementary Medicine.

Norman R. Gay, MD, is proprietor of the Bahamas Anti-Aging Medical Institute in Nassau, Bahamas. A former member of the Bahamian Parliament, he served as Minister of Health and Minister of Youth and Sports.

Mitchell J. Ghen, DO, PhD, holds a doctorate in holistic health and anti-aging and serves on the faculty of medicine at the Benemerita Universidad Autonoma De Puebla, Mexico, as a professor of cellular hematopoietic studies.

Gary Goldfaden, MD, is a clinical dermatologist and a lifetime member of the American Academy of Dermatology. He is the founder of Academy Dermatology of Hollywood, FL, and COSMESIS Skin Care.

Miguelangelo Gonzalez, MD, is a certified plastic and reconstructive surgeon at the Miguelangelo Plastic Surgery Clinic, Cabo San Lucas.

Garry F. Gordon, MD, DO, is a Payson, Arizona-based researcher of alternative approaches to medical problems that are unresponsive to traditional therapies. He is president of the International College of Advanced Longevity Medicine.

Richard Heifetz, MD, is a board-certified anesthesiologist in Santa Rosa, CA, specializing in the delivery of anesthesia for office-based, plastic/cosmetic surgery, chelation therapy, and pain management.

Roberto Marasi, MD, is a psychiatrist in Brescia and in Piacenza, Italy. He is involved in anti-aging strategies and weight management.

Maurice D. Marholin, DC, DO, is a licensed chiropractic physician and board-certified osteopathic family physician. While training at the University of Alabama, he completed fellowships in Clinical Nutrition and Behavioral Medicine. He is currently in private practice in Clermont, FL.

Professor Francesco Marotta, MD, PhD, of Montenaepoleone Medical Center, Milan, Italy, is a gastroenterologist and nutrigenomics expert with extensive international university experience. He is also a consulting professor at the WHO-affiliated Center for Biotech & Traditional Medicine, University of Milano, Italy and honorary resident professor, Nutrition, Texas Women's University. He is the author of more than 130 papers and 400 lectures.

Philip Lee Miller, MD, is founder and medical director of the Los Gatos Longevity Institute in Los Gatos, CA.

Michele G. Morrow, DO, FAAFP, is a board-certified family physician who merges mainstream and alternative medicine using functional medicine concepts, nutrition, and natural approaches.

Filippo Ongaro, MD, is board-certified in anti-aging medicine and has worked for many years as flight surgeon at the European Space Agency. He is a pioneer in functional and anti-aging medicine in Italy where he also works as a journalist and a writer.

Lambert Titus K. Parker, MD, an internist and a board-certified anti-aging physician, practices integrative medicine from a human ecology perspective with emphasis on personalized brain health, biomarkers, genomics and total health optimization. He serves as the Medical Director of Integrative Longevity Institute of Virginia, a 501(c)3 Non-Profit Medical Research Institute. He also collaborates on education and research for Hampton Roads Hyperbaric Therapy.

Ross Pelton, RPh, PhD, CCN, is scientific director for Essential Formulas, Inc.

Patrick Quillin, PhD, RD, CNS, is a clinical nutritionist in Carlsbad, CA, and formerly served as vice president of nutrition for Cancer Treatment Centers of America, where he was a consultant to the National Institutes of Health.

Allan Rashford, MD, graduated from the University of Iowa Medical School. Upon completing medical training, he became chief of medicine at St. Francis Hospital in South Carolina, and he was later named president of the Charleston Medical Society.

Marc R. Rose, MD, practices ophthalmology in Los Angeles, CA, and is president of the Rose Eye Medical Group. He is on the staff of Pacific Alliance Medical Center, Los Angeles, and other area hospitals.

Michael R. Rose, MD, a board-certified ophthalmologist with the Rose Eye Medical Group in Los Angeles, CA, is on the staff of the University of Southern California and UCLA.

Ron Rothenberg, MD, is a full clinical professor at the University of California San Diego School of Medicine and founder of California HealthSpan Institute in San Diego.

Roman Rozencwaig, MD, is a pioneer in research on melatonin and aging. He practices in Montreal, Canada, as research associate at Montreal General Hospital, Department of Medicine, McGill University.

Michael D. Seidman, MD, FACS, is the director of skull base surgery and wellness for the Adventist Health System in Celebration, FL.

Ronald L. Shuler, BS, DDS, CCN, LN, is involved in immunoncology for the prevention and treatment of cancer, human growth hormone secretagogues, and osteoporosis. He is board-certified in anti-aging medicine.



Sandra C. Kaufmann, MD, is a fellowship-trained and board-certified pediatric anesthesiologist as well as the Chief of Anesthesia at the Joe DiMaggio Children's Hospital in Hollywood, Florida. She is the founder of The Kaufmann Anti-Aging Institute and the author of the book *The Kaufmann Protocol: Why we Age and How to Stop it* (2018). Her expertise is in the practical application of anti-aging research.



Richard Black, DO, is a dedicated nuclear medicine physician practicing as an independent contractor out of Cleveland, Ohio. Dr. Black is board certified in internal medicine and nuclear medicine, and is licensed to practice medicine in multiple states throughout the United States.



John Boik, PhD, is the author of two books on cancer therapy, *Cancer and Natural Medicine* (1996) and *Natural Compounds in Cancer Therapy* (2001). He earned his doctorate at the University of Texas Graduate School of Biomedical Sciences with research at the MD Anderson Cancer Center, focusing on screening models to identify promising new anti-cancer drugs. He conducted his postdoctoral training at Stanford University's Department of Statistics.



Aubrey de Grey, PhD, is a biomedical gerontologist and Editor-in-Chief of *Rejuvenation Research*, the world's highest-impact, peer-reviewed journal focused on intervention in aging. He received his BA and PhD from the University of Cambridge in 1985 and 2000 respectively. Dr. de Grey is a Fellow of both the Gerontological Society of America and the American Aging Association and sits on the editorial and scientific advisory boards of numerous journals and organizations.



Deborah F. Harding, MD, is founder of the Harding Anti-Aging Center. She is double board-certified in internal medicine and sleep disorder medicine. She also earned the Cenegenics certification in age management medicine. She is a faculty member of the University of Central Florida Medical School.



Steven B. Harris, MD, is president and director of research at Critical Care Research, a company that grew out of 21st Century Medicine in Rancho Cucamonga, CA. Dr. Harris participates in ground-breaking hypothermia, cryothermia, and ischemia research. His research interests include antioxidant and dietary-restriction effects in animals and humans.



Peter H. Langsjoen, MD, FACC, is a cardiologist specializing in congestive heart failure, primary and statin-induced diastolic dysfunction, and other heart diseases. A leading authority on coenzyme Q10, Dr. Langsjoen has been involved with its clinical application since 1983. He is a founding member of the executive committee of the International Coenzyme Q10 Association, a fellow of the American College of Cardiology, and a member of numerous other medical associations.

Dipnarine Maharaj MD, MB, ChB, FRCP (Glasgow), FRCP (Edinburgh), FRCPath., FACP, is the Medical Director of the South Florida Bone Marrow Stem Cell Transplant Institute and is regarded as one of the world's foremost experts on adult stem cells. He received his medical degree in 1978 from the University of Glasgow Medical School, Scotland. He completed his internship and residency in Internal Medicine and Hematology at the University's Royal Infirmary.



L. Ray Matthews, MD, FACS, is a professor of surgery and director of Surgical Critical Care at Morehouse School of Medicine in Atlanta, GA, and a trauma and critical care surgeon at Grady Memorial Hospital. He has published widely and is known as one of the top vitamin D experts. Dr. Matthews has spoken before the U.S. Food and Drug Administration several times, presenting a recent update about clinical research on vitamin D.



Ralph W. Moss, PhD, is the author of books such as *Antioxidants Against Cancer*, *Cancer Therapy*, *Questioning Chemotherapy*, and *The Cancer Industry*, as well as the award-winning PBS documentary *The Cancer War*. Dr. Moss has independently evaluated the claims of various cancer treatments and currently directs *The Moss Reports*, an updated library of detailed reports on more than 200 varieties of cancer diagnoses.



Michael D. Ozner, MD, FACC, FAHA, is a board-certified cardiologist who specializes in cardiovascular disease prevention. He serves as medical director for the Cardiovascular Prevention Institute of South Florida and is a noted national speaker on heart disease prevention. Dr. Ozner is also author of *The Great American Heart Hoax*, *The Complete Mediterranean Diet* and *Heart Attack Proof*. For more information visit www.drozner.com.



Jonathan V. Wright, MD, is medical director of the Tahoma Clinic in Tukwila, WA. He received his MD from the University of Michigan and has taught natural biochemical medical treatments since 1983. Dr. Wright pioneered the use of bioidentical estrogens and DHEA in daily medical practice. He has authored or co-authored 14 books, selling more than 1.5 million copies.



Xiaoxi Wei, PhD, is a chemist, expert in supramolecular assembly and development of synthetic transmembrane nanopores with distinguished selectivity via biomimetic nanoscience. She has expertise in ion channel function and characterization. She founded X-Therma Inc., a company developing a radical new highway towards non-toxic, hyper-effective antifreeze agents to fight unwanted ice formation in regenerative medicine and reduce mechanical icing.



MORE

Two-Per-Day Offers You More Benefits Than Centrum®



50 times the VITAMIN B1
25 times the VITAMIN B6
12 times the VITAMIN B12
10 times the BIOTIN
10 times the SELENIUM
8 times the VITAMIN C
2.5 times the VITAMIN B3
2 times the VITAMIN D
3 times the VITAMIN E
2 times the ZINC



Why settle for **subpar** supplements?

Two-Per-Day Capsules

SUPER SALE PRICE

Item #02314 • 120 capsules (two-month supply)

1 bottle \$16.20

4 bottles \$14.40 each

Two-Per-Day Tablets

SUPER SALE PRICE

Item #02315 • 120 tablets (two-month supply)

1 bottle \$15.53

4 bottles \$13.95 each

Each bottle provides a two-month supply.



For full product description and to order **Two-Per-Day**, call **1-800-544-4440** or visit **www.LifeExtension.com**

Lycored LycoBeads® is a registered trademark of Lycored; Orange, New Jersey. SelenoExcell® is a registered trademark of Cypress Systems Inc. L-OptiZinc® and logo are trademarks of Lonza or its affiliates. Crominex® 3+, Capros® and PrimaVie® are registered trademarks of Natreon, Inc.

These statements have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cure, or prevent any disease.

EXPEDITING MEDICAL PROGRESS



WILLIAM FALOON

In 2020, rapid advancements occurred in our understanding of immune function.

But what about those who perish from **cancer**, **diabetes**, and **dementia**?

Why not make **heroic** attempts to better manage these diseases as well?

I first learned about the havoc that **senescent cells** inflict on our aging bodies in the **1990s**.

Scientists made it clear that for meaningful **longevity improvements** to happen, the senescent cell **burden** had to be reduced.



Until recently little could be done.

In 2016, **Life Extension®** learned of a flavonoid found in **strawberries** and **apples** that demonstrated profound **senolytic** effects.

The name of the flavonoid is **fisetin**. The challenge was that fisetin is rapidly metabolized in the **digestive tract**, leaving little for **absorption** into the blood.

Many years were spent developing a method to enhance fisetin's **oral bioavailability** in order to obtain its **systemic** benefits.

A low-cost orally **absorbable fisetin** supplement has finally arrived.

Five **clinical trials** are now recruiting people to study whether **fisetin** can combat some of the most difficult health challenges aging **humans** confront.¹

I sincerely regret **delays** in moving **lifesaving** therapies forward. Each day an effective method is postponed means needless loss of life.

This month's issue reveals validated methods to promote healthy **human lifespans**.

An article on **page 49** of this month's issue provides fascinating evidence about the **disease prevention** possibilities of both **intermittent fasting** and **caloric restriction**.

The easiest way to accomplish this is to not ingest anything except water, tea, or black coffee for about **16 hours** on most days.

I've been following this strategy and advocating it for many years. A review article published in the ***New England Journal of Medicine*** opened the eyes of even conventional doctors to this health-promoting science.²

Intermittent fasting induces healthy biological responses throughout our aging bodies.

Up until now, most people were challenged to garner these benefits without feeling hungry most of the time.

Obtain Some Fasting Benefits with Fisetin

Consuming fewer calories has long been associated with reduced cancer risks.

Fisetin has been the subject of much scientific interest for its potential to thwart **cancer**.

Fisetin is a plant flavonoid that selectively removes **senescent cells**, but research shows it does far more.

The **anti-cancer** effects of **fisetin** have been attributed to several properties, including its ability to induce cellular **apoptosis** and **autophagy**.³⁻¹²

Apoptosis is the programmed elimination of cells, including those that are older and mutated.

Intermittent fasting or calorie restriction promotes **apoptosis** and **autophagy** (removal of waste products inside cells), but so does **fisetin**.

Anti-Cancer Mechanisms

Instead of undergoing apoptosis, **cancer cells** override normal processes that remove damaged cells thereby allowing the cancer to proliferate out-of-control.

Fisetin helps restore normal **apoptotic** processes to help control a wide range of malignant abnormalities.

Autophagy can be described as "cellular house-keeping."

In healthy cells, autophagy is used to clear out accumulated **debris** inside of cells. This helps to facilitate normal cell division.

Time-restricted eating and **caloric restriction** induce these kinds of beneficial changes (apoptosis + autophagy) and may reduce risk of cancers, diabetes, dementia, and a host of metabolic disorders. Fisetin may induce similar benefits.



Curtailing Metastasis

Cells that escape a primary tumor migrate throughout the body and establish metastatic colonies that are often the cause of death in cancer patients.

Fisetin blocks *signaling* factors that enable cancer cells to spew out protein-degrading *enzymes* that enable invasiveness and eventual metastasis of tumor cells.^{5,13}

In a laboratory study using triple negative **breast cancer** cells, fisetin reduced migration by **76%** and inhibited metastasis.¹⁴ The effects were likely due to fisetin interfering with several pathways involved in **metastasis**.

Impeding Angiogenesis

Malignant cells develop their own blood supply to feed their rapid proliferation.

Angiogenesis refers to the formation of new blood vessels, including into a tumor bed.

Fisetin *inhibits* angiogenesis by disrupting *signals* that tumor cells use as a “switch” to promote new blood vessel growth.¹⁵

One lab study found that fisetin inhibited **vascular endothelial growth factor** (VEGF) growth up to **92%** in human umbilical vein endothelial cells.⁴

Mouse studies show **fisetin** decreases angiogenesis and lung tumor growth.³


Suppressing Inflammation

In preclinical studies, fisetin has been shown to inhibit many **inflammatory** factors such as TNF-alpha, IL-1 beta, IL-6, and IL-8.^{16,17}

In a rat model of primary liver cancer, the rats treated with **fisetin** experienced a normalization of TNF-alpha and IL-1 beta. These inflammatory cytokines are involved in liver cancer pathology. Fisetin-treated rats had a regression of neoplastic lesions in the liver in this study.¹⁸

In a randomized controlled clinical trial, 37 patients with colorectal cancer undergoing chemotherapy were given either **fisetin** or **placebo** for seven weeks. At the end of the trial, plasma levels of IL-8, C-reactive protein, and a protein-degrading enzyme (MMP-7) were significantly reduced in the **fisetin** group, but not in the **placebo** group.

The authors suggest that fisetin can improve the inflammatory status in colorectal patients, making it a potential complementary therapy.¹⁹



Further studies are necessary to fully elucidate the usefulness of fisetin as a cancer adjuvant.

Neuroprotection

Fisetin has been studied for its brain-protective properties, which stem partially from its **anti-inflammatory** effects.

In the context of brain diseases, fisetin has been investigated in Alzheimer's, Parkinson's, and Huntington's, as well as in models of stroke, neurotoxicity and traumatic brain injury.^{20,21} Fisetin has displayed promise in many of these areas, and showed some benefit in a clinical trial with **stroke** patients.²²

As it relates to **brain regeneration**, fisetin appears to promote neurite outgrowth and brain cell differentiation.²³ In multiple animal studies, fisetin improved learning, memory, and cognition.^{24,25}

In a mouse model of **Alzheimer's** disease, fisetin reduced **beta-amyloid** deposits and retarded the process by which tau proteins become toxic.²⁶ Fisetin-treated mice in this study had improved memory and diminished neuroinflammation.²⁷



In a mouse model of **amyotrophic lateral sclerosis** (ALS), mice treated with fisetin had improved survival and redox balance, and reduced motor impairment, compared to control mice.²⁸

In another study, mice with **intracerebral-hemorrhage**-induced brain injury were treated with fisetin, which lowered multiple indicators of brain trauma and neuroinflammation, including reducing levels of **inflammatory cytokines**. This suggests the brain injury was diminished.²⁹

Fisetin prevented behavioral and biochemical changes in a rat model of **Parkinson's** disease. The treated rats experienced improvements in motor function and dopamine levels, indicating fisetin could have a favorable influence on the pathogenesis of Parkinson's disease.³⁰

Preventing Stroke Damage in Humans

A clinical trial using fisetin was conducted in 192 patients who had experienced an ischemic **stroke**. The patients' onset-to-treatment time had been carefully recorded, as stroke treatment is most effective when administered **within three hours** of symptom onset.

The patients were treated with the standard of care—an IV injection of the clot-dissolver drug **tissue plasminogen activator** (tPA)—along with either placebo or **100 mg fisetin** in the IV fluid.

After the initial emergency care, patients continued with **placebo** or **fisetin** for **seven days**.

There was no difference in treatment outcome between placebo and fisetin among the patients who were treated between **zero and three hours** after onset of stroke symptoms.

When onset of symptoms to treatment time was **three to five hours**, however, there was improvement in the **fisetin** group compared to the **placebo** group with the same delayed (three to five hours) treatment time.²²

Interestingly, the patients in the **three to five hour** *delayed* treatment group who received fisetin experienced favorable neurological scores almost **identical** to those who had received standard treatment within **three hours**.

The researchers concluded that **fisetin** may be a valuable supplement to clot-dissolving drug treatment for stroke patients, especially in those with delayed treatment after symptom onset.

Diabetic Complications

Diabetic complications such as eye disorders, neuropathy, kidney impairment, and cardiomyopathy may be improved with fisetin administration.

In a mouse model of diabetes, fisetin slowed the advancement of **cataracts**.³¹ Fisetin also stopped the development of painful **neuropathy** in diabetic mice.³²

Diabetic rats given fisetin experienced improved body weights and reduced blood glucose and A1c. Fisetin-treated rats had improved lipid profiles and significant lessening of diabetes-induced heart damage.³³

In obese mice fed high-fat diets, **fisetin** protected **kidneys** from pathologic alterations and improved kidney function. Fisetin also decreased **inflammation** in kidneys as demonstrated by reduced levels of TNF-alpha, IL-6, IL-1 beta, and IL-18.³⁴ These results indicate that fisetin may be beneficial in diabetic kidney disease.

Human Clinical Trials

There are several active clinical (human) trials underway to determine the effects of fisetin,¹ including one in patients with advanced **kidney** disease, particularly diabetic kidney disease.³⁵

These studies will measure changes in inflammatory markers, stem cell function, kidney function, and more.

Additional clinical trials with diabetic participants that measure glucose levels, insulin resistance, and HbA1c will help determine the role of **fisetin** in preventing and treating diabetes and its complications.

"Obesity" Control Switch

Fisetin may play a role in regulating obesity by preventing fat-cell production via suppression of **mTOR** signaling.

When mice were fed a high-fat diet, fisetin attenuated the increase in body weight and white adipose tissue accumulation.³⁶

Other animal studies indicate that fisetin may be helpful in addressing another issue of obesity: fatty liver.³⁷⁻⁴⁰

In one study, mice were given a high-fat diet to induce fatty liver. The fisetin-treated mice had *decreased* body weight and lipid accumulation in the liver.⁴⁰

What Has Scientists Most Excited?

What got **Life Extension®** excited about **fisetin** is its ability to act as a *targeted* **senolytic**.

Senolytic compounds selectively remove **senescent cells** from our aging bodies and have demonstrated remarkable health and longevity improvements.

Currently, the best proven senolytic protocol uses a combination of the cancer drug **dasatinib** with the flavonoid **quercetin**.

It is possible that dasatinib could have some off-target effects, such as removing a few healthy cells in the process of purging toxic senescent cells. Dasatinib is nonetheless currently the best documented senolytic agent when combined with quercetin.

With the advent of **bioavailable fisetin**, it may no longer be necessary to use dasatinib to reduce the senescent cell burden.

In a panel of 10 flavonoids tested in progeroid mice, **fisetin** was the most potent **senolytic**.⁴¹



Progeroid mice suffer accelerated aging, just like humans afflicted with progeria. Supplementation with fisetin in progeroid mice resulted in reduced senescent markers in fat, spleen, liver, and kidney.⁴¹

Fisetin has also been shown, in preclinical models, to lower harmful secretions from **senescent cells**, a phenomenon called the “**senescent associated secretory phenotype**” (SASPs). This finding of lowered SASP markers indicates that senescent cells were either cleared (meaning fisetin removed senescent cells) or had their senescence reversed.⁴¹⁻⁴³

In naturally aged mice (roughly equivalent to **75 years** in humans), supplementing the diet with fisetin:⁴¹

- Restored tissue homeostasis,
- Reduced age-related pathologies, and
- Extended lifespan.

Similar lifespan-enhancing effects have been seen in other organisms like yeast and flies.^{44,45}

It has been suggested that such effects may be due to fisetin inhibiting the **mTOR pathway** and other deleterious factors involved in aging.^{44,46-48}

Researchers at the **Mayo Clinic** are conducting clinical trials using very high doses of regular fisetin (not a new bioavailable form) to measure changes in senescent cell burden, inflammation, frailty, and other indicators.⁴⁹

We look forward to findings as more clinical studies about fisetin are published.

What You Might Consider

The **senolytic** properties of **fisetin** make it appropriate to use in a modest daily dose of **8 mg** in its new **bioavailable** form, which is equivalent to about **200 mg** of regular fisetin.

Fisetin has demonstrated favorable biological effects in preclinical studies, including preventing and suppressing inflammation, regulating cell proliferation, protecting neurons and controlling mTOR.

These benefits are analogous to what happens in response to **intermittent fasting**—a proactive health and longevity measure that I urge you to consider as a New Year’s resolution.

I eat my last meal around 3 a.m., sleep eight hours and then wake up and immediately begin my 10+ hour workdays. This enables me to not eat anything for 16 or more hours most days.

I augment this **intermediate fasting** with phytoextracts from green tea and other plants, NAD⁺ boosters, metformin, and now **bioavailable fisetin**.

At less than **33 cents** a day, fisetin is an exciting and affordable new plant extract.

Concept of Daily Senolysis

Young, healthy bodies meticulously remove senescent cells **every day**.

With age, the **senescent cell burden** creates a snowball effect of mounting health problems and inability to remove senescent cells until life is no longer sustainable.

Stated in another way, accumulated senescent cells reduce their own removal rate.⁵⁰

With the advent of **targeted senolytics** like **bioavailable fisetin**, daily use may be considered, or perhaps weekly as described in the box on the next page.



Do You Still Need Other Senolytics?

Most of you are following some sort of senolytic protocol that may involve:

- Two-day-a-week fasting (not eating **anything** for two days a week or ingesting only **500-600 calories** two days a week) or time-restricted eating (fasting 14-18 hours most days) and/or
- Dosing of dasatinib + quercetin one or more times a year and/or
- Weekly dosing of black tea theaflavins + quercetin + apigenin.

Fisetin is generating tremendous interest among researchers who specialize in anti-aging science.

For the first time people can obtain it in bioavailable form as opposed to taking over **1,400 mg** and hoping enough is transported into your bloodstream.

For those who want to continue with an intermittent senolytic program, taking seven (**8 mg**) capsules once a week of **bioavailable** fisetin along with a combination formula providing black tea theaflavins + quercetin + apigenin is an option.

You may also take the daily bioavailable fisetin dose for its other benefits and then continue with weekly black tea theaflavins + quercetin + apigenin.

Studies are planned for using bioavailable fisetin on differing dosing schedules to ascertain the ideal protocol for removing senescent cells and reducing the “senescent associated secretory phenotype” (SASPs).

While the data on **dasatinib** are compelling, some longevity enthusiasts who have used it reported experiencing mild flu symptoms or GI upsets, whereas **fisetin** does not cause these side effects.

I look forward to results from human trials to identify the optimal senolytic protocol for aging persons to follow. This may involve all known senolytic compounds based on individual response rates as measured by the “senescent associated secretory phenotype,” skin punch measures of senescent fibroblast cells, or other senolysis-measuring methods that are still being explored.

In This Month's Issue

Those who follow healthy lifestyles underestimate the degree of **bone loss** that occurs with normal aging. The article in **page 26** describes what Japanese physicians are using to improve **bone density** and reduce **fracture risk**.

As the **obesity epidemic** worsens, more Americans are succumbing to **heart attack** and other metabolic disorders. The article on **page 49** reviews data on how **time-restricted eating** may lessen the impact of the unhealthy dietary patterns that too many of us engage in.

The article on **page 58** describes recent findings on how a **plant extract** most of you supplement with can improve **cardiac function**.

Please know that I work around-the-clock to expedite **clinical trials** aimed at reversing **biological aging** in older individuals. Your long-standing support enables me to fund a full-time program to transform **human research** into affordable reality.

For longer life,



William Falo, Co-Founder
Life Extension Buyers Club

References

- Available at: <https://clinicaltrials.gov/ct2/results?cond=&term=fisetin&cnt ry=&state=&city=&dist=&Search=Search>. Accessed November 19, 2020.
- de Cabo R, Mattson MP. Effects of Intermittent Fasting on Health, Aging, and Disease. *N Engl J Med*. 2019 Dec 26;381(26):2541-51.
- Touil YS, Seguin J, Scherman D, et al. Improved antiangiogenic and antitumour activity of the combination of the natural flavonoid fisetin and cyclophosphamide in Lewis lung carcinoma-bearing mice. *Cancer Chemother Pharmacol*. 2011 Aug;68(2):445-55.
- Bhat TA, Nambiar D, Pal A, et al. Fisetin inhibits various attributes of angiogenesis in vitro and in vivo—implications for angioprevention. *Carcinogenesis*. 2012 Feb;33(2):385-93.
- Chien CS, Shen KH, Huang JS, et al. Antimetastatic potential of fisetin involves inactivation of the PI3K/Akt and JNK signaling pathways with downregulation of MMP-2/9 expressions in prostate cancer PC-3 cells. *Mol Cell Biochem*. 2010 Jan;333(1-2):169-80.
- Kashyap D, Sharma A, Sak K, et al. Fisetin: A bioactive phytochemical with potential for cancer prevention and pharmacotherapy. *Life Sci*. 2018 Feb 1;194:75-87.
- Kashyap D, Garg VK, Tuli HS, et al. Fisetin and Quercetin: Promising Flavonoids with Chemopreventive Potential. *Biomolecules*. 2019 May 6;9(5):174.
- Jia S, Xu X, Zhou S, et al. Fisetin induces autophagy in pancreatic cancer cells via endoplasmic reticulum stress- and mitochondrial stress-dependent pathways. *Cell Death Dis*. 2019 Feb 13;10(2):142.
- Ravichandran N, Suresh G, Ramesh B, et al. Fisetin modulates mitochondrial enzymes and apoptotic signals in benzo(a)pyrene-induced lung cancer. *Mol Cell Biochem*. 2014 May;390(1-2):225-34.
- Kang KA, Piao MJ, Madduma Hewage SR, et al. Fisetin induces apoptosis and endoplasmic reticulum stress in human non-small cell lung cancer through inhibition of the MAPK signaling pathway. *Tumour Biol*. 2016 Jul;37(7):9615-24.
- Suh Y, Afaq F, Johnson JJ, et al. A plant flavonoid fisetin induces apoptosis in colon cancer cells by inhibition of COX2 and Wnt/EGFR/NF-kappaB-signaling pathways. *Carcinogenesis*. 2009 Feb;30(2):300-7.
- Lim JY, Lee JY, Byun BJ, et al. Fisetin targets phosphatidylinositol-3-kinase and induces apoptosis of human B lymphoma Raji cells. *Toxicol Rep*. 2015 2015/01/01;2:984-9.
- Park JH, Jang YJ, Choi YJ, et al. Fisetin inhibits matrix metalloproteinases and reduces tumor cell invasiveness and endothelial cell tube formation. *Nutr Cancer*. 2013 2013/11/01;65(8):1192-9.
- Shahi Thakuri P, Gupta M, Singh S, et al. Phytochemicals inhibit migration of triple negative breast cancer cells by targeting kinase signaling. *BMC Cancer*. 2020 Jan 2;20(1):4.
- Syed DN, Afaq F, Maddodi N, et al. Inhibition of human melanoma cell growth by the dietary flavonoid fisetin is associated with disruption of Wnt/beta-catenin signaling and decreased Mitf levels. *J Invest Dermatol*. 2011 Jun;131(6):1291-9.
- Wang L, Tu YC, Lian TW, et al. Distinctive antioxidant and anti-inflammatory effects of flavonols. *J Agric Food Chem*. 2006 Dec 27;54(26):9798-804.
- Park HH, Lee S, Son HY, et al. Flavonoids inhibit histamine release and expression of proinflammatory cytokines in mast cells. *Arch Pharm Res*. 2008 Oct;31(10):1303-11.
- Maurya BK, Trigun SK. Fisetin Modulates Antioxidant Enzymes and Inflammatory Factors to Inhibit Aflatoxin-B1 Induced Hepatocellular Carcinoma in Rats. *Oxid Med Cell Longev*. 2016;2016:1972793.
- Farsad-Naeimi A, Alizadeh M, Esfahani A, et al. Effect of fisetin supplementation on inflammatory factors and matrix metalloproteinase enzymes in colorectal cancer patients. *Food Funct*. 2018 Apr 25;9(4):2025-31.
- Pal HC, Pearlman RL, Afaq F. Fisetin and Its Role in Chronic Diseases. *Adv Exp Med Biol*. 2016;928:213-44.
- Zhang L, Wang H, Zhou Y, et al. Fisetin alleviates oxidative stress after traumatic brain injury via the Nrf2-ARE pathway. *Neurochem Int*. 2018 Sep;118:304-13.
- Wang L, Cao D, Wu H, et al. Fisetin Prolongs Therapy Window of Brain Ischemic Stroke Using Tissue Plasminogen Activator: A Double-Blind Randomized Placebo-Controlled Clinical Trial. *Clin Appl Thromb Hemost*. 2019 Jan-Dec;25:1076029619871359.
- Maher P. A comparison of the neurotrophic activities of the flavonoid fisetin and some of its derivatives. *Free Radic Res*. 2006 Oct;40(10):1105-11.
- Maher P, Akaishi T, Abe K. Flavonoid fisetin promotes ERK-dependent long-term potentiation and enhances memory. *Proc Natl Acad Sci U S A*. 2006 Oct 31;103(44):16568-73.
- Maher P. Modulation of multiple pathways involved in the maintenance of neuronal function during aging by fisetin. *Genes Nutr*. 2009 Dec;4(4):297-307.
- Alonso AD, Cohen LS, Corbo C, et al. Hyperphosphorylation of Tau Associates With Changes in Its Function Beyond Microtubule Stability. *Front Cell Neurosci*. 2018;12:338.
- Ahmad A, Ali T, Park HY, et al. Neuroprotective Effect of Fisetin Against Amyloid-Beta-Induced Cognitive/Synaptic Dysfunction, Neuroinflammation, and Neurodegeneration in Adult Mice. *Mol Neurobiol*. 2017 Apr;54(3):2269-85.
- Wang TH, Wang SY, Wang XD, et al. Fisetin Exerts Antioxidant and Neuroprotective Effects in Multiple Mutant hSOD1 Models of Amyotrophic Lateral Sclerosis by Activating ERK. *Neuroscience*. 2018 May 21;379:152-66.
- Chen C, Yao L, Cui J, et al. Fisetin Protects against Intracerebral Hemorrhage-Induced Neuroinflammation in Aged Mice. *Cerebrovasc Dis*. 2018;45(3-4):154-61.
- Alikatte K, Palle S, Rajendra Kumar J, et al. Fisetin Improved Rotenone-Induced Behavioral Deficits, Oxidative Changes, and Mitochondrial Dysfunctions in Rat Model of Parkinson's Disease. *J Diet Suppl*. 2020 Jan 29:1-15.
- Kan E, Kilickan E, Ayar A, et al. Effects of two antioxidants; alpha-lipoic acid and fisetin against diabetic cataract in mice. *Int Ophthalmol*. 2015 Feb;35(1):115-20.
- Zhao X, Li XL, Liu X, et al. Antinociceptive effects of fisetin against diabetic neuropathic pain in mice: Engagement of antioxidant mechanisms and spinal GABAA receptors. *Pharmacol Res*. 2015 Dec;102:286-97.
- Althunibat OY, Al Hroob AM, Abukhalil MH, et al. Fisetin ameliorates oxidative stress, inflammation and apoptosis in diabetic cardiomyopathy. *Life Sci*. 2019 Mar 15;221:83-92.
- Ge C, Xu M, Qin Y, et al. Fisetin supplementation prevents high fat diet-induced diabetic nephropathy by repressing insulin resistance and RIP3-regulated inflammation. *Food Funct*. 2019 May 22;10(5):2970-85.
- Available at: <https://clinicaltrials.gov/ct2/show/NCT03325322?term=fisetin&draw=2&rank=4>. Accessed November 19, 2020.
- Jung CH, Kim H, Ahn J, et al. Fisetin regulates obesity by targeting mTORC1 signaling. *J Nutr Biochem*. 2013 Aug;24(8):1547-54.
- Jeon TI, Park JW, Ahn J, et al. Fisetin protects against hepatosteatosis in mice by inhibiting miR-378. *Mol Nutr Food Res*. 2013 Nov;57(11):1931-7.
- Gaballah HH, El-Horany HE, Helal DS. Mitigative effects of the bioactive flavonol fisetin on high-fat/high-sucrose induced nonalcoholic fatty liver disease in rats. *J Cell Biochem*. 2019 Aug;120(8):12762-74.
- Cho Y, Chung JH, Do HJ, et al. Effects of fisetin supplementation on hepatic lipogenesis and glucose metabolism in Sprague-Dawley rats fed on a high fat diet. *Food Chem*. 2013 Aug 15;139(1-4):720-7.
- Liou CJ, Wei CH, Chen YL, et al. Fisetin Protects Against Hepatic Steatosis Through Regulation of the Sirt1/AMPK and Fatty Acid beta-Oxidation Signaling Pathway in High-Fat Diet-Induced Obese Mice. *Cell Physiol Biochem*. 2018;49(5):1870-84.
- Yousefzadeh MJ, Zhu Y, McGowan SJ, et al. Fisetin is a senotherapeutic that extends health and lifespan. *EBioMedicine*. 2018 Oct;36:18-28.
- Kirkland JL, Tchkonian T. Cellular Senescence: A Translational Perspective. *EBioMedicine*. 2017 Jul;21:21-8.
- Zhu Y, Doornebal EJ, Pirtskhalava T, et al. New agents that target senescent cells: the flavone, fisetin, and the BCL-XL inhibitors, A1331852 and A1155463. *Aging (Albany NY)*. 2017 Mar 8;9(3):955-63.
- Gryniewicz G, Demchuk OM. New Perspectives for Fisetin. *Front Chem*. 2019;7:697.
- Pallauf K, Duckstein N, Rimbach G. A literature review of flavonoids and lifespan in model organisms. *Proc Nutr Soc*. 2017 May;76(2):145-62.
- Khan N, Afaq F, Khusro FH, et al. Dual inhibition of phosphatidylinositol 3-kinase/Akt and mammalian target of rapamycin signaling in human non-small cell lung cancer cells by a dietary flavonoid fisetin. *Int J Cancer*. 2012 Apr 1;130(7):1695-705.
- Kim S, Choi KJ, Cho SJ, et al. Fisetin stimulates autophagic degradation of phosphorylated tau via the activation of TFEB and Nrf2 transcription factors. *Sci Rep*. 2016 Apr 26;6:24933.
- Syed DN, Adhami VM, Khan MI, et al. Inhibition of Akt/mTOR signaling by the dietary flavonoid fisetin. *Anticancer Agents Med Chem*. 2013 Sep;13(7):995-1001.
- Available at: <https://www.mayo.edu/research/clinical-trials/cls-20438802>. Accessed November 19, 2020.
- Karin O, Agrawal A, Porat Z, et al. Senescent cell turnover slows with age providing an explanation for the Gompertz law. *Nat Commun*. 2019 Dec 2;10(1):5495.

HIGHLY PURIFIED FISH OIL

Super Omega-3 provides components found in **Mediterranean diets**, including **sesame lignans** to extend the stability of **DHA** in the blood.

EPA

DHA

OMEGA₃

EPA/DHA + SESAME LIGNANS +
OLIVE POLYPHENOLS +
KRILL + ASTAXANTHIN

EPA/DHA + SESAME LIGNANS +
OLIVE POLYPHENOLS

EPA

DHA



SUPER OMEGA-3 PLUS
EPA/DHA Fish Oil, Sesame Lignans,
Olive Extract, Krill & Astaxanthin
(2,520 mg of EPA + DHA in four softgels)

SUPER SALE PRICE

Item #01988 • 120 softgels

1 bottle **\$30.38**

4 bottles \$28.35 each

OR



SUPER OMEGA-3
EPA/DHA Fish Oil,
Sesame Lignans & Olive Extract
(2,400 mg of EPA + DHA in four softgels)

SUPER SALE PRICE

Item #01982 • 120 softgels

1 bottle **\$21.60**

4 bottles \$18.90 each



For full product description and to order **Super Omega-3**, or
Super Omega-3 Plus, call **1-800-544-4440** or visit **www.LifeExtension.com**

CAUTION: If you are taking anti-coagulant or anti-platelet medications, or have a bleeding disorder, consult your healthcare provider before taking this product.

* Highest Independent 5-star rating, International Fish Oil Society For Over Nine Years.
IFOS™ certification mark is a registered trademark of Nutrasource Diagnostics, Inc.

These statements have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cure, or prevent any disease.

BREATHE EASY



N-ACETYL-L-CYSTEINE

Supports Healthy
Respiratory Tract Function



N-Acetyl-L-Cysteine (NAC) supports healthy levels of *glutathione*, a molecule utilized by all cells for protection against free-radical damage and attacks from pathogens.

NAC is a powerful antioxidant that helps clear airways, and benefits bronchial, respiratory, liver, and immune health.

For full product description and to order **N-Acetyl-L-Cysteine**, call 1-800-544-4440 or visit www.LifeExtension.com

SUPER SALE PRICE

Item # 01534
600 mg, 60 capsules
1 bottle \$9.45
4 bottles \$8.33 each

Caution: Those who supplement with NAC should drink 6 to 8 glasses of water daily in order to prevent cysteine renal stones. Cysteine renal stones are rare but do occur.



These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

FISETIN

Enhanced Bioavailability

Fisetin, a flavonoid found in strawberries and apples,^{1,2} is currently being studied as a **senolytic** in humans.³

In preclinical studies, fisetin:

- Mimics the effects of **calorie reduction**⁴
- Supports activation of **longevity proteins**⁴⁻⁸
- Extends the lifespan of mice by approximately **10%**⁹
- Removes aging **senescent** cells through **senolytic** action⁹
- Suppresses **mTOR** activation¹⁰

Fisetin is poorly *absorbed* due to its breakdown in the small intestines.

Bio-Fisetin solves this problem by enclosing **fisetin** with a compound from the fenugreek herb.

The result of a **human** trial showed **bioavailability** of this new **fisetin** compound increased up to **25 times** compared to fisetin by itself.¹¹

Just one capsule daily of **Bio-Fisetin** helps manage **senescent cells** and may support overall longevity.

References

1. *Front Chem.* 2019;7:697.
2. *Adv Exp Med Biol.* 2016;928:213-44.
3. Available at: <https://www.mayo.edu/research/clinical-trials/cis-20438802>. Accessed June 22, 2020.
4. *Life Sci.* 2018 Jan 15;193:171-9.
5. *Mini Rev Med Chem.* 2018;18(13):1151-7.
6. *Nutr Res Pract.* 2017 Oct;11(5):430-4.
7. *Biochem Biophys Res Commun.* 2015 Nov 27;467(4):638-44.
8. *Int Immunopharmacol.* 2017 Apr;45:135-47.
9. *EBioMedicine.* 2018 Oct;36:18-28.
10. *J Nutr Biochem.* 2013 Aug;24(8):1547-54.
11. *Manufacturer's study (in press for future publication).* 2020.

SUPER SALE PRICE

Item #02414 • 30 vegetarian capsules

1 bottle **\$10.13** • 4 bottles \$9 each



For full product description and to order **Bio-Fisetin**, call **1-800-544-4440** or visit www.LifeExtension.com



These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

Feel like a Kid Again



If you experience general fatigue, it may be due to the decline of NAD⁺, an important coenzyme found in every cell.

NAD⁺ facilitates the production of ATP, which your body uses for fuel.

NAD⁺ Cell Regenerator™ formulas help maintain *youthful* levels of NAD⁺.

NAD⁺ Cell Regenerator™ and Resveratrol

Nicotinamide riboside (300 mg), *trans*-resveratrol and other cell energizing nutrients in one capsule.

Item #02348 • 30 veg. caps.

*

NAD⁺ Cell Regenerator™

300 mg of nicotinamide riboside per capsule.

Item #02344 • 30 veg. caps.



* For Super Sale pricing available to readers of this magazine, call 1-800-544-4440 or visit www.LifeExtension.com/NAD



NIAGEN® is a registered trademark of ChromaDex, Inc., Patents see: www.ChromaDexPatents.com

For full product description and to order NAD⁺ Cell Regenerator™ or NAD⁺ Cell Regenerator™ with Resveratrol, call 1-800-544-4440 or visit www.LifeExtension.com

These statements have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cure, or prevent any disease.

In the News



Caloric Restriction Protects Against Liver Disease, Animal Study Suggests

Consuming fewer calories has a protective effect against developing hepatocellular carcinoma (primary liver cancer) associated with hepatitis C virus infection, and nonalcoholic fatty liver disease, according to a rodent study published in the journal *Liver Cancer*.*

The study used mice with the liver cancer core gene that spontaneously develop fatty liver and tumors. For 15 months, the animals were given either a control diet that allowed them to eat as much as they liked, or a diet that contained **30%** fewer calories than the control.

At the end of 15 months, animals that received calorie-restricted diets had fewer and smaller liver tumors, less liver oxidative stress, lower inflammation, downregulation of pro-cancer mediators, increased autophagy, as well as other improvements, compared to the control group.

Editor's Note: "Recently, worldwide increases in obesity and metabolic syndrome have raised the prevalence of primary liver cancer derived from nonalcoholic fatty liver disease (NAFLD) and nonalcoholic steatohepatitis (NASH), indicating a close relationship between over-nutrition and liver tumorigenesis," the authors stated.

* *Liver Cancer*. 2020 Sep;9(5):529-548.

Why Does Being Overweight or Obese Increase Alzheimer's Risk?

Numerous studies have shown that obesity increases the risk of Alzheimer's disease, but they haven't identified why the connection exists. A recent brain-imaging study published in the *Journal of Alzheimer's Disease* has identified an underlying connection.*

Researchers analyzed over 35,000 brain scans of more than 17,000 individuals, using SPECT (single-photon emission computerized tomography). They found that people with a *higher* body mass index had decreased blood flow to the brain. The subjects ranged in age from 18 to 94.

Decreased brain blood flow is the number one brain-imaging predictor of Alzheimer's disease.

As people progressed from overweight to obese to morbidly obese, reduced blood flow progressively worsened. In addition, the areas of the brain impacted by reduced blood flow were those especially vulnerable to Alzheimer's disease.

This is one of the largest brain imaging studies, until now, tying obesity to brain dysfunction.

"This study shows that being overweight or obese seriously impacts brain activity and increases the risk for Alzheimer's disease as well as many other psychiatric and cognitive conditions," said Dr. Daniel G. Amen, lead author of the study, and founder of Amen Clinics.

Editor's Note: "Overall, we have found a strong set of relationships between being overweight and obese and brain hypoperfusion across a large adult cohort spanning young adults to late life. The persistence of these abnormalities despite adjusting for demographic and psychiatric factors further highlights the need to address obesity as a target for interventions designed to improve brain function, be they AD prevention initiatives or attempts to optimize cognition in younger populations," the authors concluded.

**J Alzheimers Dis.* 2020;77(3):1331-1337.





Greater Cruciferous Vegetable Intake Associated with Less Aortic Calcification

Research findings reported in the *British Journal of Nutrition* reveal an association between increased intake of Brussels sprouts, broccoli, cabbage, and other cruciferous vegetables, and less extensive abdominal aortic calcification (AAC) in older women.*

Conducted by researchers from the University of Western Australia, the study included 684 women, with a mean age of 75, who had enrolled in the Calcium Intake Fracture Outcome Study in 1998. Responses to dietary questionnaires administered upon enrollment provided information about cruciferous vegetable intake. Aortic calcification was categorized as extensive or not extensive based on imaging obtained during 1998–1999.

A correlation was observed between greater cruciferous vegetable intake and a reduction in AAC. Women whose intake of the vegetables was more than **44.6 grams** per day (the equivalent of ¼ cup of steamed broccoli or ½ cup of raw cabbage, for example) had a **46%** lower adjusted risk of extensive AAC, compared to those whose intake was less than **15 grams** daily.

Total vegetable intake, including other types of vegetables, was not related with risk.

“This study strengthens the hypothesis that higher intake of cruciferous vegetables may protect against vascular calcification,” the authors stated.

Editor’s Note: “One particular constituent found abundantly in cruciferous vegetables is vitamin K which may be involved in inhibiting the calcification process that occurs in our blood vessels,” said lead author Dr. Lauren Blekkenhorst.

* *Br J Nutr.* 2020 Jul 17.

Cardioprotective Benefits Found with Omega-3 Supplements

An updated meta-analysis published in *Mayo Clinic Proceedings* expands on an earlier one, supporting a cardioprotective role for supplementation with the omega-3 fatty acids eicosapentaenoic acid (EPA) and docosahexaenoic acid (DHA).*

This meta-analysis included 40 randomized controlled trials with a total of 135,267 participants.

Dosages of omega-3 used in the studies ranged from **400 mg** to **5,500 mg** per day.

Supplementation with EPA + DHA was associated with a:

- **13%** lower risk of heart attack,
- **10%** lower risk of coronary heart disease events,
- **35%** lower risk of fatal heart attack, and
- **9%** lower risk of coronary heart disease mortality.

Editor's Note: When the impact of omega-3 dosage was examined, higher doses were more protective against the risk of cardiovascular disease events and heart attack than lower amounts.

* *Mayo Clin Proc.* 2020 Sep 17.



Maintain Endothelial Plaque Stability with **Arterial Protect**



Arterial Protect can help stabilize endothelial plaque and promote healthy blood flow throughout the body.*

Just one capsule a day provides the patented French Maritime **pine bark extract** along with standardized *Centella asiatica* extract.

SUPER SALE PRICE

Item #02004 • 30 vegetarian capsules

1 bottle \$29.70 • 4 bottles \$26.10 each



Reference

* *Int Angiol.* 2014 Feb;33(1):20-6.

Pycnogenol® and Centellicum® are registered trademarks of Horphag Research and the use of this product is protected by international patents.

For full product description and to order **Arterial Protect**, call **1-800-544-4440** or visit **www.LifeExtension.com**

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.



Positively Impact **HEALTHY METABOLISM** with Next-Generation **LIPOIC ACID**

Super R-Lipoic Acid is more bioavailable, stable, and potent, achieving **10-30 times** higher peak blood levels.

Get powerful metabolic support to help reduce oxidative stress, body fat, and weight.



SUPER SALE PRICE

Item #01208 • 60 vegetarian capsules

1 bottle **\$33.08**

4 bottles \$30.38 each

Suggested dose is one to two capsules daily.

For full product description and to order **Super R-Lipoic Acid**, call 1-800-544-4440 or visit www.LifeExtension.com

This supplement should be taken in conjunction with a healthy diet and regular exercise program.
Individual results are not guaranteed, and results may vary.

CAUTION: If you are taking glucose-lowering medication, consult your healthcare provider before taking this product.

Bio-Enhanced® is a registered trademark of GeroNova Research, Inc.

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

DEFEND YOUR HEALTH

VITAMIN D3

Systemic support for immune function, bone health, and normal blood-sugar levels.



SUPER SALE PRICE

Item #01713 • 5,000 IU • 60 softgels

1 bottle \$6.75 • 4 bottles \$5.85 each

For full product description
and to order **Vitamin D3**,
call 1-800-544-4440 or
visit www.LifeExtension.com



CAUTION: Individuals consuming more than 50 mcg (2000 IU)/day of vitamin D (from diet and supplements) should periodically obtain a serum 25-hydroxy vitamin D measurement. Do not exceed 10000 IU per day unless recommended by your doctor. Vitamin D supplementation is not recommended for individuals with high blood calcium levels.

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.



High-Dose Vitamin K2 Builds New Bone

BY MICHAEL DOWNEY



Osteoporosis is astonishingly common in men and women.

Roughly **50%** of American women and **25%** of American men age 50 and older will suffer a **fracture** due to this condition.¹

These bone breaks are a leading cause of disability. Within a year of suffering a hip fracture, up to **20%** of patients over 50 *will die*.²

For decades, doctors in Japan have been using **high doses** of **vitamin K2** as a prescription drug to prevent *bone loss* and protect against **fractures**.³

It is now available in the U.S. *without* a prescription.

Clinical trials have demonstrated that **45 mg** of **vitamin K2 (menaquinone-4)** helps to:⁴⁻¹¹

- Slow bone loss,
- Reduce fracture risk, and
- Build *new* bone.

A two-year study of older osteoporosis patients showed that high-dose vitamin K2 cut the number of people suffering a **vertebral** fracture by half.¹¹



The Danger of Osteoporosis

Osteoporosis is a condition that causes bones to become weak, brittle, and prone to **fractures**. After suffering one fracture, the risk of future breaks increases by **86%**.²

Fractures of the **hip** and **vertebra** are particularly associated with loss of mobility and risk of death. People who suffer a **vertebral fracture** have an **eight-fold** increase in mortality compared to other individuals their age.²

But almost *any* kind of broken bone increases the risk of death in older people.¹² That's why it is imperative to not just slow, but *reverse* bone loss as soon as it begins to take hold.

How Bone Loss Happens

The body constantly breaks down *old* bone and builds up *new* bone.

In the first decades of life, **bone density** increases. Then it plateaus for about two more decades.

At around age 40, bone density begins to *decrease*. In women, the speed of bone loss accelerates with the onset of menopause.



Comparing the left (normal) and right (osteoporosis) images, the increase in dark areas involving this cross-section of the femur are simplified visual depictions of the increase in bone marrow fat, and thinning (decrease) in cancellous/ trabecular bone, that occur with osteoporosis.

This *decline in* bone mineral density leads to a *reduction* in bone strength. Bones become brittle and prone to **fractures**, even from minor injuries and **stress fractures** that occur during normal movement.

Osteopenia is the term for the *early* stage of weakening bones.

If no action is taken and bone density continues to drop, **osteoporosis** develops. Osteoporosis means "**bone full of pores or holes**."

Most people who suffer from osteopenia or osteoporosis are unaware of it until it's too late—when they suffer a **fracture**.

High-Dose Vitamin K2

The good news: There *is* something we can do about age-related bone loss and risk of fractures.

In *low* doses of **45-60 mcg**, vitamin K promotes normal blood clotting. This small amount of vitamin K is normally obtained from dietary sources.

Japanese doctors have long been prescribing much **higher doses** of a specific form of **vitamin K2** as a treatment for **osteoporosis**.³

They have amassed decades of evidence that **45 mg (45,000 mcg)** of vitamin K2 in the form of **menaquinone-4 (MK-4)**, leads to improvements in bone health.³

Now scientists have confirmed that oral intake of high-dose **vitamin K2** is critical for bone strength and other aspects of healthy aging.

Increased Bone Density

Human trials have demonstrated that vitamin K2 maintains or even *increases* bone mineral density. It also helps prevent **fractures**, even in older patients who have already developed **osteoporosis**.⁴⁻¹¹

In one of these studies, Japanese researchers randomized older osteoporosis patients into two groups. One received **150 mg/day** of **calcium** alone. The other received this same modest **calcium** dose plus **45 mg** of **vitamin K2** (as **MK-4**) daily.¹¹

Over a **two-year** period:¹¹

- Patients who received *only* calcium continued to lose **bone density**, dropping by about **3%**.
- Patients receiving **vitamin K2** in addition to **calcium** largely maintained their bone mineral density.

A **10%** drop in bone density more than **doubles** the risk for **fractures** of the vertebra and hip.¹³ This suggests that patients in this study who were treated *only* with calcium may have an increased **risk of fracture**.

But adding **vitamin K2** to calcium largely arrested bone loss, possibly preventing an increase in fracture risk.¹¹

Patients receiving K2 also had a significant *increase* in levels of active **osteocalcin**.¹¹ This protein binds calcium to bone, helping the body turn calcium into healthy **new bone**.¹⁴

Preventing Fractures

In the same study, scientists assessed the effect of **vitamin K2** on the incidence of bone **fractures**.

During the two-year study, the group receiving **calcium alone** sustained **35 fractures**, compared to only **14 fractures** in the **vitamin K2** group.¹¹

In another Japanese clinical trial, scientists evaluated the effect of vitamin K2 on **women** with **osteoporosis**.⁶

Taking **45 mg** of oral vitamin K2 daily:⁶

- Maintained **mineral density** to a significantly greater degree than in the untreated group, and
- *Reduced* the incidence of vertebral **fractures** to a degree similar to the drug **etidronate**.

Etidronate (most commonly sold as Didronel®) is from the class of drugs known as **bisphosphonates**. It is used to treat **Paget's disease**, a condition characterized by bones that are soft, weak, or easily broken.

It is sometimes used to treat osteoporosis, but its side effects can include nausea, diarrhea, heartburn, chest pain, and skin blisters.¹⁵ Vitamin K2, on the other hand, is not associated with significant side effects.

How Vitamin K2 Keeps Bones Strong

Vitamin K2 works by restoring a healthy balance between the two types of bone cells that influence **bone density**: osteoclasts and osteoblasts.

Osteoclasts break down old bone. **Osteoblasts** build new bone.

Healthy bone relies on a *balance* of activity between these two types of cells.



WHAT YOU NEED TO KNOW

Better Bone Health with High-Dose Vitamin K2

- **Osteoporosis** causes bone loss and increases the risk of serious **fractures**. In people over 50, these fractures are a significant mortality risk.
- **High-dose vitamin K2**, in the form of **MK-4**, has been used in Japan for decades as a treatment for osteoporosis.
- Human trials have shown that daily intake of **45 mg** of **vitamin K2** (MK-4) maintains or *increases* bone density and cuts the risk of fractures.
- Other vitamins and minerals, including **calcium** and **vitamin D3**, also support bone health, and help maximize vitamin K2's benefits.



Medications That Promote Osteoporosis

Many common drugs can contribute to bone loss and osteoporosis risk, including:

- **Cancer-fighting drugs** that inhibit sex hormones. These include **anti-androgen** therapies (which reduce levels of testosterone) and **aromatase inhibitors** (which reduce estrogen activity).^{36,37}
- **Corticosteroids** like prednisone, hydrocortisone, dexamethasone, and many others.^{38,39}
- **Warfarin** (Coumadin®), which is used to treat blood clots.⁴⁰⁻⁴²
- **Proton-pump inhibitors** used to reduce stomach acid, including Nexium®, Prilosec®, and Prevacid®.⁴³

No one should stop taking these medications unless directed by their doctor. But people using any of these drugs may want to carefully monitor their bone mineral status.

Aging disrupts this delicate balance. *Osteoclast* activity overtakes *osteoblast* activity. Bone is broken down faster than new bone is built up. Bone **density** drops and **osteopenia** and **osteoporosis** result.

Vitamin K2 has been shown, in preclinical studies, to promote:^{14,16}

- An *increase* in bone-building **osteoblast** activity, and
- A *reduction* in bone-destroying **osteoclast** activity.

With this balance restored, *more* bone is built, *less* is destroyed, and **bone mineral density** is maintained or increased.

Additionally, in order to lay down new bone, osteoblasts need the protein **osteocalcin**. Vitamin K2 helps convert osteocalcin into its *active* form.^{14,17}

Nutrients That Support Vitamin K2

The bone-rebuilding effects of vitamin K2 are even greater when supported by several other **nutrients**. The following vitamins and minerals support strong, healthy bones:

- **Calcium** is the major mineral that forms the hard matrix of bone. Most studies show that oral calcium decreases the rate at which bone breakdown and mineral loss occur.¹⁸⁻²⁰
- **Vitamin D** helps absorb calcium from the gut after a meal and stimulates the production of **osteocalcin**.¹⁷ It also facilitates the transfer of calcium from the blood and other extracellular fluids to the surface of bones, where it makes them stronger and less likely to break.²¹ Vitamin D helps the body absorb the bone-strengthening trace elements zinc and manganese as well.^{22,23}
- **Magnesium**, like calcium, makes up the mineral matrix of bone and is needed to maintain healthy bone density.²⁴
- **Zinc, Manganese, Silicon, and Boron**. These minerals have been shown to be important for optimal bone formation and health. *Low* intake of each of these minerals is associated with bone *loss*, and increased intake improves bone health in animals and in humans.²⁵⁻³⁵

Supported by these nutrients, **vitamin K2** can provide powerful protection against fractures and bone loss.

Summary

Age-related **bone loss** and **osteoporosis** lead to frequent fractures in people over 50.

High-dose vitamin K2 can help. It improves bone health by restoring balance to the process of bone breakdown and formation.

Doctors in Japan have prescribed it to treat osteoporosis for decades.

Human trials demonstrate that a daily intake of **45 mg** of vitamin K2 maintains or increases **bone mineral density** and reduces the risk of **fractures**.

If you have any questions on the scientific content of this article, please call a **Life Extension®** Wellness Specialist at 1-866-864-3027.

References

1. Available at: <https://www.nof.org/patients/what-is-osteoporosis/>. Accessed October 5, 2020.
2. Available at: <https://www.osteoporosis.foundation/facts-statistics/epidemiology-of-osteoporosis-and-fragility-fractures>. Accessed July 7, 2020.
3. Iwamoto J. Vitamin K(2) therapy for postmenopausal osteoporosis. *Nutrients*. 2014 May 16;6(5):1971-80.
4. Binkley N, Harke J, Krueger D, et al. Vitamin K treatment reduces undercarboxylated osteocalcin but does not alter bone turnover, density, or geometry in healthy postmenopausal North American women. *J Bone Miner Res*. 2009 Jun;24(6):983-91.
5. Iwamoto J, Takeda T, Ichimura S. Effect of combined administration of vitamin D3 and vitamin K2 on bone mineral density of the lumbar spine in postmenopausal women with osteoporosis. *J Orthop Sci*. 2000;5(6):546-51.
6. Iwamoto J, Takeda T, Ichimura S. Effect of menatetrenone on bone mineral density and incidence of vertebral fractures in postmenopausal women with osteoporosis: a comparison with the effect of etidronate. *J Orthop Sci*. 2001;6(6):487-92.
7. Jiang Y, Zhang ZL, Zhang ZL, et al. Menatetrenone versus alfacalcidol in the treatment of Chinese postmenopausal women with osteoporosis: a multicenter, randomized, double-blinded, double-dummy, positive drug-controlled clinical trial. *Clin Interv Aging*. 2014;9:121-7.
8. Purwosunu Y, Muharram, Rachman IA, et al. Vitamin K2 treatment for postmenopausal osteoporosis in Indonesia. *J Obstet Gynaecol Res*. 2006 Apr;32(2):230-4.
9. Takahashi M, Naitou K, Ohishi T, et al. Effect of vitamin K and/or D on undercarboxylated and intact osteocalcin in osteoporotic patients with vertebral or hip fractures. *Clin Endocrinol (Oxf)*. 2001 Feb;54(2):219-24.
10. Ushiroyama T, Ikeda A, Ueki M. Effect of continuous combined therapy with vitamin K(2) and vitamin D(3) on bone mineral density and coagulofibrinolysis function in postmenopausal women. *Maturitas*. 2002 Mar 25;41(3):211-21.
11. Shiraki M, Shiraki Y, Aoki C, et al. Vitamin K2 (menatetrenone) effectively prevents fractures and sustains lumbar bone mineral density in osteoporosis. *J Bone Miner Res*. 2000 Mar;15(3):515-21.
12. Tran T, Bliuc D, Hansen L, et al. Persistence of Excess Mortality Following Individual Nonhip Fractures: A Relative Survival Analysis. *J Clin Endocrinol Metab*. 2018 Sep 1;103(9):3205-14.

Vitamin K2's Heart Benefits

Vitamin K2 promotes new bone growth in part by increasing **calcification**, the buildup of calcium deposits, in the **bone**.

In *soft tissues*, calcification can be dangerous. In blood vessels, for example, it leads to the buildup of atherosclerotic plaque associated with **cardiovascular disease**.

Research has shown that while vitamin K2 *causes* beneficial calcification in bones, it *prevents* harmful calcification in soft tissues, including blood vessels.^{44,45} This occurs because it activates **matrix Gla protein**, which *inhibits* calcification of blood vessels.

For this reason, vitamin K2 may be protective against cardiovascular disease.⁴⁶

Anyone taking **warfarin**, a powerful anti-coagulant, should consult a physician before deciding to take any form of vitamin K.

Warfarin functions by blocking vitamin K activity in the body. Those taking warfarin are told to restrict vitamin K intake even from healthy vegetables. Newer drugs like Eliquis®, Pradaxa®, and Xarelto® provide anticoagulant effects without the need to restrict vitamin K intake.



Combining Vitamin K2 with Osteoporosis Drugs

Bisphosphonates are a group of drugs prescribed to slow the bone loss of osteoporosis. They include **etidronate** (Didronel®), **alendronate** (Fosamax®), **risedronate** (Actonel®), and others.

Research shows that vitamin K2 does *not* interfere with bisphosphonates and can safely be used at the same time.

Some data suggest that they may have an **additive** effect. This means they may protect bone density better together than either one does alone.⁴⁷

13. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK45525/>. Accessed September 28, 2020.
14. Palermo A, Tuccinardi D, D'Onofrio L, et al. Vitamin K and osteoporosis: Myth or reality? *Metabolism*. 2017 May;70:57-71.
15. Available at: <https://medlineplus.gov/druginfo/meds/a682581.html#side-effects>. Accessed November 5, 2020.
16. Akbari S, Rasouli-Ghahroudi AA. Vitamin K and Bone Metabolism: A Review of the Latest Evidence in Preclinical Studies. *Biomed Res Int*. 2018;2018:4629383.
17. van Ballegooijen AJ, Pilz S, Tomaschitz A, et al. The Synergistic Interplay between Vitamins D and K for Bone and Cardiovascular Health: A Narrative Review. *Int J Endocrinol*. 2017;2017:7454376.
18. Straub DA. Calcium supplementation in clinical practice: a review of forms, doses, and indications. *Nutr Clin Pract*. 2007 Jun;22(3):286-96.
19. Bischoff-Ferrari HA, Rees JR, Grau MV, et al. Effect of calcium supplementation on fracture risk: a double-blind randomized controlled trial. *Am J Clin Nutr*. 2008 Jun;87(6):1945-51.
20. Kalluru R, Ames R, Mason B, et al. Bone density in healthy men after cessation of calcium supplements: 20-month follow-up of a randomized controlled trial. *Osteoporos Int*. 2015 Jan;26(1):173-8.
21. Schild A, Herter-Aeberli I, Fattinger K, et al. Oral Vitamin D Supplements Increase Serum 25-Hydroxyvitamin D in Postmenopausal Women and Reduce Bone Calcium Flux Measured by 41Ca Skeletal Labeling. *J Nutr*. 2015 Oct;145(10):2333-40.
22. Claro da Silva T, Hiller C, Gai Z, et al. Vitamin D3 transactivates the zinc and manganese transporter SLC30A10 via the Vitamin D receptor. *J Steroid Biochem Mol Biol*. 2016 Oct;163:77-87.
23. Newmark HL, Heaney RP, Lachance PA. Should calcium and vitamin D be added to the current enrichment program for cereal-grain products? *Am J Clin Nutr*. 2004 Aug;80(2):264-70.
24. Matsuzaki H. [Prevention of osteoporosis by foods and dietary supplements. Magnesium and bone metabolism]. *Clin Calcium*. 2006 Oct;16(10):1655-60.
25. Aydin H, Deyneli O, Yavuz D, et al. Short-term oral magnesium supplementation suppresses bone turnover in postmenopausal osteoporotic women. *Biol Trace Elem Res*. 2010 Feb;133(2):136-43.
26. Bae YJ, Kim JY, Choi MK, et al. Short-term administration of water-soluble silicon improves mineral density of the femur and tibia in ovariectomized rats. *Biol Trace Elem Res*. 2008 Aug;124(2):157-63.
27. Dimai HP, Porta S, Wirnsberger G, et al. Daily oral magnesium supplementation suppresses bone turnover in young adult males. *J Clin Endocrinol Metab*. 1998 Aug;83(8):2742-8.
28. Hyun TH, Barrett-Connor E, Milne DB. Zinc intakes and plasma concentrations in men with osteoporosis: the Rancho Bernardo Study. *Am J Clin Nutr*. 2004 Sep;80(3):715-21.
29. Kim MH, Bae YJ, Choi MK, et al. Silicon supplementation improves the bone mineral density of calcium-deficient ovariectomized rats by reducing bone resorption. *Biol Trace Elem Res*. 2009 Jun;128(3):239-47.
30. Nielsen FH. Studies on the relationship between boron and magnesium which possibly affects the formation and maintenance of bones. *Magnes Trace Elem*. 1990;9(2):61-9.
31. Nielsen FH, Lukaski HC, Johnson LK, et al. Reported zinc, but not copper, intakes influence whole-body bone density, mineral content and T score responses to zinc and copper supplementation in healthy postmenopausal women. *Br J Nutr*. 2011 Dec;106(12):1872-9.
32. Rico H, Gallego-Lago JL, Hernandez ER, et al. Effect of silicon supplement on osteopenia induced by ovariectomy in rats. *Calcif Tissue Int*. 2000 Jan;66(1):53-5.
33. Strause L, Saltman P, Smith KT, et al. Spinal bone loss in postmenopausal women supplemented with calcium and trace minerals. *J Nutr*. 1994 Jul;124(7):1060-4.
34. Yamaguchi M. Role of nutritional zinc in the prevention of osteoporosis. *Mol Cell Biochem*. 2010 May;338(1-2):241-54.
35. Yamaguchi M, Weitzmann MN. Zinc stimulates osteoblastogenesis and suppresses osteoclastogenesis by antagonizing NF-kappaB activation. *Mol Cell Biochem*. 2011 Sep;355(1-2):179-86.
36. Lumachi F, Luisetto G, Basso SM, et al. Endocrine therapy of breast cancer. *Curr Med Chem*. 2011;18(4):513-22.
37. Mazzioti G, Canalis E, Giustina A. Drug-induced osteoporosis: mechanisms and clinical implications. *Am J Med*. 2010 Oct;123(10):877-84.
38. Briot K, Roux C. Drug-induced osteoporosis: beyond glucocorticoids. *Curr Rheumatol Rep*. 2008 Apr;10(2):102-9.
39. Mirza F, Canalis E. Management of endocrine disease: Secondary osteoporosis: pathophysiology and management. *Eur J Endocrinol*. 2015 Sep;173(3):R131-51.
40. Cranenburg EC, Schurgers LJ, Vermeer C. Vitamin K: the coagulation vitamin that became omnipotent. *Thromb Haemost*. 2007 Jul;98(1):120-5.
41. Namba S, Yamaoka-Tojo M, Hashikata T, et al. Long-term warfarin therapy and biomarkers for osteoporosis and atherosclerosis. *BBA Clin*. 2015 Dec;4:76-80.
42. Namba S, Yamaoka-Tojo M, Kakizaki R, et al. Effects on bone metabolism markers and arterial stiffness by switching to rivaroxaban from warfarin in patients with atrial fibrillation. *Heart Vessels*. 2017 Aug;32(8):977-82.
43. Kopic S, Geibel JP. Gastric acid, calcium absorption, and their impact on bone health. *Physiol Rev*. 2013 Jan;93(1):189-268.
44. El Asmar MS, Naoum JJ, Arbid EJ. Vitamin k dependent proteins and the role of vitamin k2 in the modulation of vascular calcification: a review. *Oman Med J*. 2014 May;29(3):172-7.
45. van den Heuvel EG, van Schoor NM, Lips P, et al. Circulating uncarboxylated matrix Gla protein, a marker of vitamin K status, as a risk factor of cardiovascular disease. *Maturitas*. 2014 Feb;77(2):137-41.
46. Harshman SG, Shea MK. The Role of Vitamin K in Chronic Aging Diseases: Inflammation, Cardiovascular Disease, and Osteoarthritis. *Curr Nutr Rep*. 2016 Jun;5(2):90-8.
47. Plaza SM, Lamson DW. Vitamin K2 in bone metabolism and osteoporosis. *Altern Med Rev*. 2005 Mar;10(1):24-35.

“C”

TO THE MAX

Humans don't manufacture **vitamin C** internally, so it must be obtained through dietary sources or supplements.

Vitamin C is water soluble and needs to be constantly replenished.*

A highly *absorbable* form of **quercetin** complements vitamin C's activity in the body.

Each tablet provides **1,000 mg** of **vitamin C** and **15 mg** of **Bio-Quercetin Phytosome**.

SUPER SALE PRICE

Item #02227 • 250 vegetarian tablets

1 bottle \$20.25 • 4 bottles \$18 each



For full product description and to order **Vitamin C and Bio-Quercetin Phytosome**, call 1-800-544-4440 or visit www.LifeExtension.com

* PLoS Med. 2005 Sep;2(9):e307;author reply e309.



These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.



It's Not Too Late to Celebrate

SUPER SALE DISCOUNT PRICING

This is the time when prices on all your favorite **nutrients** are **discounted**.
Long-term supporters **stock up** each January on supplements
used to safeguard their precious health.

New Products. Best Sellers. ALL Life Extension Supplements!

To order your nutrient staples at low **Super Sale** prices, please call **1-866-595-6577** (24 hours)
or visit **LifeExtension.com/NewYear21** by **February 1, 2021**. Please Use Code **NEWYEAR21**

ENHANCE BONE DENSITY!

MEGA VITAMIN K2



For full product description and to order **Mega Vitamin K2**, call **1-800-544-4440** or visit www.LifeExtension.com

Mega Vitamin K2 is a perfect complement for those taking supplements like **Bone Restore**. A new formula providing **45,000 mcg** of **MK-4** plus highly absorbable **calcium** and other skeletal-support nutrients called **Bone Restore Elite** can be viewed by turning this page. Those choosing **Bone Restore Elite** do not need to take **Mega Vitamin K2** as each product provides a high potency (45,000 mcg) of **vitamin K2**.

Physicians in Japan have long used a *high dose* of **vitamin K2** to maintain and improve bone density.

Vitamin K2 has been shown to:

- Shuttle calcium into bones
- Inhibit soft-tissue calcification
- Improve bone density

New *high*-potency **Mega Vitamin K2** provides **45,000 mcg** of MK-4 in a one capsule daily serving.

SUPER SALE PRICE

Item #02417 • 30 capsules

1 bottle **\$25.65** • 4 bottles \$23.40 each



CAUTION: If you are taking Warfarin (Coumadin®) or related medications, consult your healthcare practitioner before taking this product.

These statements have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cure, or prevent any disease.

Your Best Memories Are in Front of You

Dancing. Laughing. Smiling. These are your special moments ... and they should be memories you will cherish for many years to come.

Memory Protect is our most advanced memory and brain health supplement ever. It combines colostrinin, a milk peptide, with the trace mineral lithium for unrivaled memory and cognitive health support for your brain.

So live life your way. We'll help you safeguard those precious moments with Memory Protect!



SUPER SALE PRICE

Item #02101 • 36 vegetarian capsules

1 box \$16.20 • 4 boxes \$14.40 each

36-DAY SUPPLY.

Contains milk.

For full product description and to order Memory Protect,
call 1-800-544-4440 or visit www.LifeExtension.com



SUPER STRENGTH K2

BONE HEALTH

Bone Restore Elite is designed to help maintain optimal **bone density**.

The formula provides **high** potency **vitamin K2 (MK-4)** used in **clinical** trials along with proven skeletal-strengthening nutrients.

Each serving provides:

- **45,000 mcg** of vitamin K2 (MK-4)
- **700 mg** of three forms of easily absorbed **calcium**
- **25 mcg** (1,000 IU) of **vitamin D3**
- Key minerals: **magnesium, boron, zinc, silicon, and manganese**

*High potency for
strong bones.*

CAUTION: If you are taking Warfarin (Coumadin®) or related medications, consult your healthcare practitioner before taking this product.

Fruitex B® and OsteoBoron® are registered trademarks of VDF Futureceuticals, Inc. U.S. Patent No. 5,962,049. DimaCal® and TRAACS® are registered trademarks of Albion Laboratories, Inc. U.S. Patent 6,706,904.

SUPER SALE PRICE

Item #02416 • 120 capsules

1 bottle **\$31.05** • 4 bottles \$28.35 each

For full product description and to order **Bone Restore Elite with Super Potent K2**, call 1-800-544-4440 or visit www.LifeExtension.com



A gloved hand holds a ripe red strawberry. A syringe with a blue plunger is injecting a clear liquid into the strawberry. In the background, several other strawberries are visible, some in clear petri dishes, suggesting a laboratory or clinical setting. The top of the image has a dark purple banner with white text.

Fisetin: A Senolytic that Extends Life

BY CHARLES WYATT

Senolytics have been shown to improve health and extend lifespan in experimental models.

These compounds work by helping the body clear away old, damaged (senescent) cells to make way for new, healthy cells.

Fisetin, a flavonoid found in various plants, is ***one of the most powerful natural senolytics*** ever discovered.


Preclinical and some preliminary clinical studies suggest it may protect against age-related disorders,¹⁻¹⁵ slow certain aging processes, and promote longevity.^{10,16}

Old mice given **fisetin** had a nearly **10% increase in lifespan**.¹⁷

One challenge has been that **fisetin** is rapidly metabolized in the digestive tract. This means very little is ***absorbed*** into the blood stream.

But scientists have developed a way to overcome this problem by combining it with natural compounds from the fenugreek plant.

This novel formulation increased the **bioavailability** of fisetin by as much as **25 times**.¹⁸



What Is Fisetin?

Fisetin is a flavonoid that has gained popularity in recent years due to its potential health benefits.

It is found in small amounts in many fruits and vegetables, including strawberries, apples, persimmons, grapes, and onions.

Fisetin shares some of the anti-aging, disease-fighting properties of other polyphenols. Yet it stands out for its remarkable potency as a **senolytic**.¹⁷

Improved Bioavailability

There's long been a problem with oral fisetin. Soon after ingestion, it is rapidly metabolized in the gut, making it much less effective.

Scientists have now solved this problem by combining **fisetin** with a form of fiber known as **galactomannans**, isolated from the spice **fenugreek**.

This novel formulation has been shown to increase the **bioavailability** (absorption) of fisetin by as much as **25 times**, which may greatly improve its impact on health and longevity.¹⁸



A Powerful Senolytic

Senescent cells are aged cells that stop functioning properly and can cause damage to surrounding tissues. They lose the ability to grow or divide, and they refuse to die off, earning them the name “**zombie cells**.”

These senescent cells spew out compounds that incite harmful systemic **inflammation** inflicting even *more* damage.^{19,20}

Senescent cells are a major driver of age-related disease and dysfunction. They even accelerate the aging process itself.

Senolytics are compounds with the ability to *destroy* senescent cells. They hold great promise in the fight against aging and age-related disease, slowing or even *reversing* the aging process.^{16,17,21,22}

One of the first senolytics discovered was another polyphenol, **quercetin**, which works effectively when coupled with a chemotherapy drug, **dasatinib**.

Fisetin is a more powerful **senolytic** than quercetin. And it works on its own, without the potential side effects of cancer drugs.

A cell study published in the journal *Aging* showed that it eliminated about **70%** of senescent cells—while doing no harm to healthy, normal human cells.²²

Another study tested **10** plant-derived compounds, including quercetin, head-to-head. Fisetin was the **most effective** at eliminating senescent cells, both in cell cultures and in an animal model.¹⁷

These findings suggest **fisetin** may be an effective weapon in the fight against aging.

There are a number of **human** trials of fisetin currently in progress.²³ But an animal study has already shown striking results.

When mice that were the human equivalent of **75** years of age were given **fisetin**, they lived an average of 2.5 months longer. That's close to a **10% increase in lifespan**.¹⁷

Fighting Oxidative Stress and Inflammation

Fisetin promotes longevity in several other ways.

Oxidative stress and **chronic inflammation** accelerate aging processes and increase risk for chronic diseases.

Fisetin is an **antioxidant and anti-inflammatory**.

By scavenging harmful free radicals, it *prevents* the damage it does to DNA, proteins, and other cellular components.²⁴



It reduces **inflammation** by shutting off pathways that promote it, and by reducing the production of pro-inflammatory compounds.¹⁰

Mimicking Caloric Restriction

Reducing food intake through a **calorie-restricted diet** has been shown to slow aging, extend lifespan, and improve resistance to disease.²⁵

Research has identified the cellular pathways that are affected by such a diet. Among other benefits, caloric restriction:²⁶

- Reduces the activity of **mTOR**, a protein linked to aging, weight gain, and chronic disease,
- Boosts the function of **sirtuins**, proteins that regulate cellular health,
- Increases the activity of **AMPK**, an enzyme that regulates metabolism, and
- Promotes **autophagy**, cellular “housekeeping.”

Researchers have found that fisetin has a similar effect on **every one** of these pathways, mimicking the effects of **caloric restriction**.^{10,16,27,28}

For example, **sirtuin** proteins shield cells from damage and help keep them in peak form. But sirtuin function diminishes with age, leading to increased susceptibility to disease and rapid aging.^{29,30}

AMPK activity also declines with age, increasing risk for deteriorating metabolic function, obesity, diabetes, and more.³¹

WHAT YOU NEED TO KNOW

The Senolytic Power of Fisetin

- **Fisetin** is a flavonoid found in several fruits and vegetables, including strawberries, apples, grapes, and onions.
- Fisetin is one of the most **potent senolytics** yet discovered among plant-derived polyphenols, destroying dysfunctional **senescent cells** and **extending lifespan** by approximately **10%** in animal studies.
- This compound has been shown in pre-clinical studies to protect against cancer, diabetes, and obesity. In a human trial, it improved outcomes in **stroke** victims.
- Taken orally, fisetin is rapidly metabolized in the digestive tract. Scientists have discovered that combining it with **galactomannans** from fenugreek prevents that from happening.
- A new formulation boosts the bioavailability of oral fisetin by as much as **25 times**, allowing more of it to circulate throughout the body, which may promote longevity and better health.

Several preclinical studies have shown that fisetin *increases* sirtuin function *and* AMPK activity.³²⁻³⁴ This protects cells and keeps them on a youthful and healthy path.

Protecting the Heart

Fisetin not only has the ability to extend lifespan in preclinical models, it may also reduce the risk for many of the most common chronic illnesses.

Heart disease remains the leading cause of death in the U.S. Most common forms of heart disease are due to inadequate flow of blood, oxygen, and nutrients to the heart, which can lead to a **heart attack**.

Over the last two years, studies have demonstrated that fisetin can **protect the heart** from injury. Even after **heart attack** models, heart cells fare better when **fisetin** is present.

In one recent study published in the journal *Nature*, rat heart cells starved for nutrients and oxygen were protected by fisetin, preventing cell death.³⁵

And in animal models of **heart attack**, the extent of heart damage was *reduced* when treated with fisetin, preserving better heart function.^{36,37}



In humans who suffer a heart attack, an **arrhythmia** (abnormal heart rhythm) can often develop.³⁸ In an animal study, fisetin intake after a heart attack significantly reduced the risk of **atrial fibrillation**, a common arrhythmia that increases the likelihood of stroke or heart failure.³⁹

Preventing Obesity and Metabolic Disorders

Fisetin may also help to prevent obesity and common metabolic disorders, like **type II diabetes**.

Obesity predisposes people to higher rates of cardiovascular disease as well as cancer, dementia, and many other conditions.

By *increasing* activity of AMPK and *decreasing* activity of mTOR, fisetin may **reduce weight gain** and protect against related disorders. Even in mice fed a **high-fat diet**, fisetin **prevented weight gain** while protecting the liver, heart, and other organs.^{5,10,40,41}

Rodent models of **diabetes** find that fisetin reduces **body weight** and improves **glucose control** and **insulin sensitivity**.^{4,12,40-42}

Having better **glucose control** can protect against many of the diabetic complications, like kidney disease, eye disease, and neurological disorders.

Life Extension has long suggested the importance of keeping **fasting blood glucose** between **70-85 mg/dL**, which is challenging for most aging people to accomplish. Fisetin may offer a solution to stubbornly high glucose levels.

Fighting Cancer

As an anti-inflammatory, fisetin may lower the risk of developing cancer.⁴³⁻⁴⁶ But fisetin's **anti-cancer** activity goes even further.

Two recent preclinical studies have shown fisetin to be effective in controlling even some of the most aggressive forms of cancer.

In one, scientists investigated the impact of fisetin on human glioblastoma cells.⁴⁷ **Glioblastoma**, a malignant brain tumor, is one of the most invasive and rapidly growing forms of cancer. Even with surgery and chemotherapy, it is usually impossible to control.

Fisetin treatment significantly reduced the growth of glioblastoma cells and even caused them to die off. When directly compared to a chemotherapy drug called **carmustine**, fisetin killed cancer cells at lower doses.

In another recent study, fisetin was effective against several cell lines of **triple negative breast cancer**. This aggressive form of breast cancer is highly resistant to most medical treatments.⁴⁸

In several other studies, fisetin prevented cancer migration and growth while reducing inflammation, enhancing autophagy, and inciting cancer cell death.^{11,49-55}

Fisetin may one day be considered as an adjuvant nutritional approach by progressive oncologists.

Brain Benefits

Fisetin has been demonstrated to be **neuroprotective** in animal models of Alzheimer's disease, Parkinson's disease, ALS (amyotrophic lateral sclerosis), and others.^{1-3,8-10,15}

In a **2019** clinical study, fisetin was found to help in the treatment of a **stroke**.

Strokes typically occur suddenly, without warning, and can lead to permanent loss of brain function. The most effective medical treatments dissolve or remove the blood clot blocking blood flow to the brain.

But the best chance for success comes when treatment is initiated within **three hours** of the onset of symptoms.⁵⁶

Fisetin has been shown to *extend* this treatment window to **five hours**.¹³ While this two-hour extension may not seem huge, it can dramatically increase the number of stroke patients who benefit from clot dissolving and/or clot removing (endovascular thrombectomy) brain-saving therapy.

Summary

Fisetin is a flavonoid found in several fruits and vegetables, such as strawberries and apples.

Recent research has found fisetin to be one of the most effective **senolytic** compounds yet discovered among plant polyphenols. By helping to remove dysfunctional **senescent cells**, fisetin may increase longevity and lower risk for disease.

In mice, fisetin intake **increased lifespan by nearly 10%**, even when started late in life.

Combining **fisetin** with compounds isolated from **fenugreek** allows more fisetin to be *absorbed* and distributed in the body to aging tissues that can benefit from its health-promoting actions. •



If you have any questions on the scientific content of this article, please call a **Life Extension®** Wellness Specialist at 1-866-864-3027.

References

1. Ahmad A, Ali T, Park HY, et al. Neuroprotective Effect of Fisetin Against Amyloid-Beta-Induced Cognitive/Synaptic Dysfunction, Neuroinflammation, and Neurodegeneration in Adult Mice. *Mol Neurobiol*. 2017 Apr;54(3):2269-85.
2. Alikatte K, Palle S, Rajendra Kumar J, et al. Fisetin Improved Rotenone-Induced Behavioral Deficits, Oxidative Changes, and Mitochondrial Dysfunctions in Rat Model of Parkinson's Disease. *J Diet Suppl*. 2020 Jan 29:1-15.
3. Chen C, Yao L, Cui J, et al. Fisetin Protects against Intracerebral Hemorrhage-Induced Neuroinflammation in Aged Mice. *Cerebrovasc Dis*. 2018;45(3-4):154-61.
4. Ge C, Xu M, Qin Y, et al. Fisetin supplementation prevents high fat diet-induced diabetic nephropathy by repressing insulin resistance and RIP3-regulated inflammation. *Food Funct*. 2019 May 22;10(5):2970-85.
5. Jung CH, Kim H, Ahn J, et al. Fisetin regulates obesity by targeting mTORC1 signaling. *The Journal of Nutritional Biochemistry*. 2013;24(8):1547-54.
6. Khan N, Afaq F, Syed DN, et al. Fisetin, a novel dietary flavonoid, causes apoptosis and cell cycle arrest in human prostate cancer LNCaP cells. *Carcinogenesis*. 2008 May;29(5):1049-56.
7. Li J, Cheng Y, Qu W, et al. Fisetin, a dietary flavonoid, induces cell cycle arrest and apoptosis through activation of p53 and inhibition of NF-kappa B pathways in bladder cancer cells. *Basic Clin Pharmacol Toxicol*. 2011 Feb;108(2):84-93.
8. Maher P. Modulation of multiple pathways involved in the maintenance of neuronal function during aging by fisetin. *Genes & Nutrition*. 2009 Dec;4(4):297-307.

9. Maher P, Akaishi T, Abe K. Flavonoid fisetin promotes ERK-dependent long-term potentiation and enhances memory. *Proc Natl Acad Sci U S A*. 2006 Oct 31;103(44):16568-73.
10. Pal HC, Pearlman RL, Afaq F. Fisetin and Its Role in Chronic Diseases. *Adv Exp Med Biol*. 2016;928:213-44.
11. Suh Y, Afaq F, Johnson JJ, et al. A plant flavonoid fisetin induces apoptosis in colon cancer cells by inhibition of COX2 and Wnt/EGFR/NF-kappaB-signaling pathways. *Carcinogenesis*. 2009 Feb;30(2):300-7.
12. Vinayagam R, Xu B. Antidiabetic properties of dietary flavonoids: a cellular mechanism review. *Nutrition & Metabolism*. 2015;12(1):60.
13. Wang L, Cao D, Wu H, et al. Fisetin Prolongs Therapy Window of Brain Ischemic Stroke Using Tissue Plasminogen Activator: A Double-Blind Randomized Placebo-Controlled Clinical Trial. *Clinical and Applied Thrombosis/Hemostasis*. 2019 Jan-Dec;25:1076029619871359.
14. Ying TH, Yang SF, Tsai SJ, et al. Fisetin induces apoptosis in human cervical cancer HeLa cells through ERK1/2-mediated activation of caspase-8/-caspase-3-dependent pathway. *Arch Toxicol*. 2012 Feb;86(2):263-73.
15. Zhang L, Wang H, Zhou Y, et al. Fisetin alleviates oxidative stress after traumatic brain injury via the Nrf2-ARE pathway. *Neurochemistry International*. 2018 Sep;118:304-13.
16. Gryniewicz G, Demchuk OM. New Perspectives for Fisetin. *Front Chem*. 2019;7:697.
17. Yousefzadeh MJ, Zhu Y, McGowan SJ, et al. Fisetin is a senotherapeutic that extends health and lifespan. *EBioMedicine*. 2018 Oct;36:18-28.
18. Akay. A cross over pilot pharmacokinetic study of fisetin 1000mg and formulated fisetin 200mg administered in a single dose to healthy volunteers. *Manufacturer's study (in press for future publication)*. 2020.
19. Dodig S, Cepelak I, Pavic I. Hallmarks of senescence and aging. *Biochem Med (Zagreb)*. 2019 Oct 15;29(3):030501.
20. Zhu Y, Armstrong JL, Tchkonja T, et al. Cellular senescence and the senescent secretory phenotype in age-related chronic diseases. *Current Opinion in Clinical Nutrition and Metabolic Care*. 2014 Jul;17(4):324-8.
21. Pallauf K, Duckstein N, Rimbach G. A literature review of flavonoids and lifespan in model organisms. *Proceedings of the Nutrition Society*. 2016 May;76(2):145-62.
22. Zhu Y, Doornbeek EJ, Pirtskhalava T, et al. New agents that target senescent cells: the flavone, fisetin, and the BCL-XL inhibitors, A1331852 and A1155463. *Aging*. 2017 Mar 8;9(3):955-63.
23. Kirkland JL, Tchkonja T. Senolytic drugs: from discovery to translation. *J Intern Med*. 2020 Nov;288(5):518-36.
24. Naeimi AF, Alizadeh M. Antioxidant properties of the flavonoid fisetin: An updated review of in vivo and in vitro studies. *Trends in Food Science & Technology*. 2017 2017/12/01;70:34-44.
25. Anton S, Leeuwenburgh C. Fasting or caloric restriction for healthy aging. *Exp Gerontol*. 2013 Oct;48(10):1003-5.
26. Lopez-Lluch G, Navas P. Calorie restriction as an intervention in ageing. *J Physiol*. 2016 Apr 15;594(8):2043-60.
27. Khan N, Syed DN, Ahmad N, et al. Fisetin: A Dietary Antioxidant for Health Promotion. *Antioxidants & Redox Signaling*. 2013 Jul 10;19(2):151-62.
28. Singh S, Singh AK, Garg G, et al. Fisetin as a caloric restriction mimetic protects rat brain against aging induced oxidative stress, apoptosis and neurodegeneration. *Life Sci*. 2018 Jan 15;193:171-9.
29. Imai S, Guarente L. NAD⁺ and sirtuins in aging and disease. *Trends Cell Biol*. 2014 Aug;24(8):464-71.
30. Johnson S, Imai SI. NAD⁺ biosynthesis, aging, and disease. *F1000Res*. 2018;7:132.
31. Burkewitz K, Zhang Y, Mair WB. AMPK at the nexus of energetics and aging. *Cell Metab*. 2014 Jul 1;20(1):10-25.
32. Bai X, Yao L, Ma X, et al. Small Molecules as SIRT Modulators. *Mini-Reviews in Medicinal Chemistry*. 2018;18(13):1151-7.
33. Liou C-J, Wei C-H, Chen Y-L, et al. Fisetin Protects Against Hepatic Steatosis Through Regulation of the Sirt1/AMPK and Fatty Acid -Oxidation Signaling Pathway in High-Fat Diet-Induced Obese Mice. *Cellular Physiology and Biochemistry*. 2018;49(5):1870-84.
34. Yang W, Tian ZK, Yang HX, et al. Fisetin improves lead-induced neuroinflammation, apoptosis and synaptic dysfunction in mice associated with the AMPK/SIRT1 and autophagy pathway. *Food Chem Toxicol*. 2019 Dec;134:110824.
35. Rodius S, de Klein N, Jeanty C, et al. Fisetin protects against cardiac cell death through reduction of ROS production and caspases activity. *Sci Rep*. 2020 Feb 19;10(1):2896.
36. Long L, Han X, Ma X, et al. Protective effects of fisetin against myocardial ischemia/reperfusion injury. *Exp Ther Med*. 2020 May;19(5):3177-88.
37. Garg S, Khan SI, Malhotra RK, et al. The molecular mechanism involved in cardioprotection by the dietary flavonoid fisetin as an agonist of PPAR-gamma in a murine model of myocardial infarction. *Arch Biochem Biophys*. 2020 Nov 15;694:108572.
38. Available at: <https://emedicine.medscape.com/article/164924-overview#a2>. Accessed November 4, 2020.
39. Liu L, Gan S, Li B, et al. Fisetin Alleviates Atrial Inflammation, Remodeling, and Vulnerability to Atrial Fibrillation after Myocardial Infarction. *Int Heart J*. 2019 Nov 30;60(6):1398-406.
40. Choi MS, Choi JY, Kwon EY. Fisetin Alleviates Hepatic and Adipocyte Fibrosis and Insulin Resistance in Diet-Induced Obese Mice. *J Med Food*. 2020 Oct;23(10):1019-32.
41. Hu LF, Feng J, Dai X, et al. Oral flavonoid fisetin treatment protects against prolonged high-fat-diet-induced cardiac dysfunction by regulation of multicomponent signaling. *J Nutr Biochem*. 2020 Mar;77:108253.
42. Kan E, Kiliçkan E, Ayar A, et al. Effects of two antioxidants; -lipoic acid and fisetin against diabetic cataract in mice. *International Ophthalmology*. 2014 Feb;35(1):115-20.
43. Kashyap D, Garg VK, Tuli HS, et al. Fisetin and Quercetin: Promising Flavonoids with Chemopreventive Potential. *Biomolecules*. 2019 May 6;9(5):174.
44. Kashyap D, Sharma A, Sak K, et al. Fisetin: A bioactive phytochemical with potential for cancer prevention and pharmacotherapy. *Life Sci*. 2018 Feb 1;194:75-87.
45. Park H-H, Lee S, Son H-Y, et al. Flavonoids inhibit histamine release and expression of proinflammatory cytokines in mast cells. *Archives of Pharmacological Research*. 2008 Oct;31(10):1303-11.
46. Wang L, Tu YC, Lian TW, et al. Distinctive antioxidant and anti-inflammatory effects of flavonols. *J Agric Food Chem*. 2006 Dec 27;54(26):7998-804.
47. Pak F, Oztopcu-Vatan P. Fisetin effects on cell proliferation and apoptosis in glioma cells. *Z Naturforsch C J Biosci*. 2019 Nov 26;74(11-12):295-302.
48. Shahi Thakuri P, Gupta M, Singh S, et al. Phytochemicals inhibit migration of triple negative breast cancer cells by targeting kinase signaling. *BMC Cancer*. 2020;20(1):4-.
49. Bhat TA, Nambiar D, Pal A, et al. Fisetin inhibits various attributes of angiogenesis in vitro and in vivo--implications for angioprevention. *Carcinogenesis*. 2012 Feb;33(2):385-93.
50. Farsad-Naeimi A, Alizadeh M, Esfahani A, et al. Effect of fisetin supplementation on inflammatory factors and matrix metalloproteinase enzymes in colorectal cancer patients. *Food & Function*. 2018 Apr 25;9(4):2025-31.
51. Jia S, Xu X, Zhou S, et al. Fisetin induces autophagy in pancreatic cancer cells via endoplasmic reticulum stress- and mitochondrial stress-dependent pathways. *Cell Death & Disease*. 2019;10(2):142-.
52. Kang KA, Piao MJ, Madduma Hewage SR, et al. Fisetin induces apoptosis and endoplasmic reticulum stress in human non-small cell lung cancer through inhibition of the MAPK signaling pathway. *Tumour Biol*. 2016 Jul;37(7):9615-24.
53. Li J, Gong X, Jiang R, et al. Fisetin Inhibited Growth and Metastasis of Triple-Negative Breast Cancer by Reversing Epithelial-to-Mesenchymal Transition via PTEN/Akt/GSK3beta Signal Pathway. *Front Pharmacol*. 2018;9:772.
54. Lim JY, Lee JY, Byun BJ, et al. Fisetin targets phosphatidylinositol-3-kinase and induces apoptosis of human B lymphoma Raji cells. *Toxicology Reports*. 2015 2015/01/01;2:984-9.
55. Ravichandran N, Suresh G, Ramesh B, et al. Fisetin modulates mitochondrial enzymes and apoptotic signals in benzo(a)pyrene-induced lung cancer. *Mol Cell Biochem*. 2014 May;390(1-2):225-34.
56. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK507917/>. Accessed September 1, 2020.



THiNK
ZiNC

You know zinc is good for you—but are you getting enough?

If you don't know by now that zinc promotes healthy immune response (as well as a bunch of other body processes), it's time to get with the program. This formula gives you **50 mg** of zinc in a convenient, vegetarian capsule. Promote immune, heart, and neurological health with Zinc Caps. **What a good idea!**



SUPER SALE PRICE

Item #01813

50 mg • 90 vegetarian capsules

1 bottle **\$6.08** • 4 bottles \$5.40 each



For full product description and to order Zinc Caps call 1-800-544-4440 or visit www.LifeExtension.com

OptiZinc® is a registered trademark of InterHealth Nutritionals, Inc.

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.



Tilt Your Bacteria Ratio for a Healthy Digestive Tract

Phages target bad intestinal bacteria, allowing beneficial strains to flourish.

FLORASSIST® GI provides a 7-strain blend of **probiotics** in a **dual encapsulation** formula to deliver beneficial bacteria and **phages** where you need them the most.



Dual-Encapsulation Delivery



SUPER SALE PRICE

Item #02125 • 30 liquid vegetarian capsules
1 bottle **\$22.28** • 4 bottles \$20.25 each



For full product description and to order **FLORASSIST® GI with Phage Technology**,
call 1-800-544-4440 or visit www.LifeExtension.com

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

FISETIN

The Longevity Flavonoid



Fisetin, a flavonoid found in strawberries and apples, is currently being studied for its effectiveness as a **senolytic** in humans.¹

In preclinical studies, fisetin:

- Mimics effects of **calorie reduction**²
- Targets longevity pathways²⁻⁶
- Extends lifespan of mice by about **10%**⁷
- Removes **senescent** cells through **senolytic** action⁷
- Suppresses excess **mTOR** activation⁸

Fisetin is poorly *absorbed* due to its breakdown in the small intestines.

Bio-Fisetin solves this problem by enclosing **fisetin** with a compound from the fenugreek herb.

A **human** trial showed **bioavailability** of this **new fisetin** compound increased up to **25 times** compared to fisetin by itself.⁹

Just **one** capsule daily of **Bio-Fisetin** helps manage **senescent cells** and may support overall longevity.

References

1. Available at: <https://www.mayo.edu/research/clinical-trials/cis-20438802>. Accessed June 22, 2020.
2. *Life Sci.* 2018 Jan 15;193:171-9.
3. *Mini Rev Med Chem.* 2018;18(13):1151-7.
4. *Nutr Res Pract.* 2017 Oct;11(5):430-4.
5. *Biochem Biophys Res Commun.* 2015 Nov 27;467(4):638-44.
6. *Int Immunopharmacol.* 2017 Apr;45:135-47.
7. *EBioMedicine.* 2018 Oct;36:18-28.
8. *J Nutr Biochem.* 2013 Aug;24(8):1547-54.
9. *Manufacturer's study (in press for future publication).* 2020.



SUPER SALE PRICE

Item #02414 • 30 vegetarian capsules

1 bottle **\$10.13** • 4 bottles \$9 each



For full product description and to order **Bio-Fisetin**, call **1-800-544-4440** or visit www.LifeExtension.com

Give the Old You a Helping Hand

Experience should build
us up, not tear us down.

Life is a journey with bumps in the road.
We move on wiser, prouder—but the marks
remain. Marine oil contains compounds called
specialized pro-resolving mediators. These
“SPMs” support tissue rejuvenation, clear
debris so healthy cells can flourish, and help
maintain the balance between cytokine
compounds that keep your body in harmony.
Pro-Resolving Mediators. Feel like you again.

SUPER SALE PRICE

Item #02223 • 30 softgels

1 bottle **\$18.90** • 4 bottles \$17.10 each



For full product description and to order **Pro-Resolving Mediators**,
call 1-800-544-4440 or visit www.LifeExtension.com



These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

New England Journal of Medicine Cites Benefits of Intermittent Fasting

BY SUSAN PALMER



Scientists continue to unravel the benefits of **caloric restriction** and **intermittent fasting**.

The simple act of limiting food intake increases lifespan in animal models and reduces age-associated disorders such as diabetes and heart disease.¹⁻⁴

A report published in the *New England Journal of Medicine* reviewed extensive research on **intermittent fasting** and caloric restriction. Multiple mechanisms were identified by which these dietary changes are expected to have a beneficial impact on health.³

The report found three different **intermittent fasting regimens** to be *just as effective* as true fasting at inducing benefits of **caloric restriction**.

Intermittent fasting, also known as **time-restricted eating**, helps regulate the expression and activity of proteins and other cell factors known to influence health and aging.

Those able to adjust their time of food intake may experience biological changes that boost resistance to disease and help extend lifespan.

Types of Intermittent Fasting

Modern humans have gotten used to eating three meals a day along with frequent snacks.

This constant intake of food has profound adverse effects on our metabolism and health.

Digesting and processing food is a complex, energy intensive process that can accelerate pathological aging processes.

Studies have consistently shown that **intermittent fasting** is superior to constant eating in many ways.

All **intermittent fasting** regimens have regular periods of eating when food and calories are *not* restricted. But their benefit comes from restricting the amount of time that one is eating, and alternating it with relatively long periods of not eating or eating very little.

Three types of intermittent fasting that have been most studied in animal models and human trials and discussed in the *New England Journal of Medicine* are:^{3,5}

1. Alternate-day fasting. In this regimen, food intake is normal for one day followed by a day of fasting or severe caloric restriction. The pattern is continued indefinitely.

2. Time-restricted feeding. In this model, intake of food is restricted to only a small number of hours per day. The rest of the day is spent fasting. One common pattern is to restrict food intake to **six hours** during the day, while fasting the remaining **18 hours**. (Other programs advocate for about 16 hours a day of fasting and an eight-hour eating period.)

3. 5:2 intermittent fasting. One of the most popular forms of intermittent fasting restricts calories (with a limit of **500-700 calories** per day) on just **two days** of each week. Normal food intake is fine on the other five days.

These **intermittent fasting** plans are often easier to adhere to than daily **caloric restriction**.

These three patterns of eating are believed to be equally effective for improving health.

Understanding Fasting

The **fed state** is the period of time when food has recently been consumed.

The **fasting state** occurs after several hours without eating, when nutrients are less available and the body must conserve energy and resources.

Cell metabolism changes dramatically between these two different states.

In the fed state, when nutrients are plentiful, energy is *stored*, often as **fat**.

In the fasting state, as carbohydrates from previous meals are used for energy, fat and other energy-storage compounds are *broken down*.

Some of these fats are converted by the liver into **ketones**, substances that provide an alternative fuel source for the brain and other tissues.

This metabolic shift to ketone metabolism takes time. Ketones in the blood begin to rise **8 to 12 hours** after fasting begins.³ Most people who eat throughout the day, every day, *never* enter a **fasting** state.

Changes in the Fasting State

When energy availability is low during a **fasting state**, critical changes occur in cellular function.

One of the chief proteins governing cellular processes is known as **mTOR**. During fasting, the activity of mTOR decreases.





Intermittent Fasting from Dawn to Sunset for Four Consecutive Weeks Induces Anticancer Serum Proteome Response and Improves Metabolic Syndrome

- No eating /drinking between dawn and dusk—**14-15 hours** each day
- Average **7.25 pounds** of **weight loss**
- Average **8 mmHg** reduction in **blood pressure**
- Significant increase in **tumor suppressor/anticancer proteins**
- Significant decrease in several **tumor promoter/pro-cancer proteins**
- Increase in a protein called **calreticulin** (by around **16 times**)
- Calreticulin enhances **IgG** response to a **SARS-CoV** spike protein

Sci Rep. 2020 Oct 27;10(1):18341.

This leads to an *increase* in **autophagy**, a cellular “housekeeping” process that removes damaged proteins and other cellular debris. Autophagy helps to keep cells functioning optimally.³

At the same time, the activities of several other cellular functions are *increased* in a **fasting state** including:³

- **AMPK**, which regulates metabolism and energy use,
- **Sirtuins**, which protect against age-related decline and promote longevity, and
- **FOXOs**, which help regulate the expression of genes involved in cell growth, insulin regulation, and longevity.

Increased activity of *each* of the above-mentioned has been tied to longevity and resistance to disease.

Together, they protect cells by repairing DNA, replacing damaged cell parts, producing more mitochondria, and reducing inflammation.³

These changes in response to fasting make cells more resilient, healthier, and less prone to disease.

In fact, every one of these functions is being individually investigated by scientists with the goal of extending human life. **Calorie restriction** and **intermittent fasting** positively impact them all.

How Fasting Affects Obesity and Diabetes

Intermittent fasting has been shown to improve metabolism, improving several risk factors for diabetes and heart disease.

Most studies in animals and humans have found that intermittent fasting diets can lead to **weight loss**.⁶

A review of nine studies found that intermittent fasting regimens led to an average **3% to 8%** reduction in body weight over 3 to 24 weeks.⁷

In one study, subjects lost **2.5%** of their initial weight and **4%** of their fat mass in **only 22 days**.⁸ This is especially remarkable considering that these subjects were *not* obese to begin with.

Intermittent fasting has been demonstrated to **reverse insulin resistance** in adults who suffer from prediabetes or full-fledged diabetes.^{9,10} In one study, **fasting insulin levels** decreased by **57%**.⁸

Multiple Benefits of Caloric Restriction and Intermittent Fasting


Besides improving insulin sensitivity, caloric restriction and intermittent fasting have been shown to lower blood pressure, heart rate, cholesterol levels, and triglyceride levels.^{1,2}

Intermittent fasting also reduces **inflammation**,¹¹ which is a major contributor to **atherosclerosis**, the buildup of plaque in the arteries.^{12,13}

In animal studies, caloric restriction both prevents the formation of tumors and slows the growth of existing **cancers** of various types.¹⁴⁻¹⁶

Caloric restriction has been found to have cognitive benefits as well, improving verbal memory, working (short-term) memory, higher-level executive function, and overall cognitive function in human trials.¹⁷⁻¹⁹

In animal models of **Alzheimer's** and **Parkinson's** disease, intermittent fasting has been shown to protect brain cells.^{20,21}



A Conflicting Intermittent Fasting Study

The data we are reporting are based on an extensive review article published on **December 26, 2019**, by the ***New England Journal of Medicine***.³

This ***New England Journal of Medicine*** article described previous studies showing systemic health improvements in **humans** who restrict food intake to around **six hours** each day. This means they fasted for about **18 hours** on most days.

The authors of this ***New England Journal of Medicine*** article outlined prior studies demonstrating how **intermittent fasting** reduces **abdominal fat** while simultaneously improving most measures of disease risk.³

A randomized controlled trial published September 28, 2020, in the ***Journal of the American Medical Association (JAMA)*** was specifically designed to examine the effects of intermittent fasting on weight loss and metabolic risk markers.

The intermittent fasting group in this trial lost a little weight over 12 weeks, while the three-meal/day control group did not lose a statistically significant amount of weight. This study did not find a significant effect on metabolic risk markers.²²

We've identified reasons why the ***JAMA***-published trial did not find the metabolic benefits reported in a review article just 10 months earlier in the ***New England Journal of Medicine***.

We at **Life Extension®** have long known that **time-restricted eating** (intermittent fasting) does not induce much **weight loss** in those who do not also reduce their overall **calorie intake**.

The preponderance of published evidence, however, continues to support the benefits of **intermittent fasting**. This includes improved **glycemic markers** such as **fasting insulin**. Elevated fasting insulin can impede **weight loss**.^{10,23,24}

On **October 27, 2020**, a subsidiary of the scientific journal ***Nature*** reported on a **human** study that only required fasting **14-15 hours** each day.²⁵ The study group was in poor overall health, with most suffering from nonalcoholic fatty liver disease.

In just four weeks average weight loss was **7.25 pounds**. Even more impressive were significant improvements in cellular proteins that **protect against cancer**.

The box on the previous page summarizes this study showing potential cancer-prevention effects in response to an easier to adhere to fast of **14-15 hours** a day.

In other conditions, notably asthma and multiple sclerosis, clinical evidence suggests that intermittent fasting can help reduce symptoms.³

Summary

Caloric restriction and **intermittent fasting** activate proteins and induce metabolic changes that rejuvenate our cells and tissues.

Many studies have shown that these changes prolong life in animals, and reduce risk for many age-related chronic diseases, including cardiovascular disease, cancer, and dementia.

Intermittent fasting is easier for most people to adhere to than traditional fasting and can deliver many of the same benefits. •

If you have any questions on the scientific content of this article, please call a **Life Extension®** Wellness Specialist at 1-866-864-3027.

References

1. Fontana L, Meyer TE, Klein S, et al. Long-term calorie restriction is highly effective in reducing the risk for atherosclerosis in humans. *Proc Natl Acad Sci U S A*. 2004 Apr 27;101(17):6659-63.
2. Most J, Gilmore LA, Smith SR, et al. Significant improvement in cardiometabolic health in healthy nonobese individuals during caloric restriction-induced weight loss and weight loss maintenance. *Am J Physiol Endocrinol Metab*. 2018 Apr 1;314(4):E396-E405.
3. de Cabo R, Mattson MP. Effects of Intermittent Fasting on Health, Aging, and Disease. *N Engl J Med*. 2019 Dec 26;381(26):2541-51.
4. Goodrick CL, Ingram DK, Reynolds MA, et al. Effects of intermittent feeding upon growth and life span in rats. *Gerontology*. 1982;28(4):233-41.
5. Anton SD, Moehl K, Donahoo WT, et al. Flipping the Metabolic Switch: Understanding and Applying the Health Benefits of Fasting. *Obesity (Silver Spring)*. 2018 Feb;26(2):254-68.

6. Harvie M, Howell A. Potential Benefits and Harms of Intermittent Energy Restriction and Intermittent Fasting Amongst Obese, Overweight and Normal Weight Subjects-A Narrative Review of Human and Animal Evidence. *Behav Sci (Basel)*. 2017 Jan 19;7(1).
7. Barnosky AR, Hoddy KK, Unterman TG, et al. Intermittent fasting vs daily calorie restriction for type 2 diabetes prevention: a review of human findings. *Transl Res*. 2014 Oct;164(4):302-11.
8. Heilbronn LK, Smith SR, Martin CK, et al. Alternate-day fasting in nonobese subjects: effects on body weight, body composition, and energy metabolism. *Am J Clin Nutr*. 2005 Jan;81(1):69-73.
9. Furmli S, Elmasry R, Ramos M, et al. Therapeutic use of intermittent fasting for people with type 2 diabetes as an alternative to insulin. *BMJ Case Rep*. 2018 Oct 9;2018.
10. Sutton EF, Beyl R, Early KS, et al. Early Time-Restricted Feeding Improves Insulin Sensitivity, Blood Pressure, and Oxidative Stress Even without Weight Loss in Men with Prediabetes. *Cell Metab*. 2018 Jun 5;27(6):1212-21 e3.
11. Faris MA, Kacimi S, Al-Kurd RA, et al. Intermittent fasting during Ramadan attenuates proinflammatory cytokines and immune cells in healthy subjects. *Nutr Res*. 2012 Dec;32(12):947-55.
12. Johnson JB, Summer W, Cutler RG, et al. Alternate day calorie restriction improves clinical findings and reduces markers of oxidative stress and inflammation in overweight adults with moderate asthma. *Free Radic Biol Med*. 2007 Mar 1;42(5):665-74.
13. Moro T, Tinsley G, Bianco A, et al. Effects of eight weeks of time-restricted feeding (16/8) on basal metabolism, maximal strength, body composition, inflammation, and cardiovascular risk factors in resistance-trained males. *J Transl Med*. 2016 Oct 13;14(1):290.
14. Mattison JA, Colman RJ, Beasley TM, et al. Caloric restriction improves health and survival of rhesus monkeys. *Nat Commun*. 2017 Jan 17;8:14063.
15. Meynet O, Ricci JE. Caloric restriction and cancer: molecular mechanisms and clinical implications. *Trends Mol Med*. 2014 Aug;20(8):419-27.
16. O'Flanagan CH, Smith LA, McDonnell SB, et al. When less may be more: calorie restriction and response to cancer therapy. *BMC Med*. 2017 May 24;15(1):106.
17. Horie NC, Serrao VT, Simon SS, et al. Cognitive Effects of Intentional Weight Loss in Elderly Obese Individuals With Mild Cognitive Impairment. *J Clin Endocrinol Metab*. 2016 Mar;101(3):1104-12.
18. Longo VD, Mattison MP. Fasting: molecular mechanisms and clinical applications. *Cell Metab*. 2014 Feb 4;19(2):181-92.
19. Witte AV, Fobker M, Gellner R, et al. Caloric restriction improves memory in elderly humans. *Proc Natl Acad Sci U S A*. 2009 Jan 27;106(4):1255-60.
20. Mattson MP, Arumugam TV. Hallmarks of Brain Aging: Adaptive and Pathological Modification by Metabolic States. *Cell Metab*. 2018 Jun 5;27(6):1176-99.
21. Mattson MP, Moehl K, Ghena N, et al. Intermittent metabolic switching, neuroplasticity and brain health. *Nat Rev Neurosci*. 2018 Feb;19(2):63-80.
22. Lowe DA, Wu N, Rohdin-Bibby L, et al. Effects of Time-Restricted Eating on Weight Loss and Other Metabolic Parameters in Women and Men With Overweight and Obesity: The TREAT Randomized Clinical Trial. *JAMA Intern Med*. 2020 Sep 28.
23. Cho Y, Hong N, Kim KW, et al. The Effectiveness of Intermittent Fasting to Reduce Body Mass Index and Glucose Metabolism: A Systematic Review and Meta-Analysis. *J Clin Med*. 2019 Oct 9;8(10):1645.
24. Arnason TG, Bowen MW, Mansell KD. Effects of intermittent fasting on health markers in those with type 2 diabetes: A pilot study. *World J Diabetes*. 2017 Apr 15;8(4):154-64.
25. Mindikoglu AL, Abdulsada MM, Jain A, et al. Intermittent fasting from dawn to sunset for four consecutive weeks induces anticancer serum proteome response and improves metabolic syndrome. *Sci Rep*. 2020 Oct 27;10(1):18341.





DISCOUNT PRICES

FOR PREMIUM-QUALITY PRODUCTS

Life Extension® customers take extraordinary steps to stave off aging.

When customers buy from **Life Extension®**, they are assured of receiving the **highest-quality** products based on the latest published scientific studies.

These pages reveal the **lower prices** that our customers enjoy during the annual **SUPER SALE**.

Each purchase at these **discount prices** qualifies for valuable **Rewards Dollars** that reduce the cost of future orders.

SUPER SALE
One Unit

SUPER SALE
Four-Unit
Per-Bottle Price

BioActive Complete B-Complex • 60 vegetarian capsules, Item #01945
Provides enzymatically active forms of **B vitamins** to help lower homocysteine, energize cells, and protect against glycation.

\$8.10

\$7.20

AMPK Metabolic Activator • 30 vegetarian tablets, Item #02207
Dual ingredient plant compounds support youthful **AMPK** activity and promote cellular health. Just one tablet daily dosing.

\$25.65

\$21.60

Zinc Caps • 90 vegetarian capsules, Item #01813
Superior bioavailability of zinc monomethionine with zinc citrate to provide **50 mg** of absorbable **zinc** in one capsule.

\$6.08

\$5.40

MacuGuard® Ocular Support • 60 softgels, Item #01992
Lutein, *trans*-zeaxanthin, meso-zeaxanthin, and saffron help maintain structural integrity of the macula and retina. Just one softgel per day.

\$16.88

\$15.75

Advanced Curcumin Elite™ Turmeric + Ginger • 30 softgels, Item #02324
Patented turmeric root extract provides **45 times greater** free **curcuminoid** bioavailability plus **ginger** and broad-spectrum **turmerones**.

\$18

\$16.20

Super Ubiquinol CoQ10 • 100 mg, 60 softgels, Item #01426
Superior **ubiquinol** form of CoQ10 (**100 mg**) plus shilajit shown to double mitochondrial CoQ10 levels.

\$41.85

\$35.10

\$32.40

(ten-unit per-bottle price)

Mega Vitamin K2 • 30 capsules, Item #02417
For enhanced bone and vascular protection, **high** potency **Mega Vitamin K2** provides **45,000 mcg** of menaquinone-4 (MK4) in one daily capsule.

\$25.65

\$23.40

Ultra Prostate Formula • 60 softgels, Item #02029
Comprehensive support for an aging prostate gland utilizing extracts from **pygeum**, **nettle**, **flower pollen**, and **saw palmetto**, plus **boron**, **beta-sitosterol**, and **lycopene**.

\$25.65

\$23.63

\$21.60

(ten-unit per-bottle price)

TO ORDER CALL TOLL-FREE 1-800-544-4440

SUPER SALE
One Unit

SUPER SALE
Four-Unit
Per-Bottle Price

Super Omega-3 EPA/DHA Fish Oil, Sesame Lignans & Olive Extract • 120 softgels, Item #01982

Highly purified **EPA (1,400 mg)** and **DHA (1,000 mg)**, **sesame lignans** plus potent **olive extract**, provides essential components of the Mediterranean diet in four softgels.

\$21.60

\$18.90

Bone Restore Elite with Super Potent Vitamin K2 • 120 capsules, Item #02416

Helps maintain bone density by combining high potency **vitamin K2 (45,000 mcg)** with **calcium** and other skeletal-strengthening **nutrients**.

\$31.05

\$28.35

NAC (N-Acetyl-Cysteine) • 600 mg, 60 capsules, Item #01534

Supports **glutathione** levels for healthy **immune** function.

\$9.45

\$8.33

Bio-Fisetin • 30 vegetarian capsules • Item #02414

After years of relentless research, an *absorbable* form of the plant flavonoid **fisetin** is finally available to target **senescent cells**.

\$10.13

\$9

Mitochondrial Energy Optimizer with PQQ • 120 vegetarian capsules, Item #01868

Glycation-protection formula helps maintain cellular integrity, and mitochondrial biogenesis. Provides **1,000 mg** of **carnosine** along with **R-lipoic acid**, **taurine**, **benfotiamine**, and **PQQ**.

\$45.90

\$40.50

Bloat Relief • 60 softgels, Item #02412

Four plant extracts target underlying causes of **gastrointestinal** discomforts, such as gas and bloating following a meal.

\$22.28

\$20.25

PQQ Caps • 10 mg, 30 vegetarian capsules, Item #01500

Promotes generation of new **mitochondria** in aging cells.

\$12.15

\$9.90

Senolytic Activator • 24 vegetarian capsules, Item #02301 (3-month supply)

Highly *absorbable* forms of **quercetin phytosome**, **black tea theaflavins**, plus **apigenin** designed to help the body to manage senescent cells.

\$16.20

\$14.40

Memory Protect • 36-day supply, Item #02101

Lithium (1,000 mcg) and **proline-rich polypeptide** to support cognitive health.

\$16.20

\$14.40

Extend-Release Magnesium • 60 vegetarian capsules, Item #02107

Provides **immediate-release** magnesium along with a 6-hour **extended-release** magnesium for sustained benefits.

\$8.78

\$7.88

Neuro-Mag® Magnesium L-Threonate • 90 vegetarian capsules, Item #01603

Helps maintain structural integrity of synaptic connections in the brain.

\$27

\$24.30

FLORASSIST® GI with Phage Technology • 30 liquid vegetarian capsules, Item #02125

Dual-encapsulation **probiotic** for optimal delivery to help balance bacteria in the intestines.

\$22.28

\$20.25

NAD+ Cell Regenerator™ and Resveratrol • 30 vegetarian capsules, Item #02348

NIAGEN® **nicotinamide riboside**, *trans*-resveratrol, quercetin, and more to support healthy cellular metabolism.

NIAGEN® is a registered trademark of ChromaDex, Inc., Patents see: www.ChromaDexPatents.com.

***** For pricing available to readers of this magazine call 1-800-544-4440 or visit LifeExtension.com/NAD**

Super\$Sale

TO ORDER CALL
TOLL-FREE 1-800-544-4440

These statements have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cure, or prevent any disease.

Once-Daily HEALTH BOOSTER

WITH TOCOTRIENOLS!

- **Mixed tocotrienols** to support arterial health, cellular apoptosis, and normal lipid profiles.
- **Broad-spectrum Vitamin K** with four vitamin **K2** subtypes (MK-4, MK-6, MK-7, MK-9) plus **vitamin K1** to keep **calcium** in **bones** and out of **arteries**.
- **Macuguard®** including **zeaxanthin**, **lutein**, and **meso-zeaxanthin** to support **macular** density.
- **Lycopene** to maintain healthy cell division.
- **Chlorophyllin** to protect against environmental **DNA damage**.
- **Saffron** to support visual health.



*The same nutrients sold
separately would cost
2-3 times more money!*

For full product description and
to order **Once-Daily Health Booster**,
call 1-800-544-4440 or visit
www.LifeExtension.com

SUPER SALE PRICE

Item #02291 • 60 softgels

1 bottle **\$40.50**

4 bottles \$36 each

(two-month supply)



Caution: If you are taking warfarin (Coumadin®) or related medications, consult with your healthcare provider before taking this product.

Lyc-O-Mato® is a registered trademark of Lycored, Corp. LuteinPlus® and Mz® are registered trademarks of NutriProducts LTD., UK, licensed under U.S. patent 8,623,428.

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

Love the you in the Mirror

AMPK is an *enzyme* in the body that signals cells to burn **fat** for energy.

Over time, AMPK levels decline and can cause accumulation of **abdominal fat**.

AMPK Metabolic Activator provides gynostemma and hesperidin extracts to:

- Revitalize youthful AMPK activity
- Encourage use of abdominal fat for energy
- Promote healthy cellular metabolism



SUPER SALE PRICE

Item #02207 • 30 vegetarian tablets

1 bottle 25.65 • 4 bottles \$21.60 each

For full product description and to order **AMPK Metabolic Activator**, call 1-800-544-4440 or visit LifeExtension.com

This supplement should be taken in conjunction with a healthy diet and regular exercise program. Individual results are not guaranteed, and results may vary.

Actiponin® is a trademark of TG Biotech Co., Ltd.

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.





Astaxanthin Promotes Heart Health

BY CHANCELLOR FALOON



Astaxanthin is a **carotenoid** pigment that has long been associated with eye, skin, and brain health.¹⁻⁴

A lesser known benefit is being revealed in studies showing it can also reduce the risk of **heart disease**.

Astaxanthin does this in several ways, including:⁵

- Inhibits **LDL** oxidation,
- Increases **HDL** ("good") cholesterol,
- Supports healthy **glucose** metabolism, and
- Reduces risk of **arterial blockage**.

In one study, mice fed astaxanthin had a **36.5% reduction** in the formation of plaque in the **aorta**, the main artery that leaves the heart.⁶

A **2020** prospective pilot study found that three months of **astaxanthin** supplementation *suppressed oxidative stress* and *improved cardiac contractility* and **exercise tolerance** in **heart failure** patients.⁷

Many people take **astaxanthin** to support overall health. Now there is evidence for an additional benefit: improved **heart health**.



What is Astaxanthin?

Astaxanthin is a red **carotenoid**, a pigment that is especially high in certain microalgae.

It is responsible for the reddish-pink color of flamingos, lobsters, and crawfish, due to the high amounts of astaxanthin they consume.⁸

It is a **free-radical scavenger** and **anti-inflammatory** that provides a wide range of health benefits. Researchers are only now discovering the role it plays in protecting the **heart**.

How Cholesterol Causes Heart Disease

Cholesterol plays a role in the development of **heart disease**.

This waxy, fat-like substance is found in every cell in the body and serves many important functions. Cholesterol provides the raw material for hormone synthesis and provides important components for cell structures.⁹⁻¹¹

LDL is often referred to as “bad cholesterol.” But **small and dense LDL particles** cause much of LDL’s harm. The reason is that small and dense LDL particles are more susceptible to oxidation, that makes them more inflammatory and atherogenic.¹²


In **atherosclerosis**, the arteries become clogged and stiff and the flow of blood and oxygen to the heart and brain is reduced. This can eventually result in angina, heart attack, stroke, and **heart failure**.¹³

A Powerful Antioxidant

The molecular structure of carotenoids makes them exceptional **antioxidants**, quenchers of harmful free radicals.

Research has shown that carotenoids can reduce oxidative stress more than certain forms of vitamin E.¹⁸

(Astaxanthin – notice the high amount of conjugated double bonds)



HDL (the “good cholesterol”) is responsible for *clearing out* excess LDL particles. In a process called **reverse cholesterol transport**, HDL removes potentially dangerous cholesterol particles from the cell and brings them to the liver to be broken down and excreted.¹⁴

Lab Studies on Astaxanthin

Researchers have discovered that astaxanthin can *increase* **reverse cholesterol transport**.¹⁵

That may reduce or prevent atherosclerosis, protecting against heart disease and heart attacks.

In one study, researchers tested the effects of astaxanthin on mice genetically bred to have **dyslipidemia** (improper cholesterol balance) and fed a **high-fat diet**.⁶

The mice were divided into three groups:

- High-fat diet plus **astaxanthin**-rich oil
- High-fat diet plus **EPA + DHA**-rich oil
- High-fat diet (control)

Compared to the control group, both the **astaxanthin** and **EPA + DHA** groups saw reductions in atherosclerotic lesions. In particular, the mice that received the **astaxanthin**-rich oil had:

- A **36.5% reduction** in **aorta atherogenesis** (the development of artery-clogging plaque), and
- A **34.8% reduction** in damage to a vital part of the aorta called the **aortic arch**.

In another study, researchers put rats on a high-cholesterol diet. One group received no treatment and served as a control, a second was given a cholesterol-lowering **statin** drug, a third was given **astaxanthin**, and a fourth group got **lycopene**.

The statin group achieved the greatest benefits. But the groups that received astaxanthin and lycopene also had significantly *reduced* LDL and *increased* HDL compared to the untreated animals.¹⁶

They also had reduced **foam cells** in the arteries. Foam cells play a central role in the atherosclerotic process.¹⁷

Heart Benefits in Humans

In 2010, the first randomized controlled **human trial** on astaxanthin was published. It showed that daily supplementation led to a noteworthy *decrease* in levels of harmful **triglycerides** in the body.¹⁹

Triglycerides are one of the two main types of lipids found in the blood (the other being cholesterol). *High* levels of either increase the risk of heart disease.

In clinical trials conducted since then, astaxanthin has been shown to provide multiple heart health benefits.

Being overweight increases **oxidative stress**, which is closely associated with atherosclerotic disease. In one trial, researchers recruited 23 patients who were overweight or obese and tested whether astaxanthin could *reduce* oxidative stress.²⁰

After three weeks of daily astaxanthin intake, markers of oxidative stress *decreased* significantly.

At the same time, levels of **superoxide dismutase** (an enzyme that breaks down the harmful superoxide free radical) and total **antioxidants** (which reduce oxidative stress) *increased* significantly compared to baseline.

The same group of researchers conducted another trial on a different group of overweight or obese patients. This time, markers of **lipids** (fats) were also evaluated, and the trial was extended to 12 weeks.

The results again showed beneficial reductions in oxidative stress. There were also decreased levels of **LDL cholesterol** and **apolipoprotein B** (a marker for LDL particle count), compared to a placebo group.²¹

Controlling Type II Diabetes

People with **type II diabetes** have a dramatically increased risk of developing cardiovascular disease. Preventing or controlling diabetes protects the heart.

In **type II diabetics**, the body fails to properly metabolize **glucose**, creating an environment in which **insulin** levels are *increased*, contributing to **insulin resistance**.

This **insulin resistance** can be *lowered* by **adiponectin**, a protein hormone that regulates the metabolism of glucose and lipids.²²

In 2018, a randomized controlled trial of **astaxanthin** was conducted on 44 patients with **type II diabetes**.²³

After eight weeks, those receiving astaxanthin daily had significantly *increased* adiponectin levels. They also had *reduced* visceral body fat mass, triglycerides, LDL cholesterol, and systolic (the top number) blood pressure.



WHAT YOU NEED TO KNOW

Reduce Risk of Heart Disease

- **Astaxanthin** is a carotenoid pigment with powerful antioxidant and anti-inflammatory properties.
- Recent research has shown that it helps protect the heart and prevent against **heart disease**.
- Among other benefits, it lowers **LDL** ("bad") cholesterol while raising **HDL** ("good") cholesterol, reduces atherosclerosis in animal models, and decreases levels of harmful lipids.
- Astaxanthin also supports healthy glucose metabolism, helping to prevent or control **type II diabetes**.
- The best way to take astaxanthin is in combination with **phospholipids**, which makes it far more **bioavailable** (absorbable).

Most importantly for diabetics, astaxanthin intake *reduced* levels of **glucose** and of **fructosamine**, a compound formed when glucose binds to proteins.

Fructosamine levels are another way to determine glucose averages over a shorter period compared to the **hemoglobin A1C** test.²⁴

These actions, together with astaxanthin's cholesterol-lowering effects and other benefits, can help protect against heart disease.

Summary

Astaxanthin is a carotenoid compound that has long been known to provide a wide range of health benefits. Recent research has shown that it protects the **heart** as well.

Studies have demonstrated that it helps reduce dangerous lipid fractions like **apolipoprotein B**, significantly reduce oxidative stress, lower glucose, improve lipid profiles, and more.

These effects may reduce **heart disease** risk and help control **type II diabetes**.

If you have any questions on the scientific content of this article, please call a **Life Extension®** Wellness Specialist at 1-866-864-3027.

References

1. Available at: <https://www.cdc.gov/nchs/fastats/leading-causes-of-death.htm>. Accessed November 12, 2020.
2. Davinelli S, Nielsen ME, Scapagnini G. Astaxanthin in Skin Health, Repair, and Disease: A Comprehensive Review. *Nutrients*. 2018 Apr 22;10(4).
3. Otsuka T, Shimazawa M, Inoue Y, et al. Astaxanthin Protects Against Retinal Damage: Evidence from In Vivo and In Vitro Retinal Ischemia and Reperfusion Models. *Curr Eye Res*. 2016 Nov;41(11):1465-72.
4. Galasso C, Orefice I, Pellone P, et al. On the Neuroprotective Role of Astaxanthin: New Perspectives? *Mar Drugs*. 2018 Jul 24;16(8).
5. Kishimoto Y, Yoshida H, Kondo K. Potential Anti-Atherosclerotic Properties of Astaxanthin. *Mar Drugs*. 2016 Feb 5;14(2):35.
6. Eilertsen KE, Maehre HK, Jensen LJ, et al. A wax ester and astaxanthin-rich extract from the marine copepod *Calanus finmarchicus* attenuates atherogenesis in female apolipoprotein E-deficient mice. *J Nutr*. 2012 Mar;142(3):508-12.
7. Kato T, Kasai T, Sato A, et al. Effects of 3-Month Astaxanthin Supplementation on Cardiac Function in Heart Failure Patients with Left Ventricular Systolic Dysfunction-A Pilot Study. *Nutrients*. 2020;12(6):1896.
8. Fasset RG, Coombes JS. Astaxanthin in cardiovascular health and disease. *Molecules*. 2012 Feb 20;17(2):2030-48.
9. Miller WL, Auchus RJ. The molecular biology, biochemistry, and physiology of human steroidogenesis and its disorders. *Endocr Rev*. 2011 Feb;32(1):81-151.
10. Alberts B JA, Lewis J, et al. *Molecular Biology of the Cell*. 4th edition. 2002.
11. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK279327/>. Accessed November 16, 2020.



12. Ivanova EA, Myasoedova VA, Melnichenko AA, et al. Small Dense Low-Density Lipoprotein as Biomarker for Atherosclerotic Diseases. *Oxidative medicine and cellular longevity*. 2017;2017:1273042-.
13. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK507799/>. Accessed November 17, 2020.
14. Favari E, Chroni A, Tietge UJ, et al. Cholesterol efflux and reverse cholesterol transport. *Handb Exp Pharmacol*. 2015;224:181-206.
15. Zou TB, Zhu SS, Luo F, et al. Effects of Astaxanthin on Reverse Cholesterol Transport and Atherosclerosis in Mice. *Biomed Res Int*. 2017;2017:4625932.
16. Kumar R, Salwe KJ, Kumarappan M. Evaluation of Antioxidant, Hypolipidemic, and Antiatherogenic Property of Lycopene and Astaxanthin in Atherosclerosis-induced Rats. *Pharmacognosy Res*. 2017 Apr-Jun;9(2):161-7.
17. Available at: <https://www.sciencedirect.com/topics/medicine-and-dentistry/foam-cell>. Accessed February 26, 2020.
18. Rodrigues E, Mariutti LR, Mercadante AZ. Scavenging capacity of marine carotenoids against reactive oxygen and nitrogen species in a membrane-mimicking system. *Mar Drugs*. 2012 Aug;10(8):1784-98.
19. Yoshida H, Yanai H, Ito K, et al. Administration of natural astaxanthin increases serum HDL-cholesterol and adiponectin in subjects with mild hyperlipidemia. *Atherosclerosis*. 2010 Apr;209(2):520-3.
20. Choi HD, Kim JH, Chang MJ, et al. Effects of astaxanthin on oxidative stress in overweight and obese adults. *Phytother Res*. 2011 Dec;25(12):1813-8.
21. Choi HD, Youn YK, Shin WG. Positive effects of astaxanthin on lipid profiles and oxidative stress in overweight subjects. *Plant Foods Hum Nutr*. 2011 Nov;66(4):363-9.
22. Achari AE, Jain SK. Adiponectin, a Therapeutic Target for Obesity, Diabetes, and Endothelial Dysfunction. *Int J Mol Sci*. 2017 Jun 21;18(6).
23. Mashhadi NS, Zakerkish M, Mohammadiasl J, et al. Astaxanthin improves glucose metabolism and reduces blood pressure in patients with type 2 diabetes mellitus. *Asia Pac J Clin Nutr*. 2018;27(2):341-6.
24. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK470185/>. Accessed November 17, 2020.

BREEZE THROUGH WINTER!

PROMOTES IMMUNE AND NASAL HEALTH

Targeted **probiotic** and **yeast** combination supports healthy immune response during winter season.



SUPER SALE PRICE

Item #02208 • 30 vegetarian capsules

1 bottle **\$16.20**

4 bottles \$14.40 each

For full product description
and to order **FLORASSIST®**
Immune & Nasal Defense,
call **1-800-544-4440** or
visit www.LifeExtension.com



GLUTEN FREE



DAILY



NON
GMO
LE CERTIFIED

EpiCor® is a registered trademark of
Embria Health Sciences, L.L.C.

L-92® is a registered trademark of
Asahi Calpis Wellness Co., Ltd., Tokyo, Japan.

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

FORESIGHT FOR YOUR EYESIGHT

MacuGuard® Ocular Support with Saffron & Astaxanthin provides:

1. **Lutein, *trans*-zeaxanthin, and meso-zeaxanthin** to help maintain structural integrity of the **macula** and **retina**.¹⁻⁵
2. **Alpha-carotene** to further help support macular density.¹
3. **Cyanidin-3-glucoside** to assist with night vision.⁶⁻⁸
4. **Astaxanthin** for comprehensive eye health support and to fight eye fatigue.⁹
5. **Saffron** to help support vision, based on study subjects seeing an average of two additional lines on eye chart used by doctors to test vision.¹



SUPER SALE PRICE

Item #01993 • 60 softgels

1 bottle **\$29.70** • 4 bottles \$27 each

Each bottle lasts for two months.

References

1. *JAMA Ophthalmol.* 2015;133(12):1415-24.
2. *Nutrients.* 2013 April;5(4):1169-85.
3. *Nutrition.* 2011 Sep;27(9):960-6.
4. *Free Radic Biol Med.* 2012;53(6):1298-307.
5. *J Ophthalmol.* 2015;2015:523027.
6. *Evid Based Complement Alternat Med.* 2012; 2012:429124.
7. *Invest Ophthalmol Vis Sci.* 2010;51(12):6118-24.
8. *J Agric Food Chem.* 2003 Jun 4;51(12):3560-3.
9. *Altern Med Rev.* 2011 Dec;16(4):355-64.

LuteinPlus® and Mz® are registered trademarks of NutriProducts Ltd., UK, licensed under U.S. Patent 8,623,428.

For full product description and to order **MacuGuard®**
Ocular Support with Saffron & Astaxanthin,
call 1-800-544-4440 or visit www.LifeExtension.com



These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

HIGHLY ABSORBABLE

Astaxanthin

Supports Heart Health

Astaxanthin is a carotenoid that benefits the brain, heart, skin, and immune system. Research suggests that astaxanthin can play a role in promoting cardiovascular health.¹

Found naturally in seafood and algae, as little as **50%** of **astaxanthin** is normally **absorbed** in the blood-stream.^{2,3}

Life Extension® combines **4 mg** of **astaxanthin** with a blend of four different **phospholipids**, which has been shown to enhance carotenoid **absorption** by **several-fold**.⁴

References

1. *Nutrients*. 2020 Jun; 12(6): 1896.
2. *Mol Nutr Food Res*. 2012 Sep;56(9):1385-97.
3. *Eur J Pharm Sci*. 2003 Jul;19(4):299-304.
4. *Int J Pharm*. 2011 June 30; 412(1-2):99-105.

SUPER SALE PRICE

Item #01923 • 30 softgels

1 bottle **\$10.80**

4 bottles \$9.45 each

For full product description and to order
Astaxanthin 4 mg with Phospholipids,
call 1-800-544-4440 or
visit www.LifeExtension.com





These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.



Plant-Derived Compounds that Reduce Chronic Stress

BY STACY KELLER





Doctors are increasingly recognizing the role that **chronic stress** plays in our health and immune systems.

Heart disease, digestive disorders, diabetes, cancer, and most importantly, our immunity can all be impacted by chronic stress.¹⁻⁴

Over the past year Americans have reported feeling an extraordinary amount of stress affecting their well-being.⁵

Reducing the impact of stress has long been recognized as a significant aspect of any wellness program.

Scientists have identified two **plant extracts** that work to reduce stress and anxiety levels.

An amino acid called **theanine**, found in tea leaves, has been shown in clinical trials to relieve chronic stress.⁶⁻⁸

Lemon balm, an herb in the mint family, induces calm and **lowers anxiety** levels.^{9,10}

Stress Impairs Immunity

In addition to its adverse effect on emotional wellbeing, **chronic stress** may shorten healthy lifespans via several detrimental pathways.^{11,12}

Chronic stress **suppresses the immune system**, impairing the function of infection-fighting immune cells.^{2,13}

It also spurs a long-lasting release of the steroid hormone **cortisol** and other signaling molecules that further weaken immune responses.²

Chronic stress is associated with increased levels of damaging **inflammation**.^{13,14}

Chronic stress is also a factor in many cases of anxiety and depressive disorders.

The World Health Organization has ranked depressive and anxiety disorders as the **first** and **sixth** most important contributors, respectively, to non-fatal negative health outcomes.¹⁵

There are proven ways to reduce stress, including exercising, eating a healthy diet, and getting adequate sleep.

Scientific research has also identified **nutrients** capable of reducing the stress we feel and the harm that stress does to our body.

Theanine Decreases Stress

Theanine (also known as “L-theanine”) is an amino acid primarily found in **green tea**.^{6,7,16-18}

Research suggests that its stress-fighting benefits come from its ability to modulate **neurotransmitters** and **hormones** that change how the body responds to **chronic stress**.^{19,20}

Theanine *inhibits* the activity of the excitatory neurotransmitter **glutamate**, which rises during stress. It does this by blocking glutamate from binding to receptors in the brain.^{17,18}

In a 2019 literature review, researchers present studies showing that a daily dose of theanine, ranging from **200 mg** to **400 mg**, has **anti-stress** and **anti-anxiety** effects that work for both short-term and chronic stress.¹⁶

Effects on Chronic Stress

In a study of the impact of **theanine** on **chronic stress**, students in an intense pharmacy-practice program took either **200 mg** of theanine twice daily or a placebo, starting one week before the program and lasting 10 days into it.⁷





The subjects were asked how much stress they felt. Measurements were also taken of levels of the enzyme **alpha-amylase** in their saliva. *Higher* levels indicate *increased* levels of stress.⁷

The theanine-treated students had reduced salivary **alpha-amylase** and reported feeling significantly less stress than placebo recipients.

In another chronic-stress study, **200 mg** of theanine daily for four weeks significantly reduced measures of stress and anxiety, while improving sleep quality.⁸

Lemon Balm Promotes Calm

Lemon balm is an herb with a long tradition of medicinal use for alleviating stress, anxiety, and insomnia.^{9,21,22}

Lemon balm has been shown to *promote* activity of the neurotransmitter **GABA** (gamma-aminobutyric acid).¹⁰ GABA counteracts the stress-reinforcing effects of **glutamate** in the brain and is associated with a more calm, relaxed state.^{23,24}

Studies using **600 mg** of standardized lemon balm extract have shown that it improves mood and lowers perceived stress.^{9,10}

WHAT YOU NEED TO KNOW

Lower Stress for Improved Immunity

- Over the past year Americans have reported feeling an extraordinary amount of stress that is affecting their well-being.
- The amino acid **theanine**, found in tea leaves, has been shown in clinical trials to relieve **chronic stress**.
- The herb **lemon balm** also induces calm and lowers **anxiety** levels.
- Controlling the impact that chronic stress has on the body is an essential part of any wellness program.

Summary

A combination of **theanine** and **lemon balm** can ease stress and its damaging effects, without causing drowsiness or loss of alertness.

The amino acid theanine inhibits the action of **glutamate**, an excitatory neurotransmitter that is involved in stress. Excess excitatory stimulation injures neurons.

Lemon balm, an herb in the mint family, complements that activity by increasing the action of **GABA**, a neurotransmitter that *opposes* the stressful effects of glutamate and promotes a feeling of calmness.

These two nutrients can help relieve stress and anxiety and reduce their harmful impact on our body. •

If you have any questions on the scientific content of this article, please call a **Life Extension®** Wellness Specialist at 1-866-864-3027.

References

- Gallo LC, Roesch SC, Fortmann AL, et al. Associations of chronic stress burden, perceived stress, and traumatic stress with cardiovascular disease prevalence and risk factors in the Hispanic Community Health Study/Study of Latinos Sociocultural Ancillary Study. *Psychosom Med*. 2014 Jul-Aug;76(6):468-75.
- Dhabhar FS. Effects of stress on immune function: the good, the bad, and the beautiful. *Immunol Res*. 2014 May;58(2-3):193-210.
- Glaser R, Kiecolt-Glaser J. How stress damages immune system and health. *Discov Med*. 2005 Apr;5(26):165-9.
- Available at: <https://www.apa.org/helpcenter/stress/index>. Accessed November 11, 2020.
- Available at: <https://www.apa.org/news/press/releases/stress/2020/report-october>. Accessed November 11, 2020.
- White DJ, de Klerk S, Woods W, et al. Anti-Stress, Behavioural and Magnetoencephalography Effects of an L-Theanine-Based Nutrient Drink: A Randomised, Double-Blind, Placebo-Controlled, Crossover Trial. *Nutrients*. 2016 Jan 19;8(1).
- Unno K, Tanida N, Ishii N, et al. Anti-stress effect of theanine on students during pharmacy practice: positive correlation among salivary alpha-amylase activity, trait anxiety and subjective stress. *Pharmacol Biochem Behav*. 2013 Oct;111:128-35.
- Hideese S, Ogawa S, Ota M, et al. Effects of L-Theanine Administration on Stress-Related Symptoms and Cognitive Functions in Healthy Adults: A Randomized Controlled Trial. *Nutrients*. 2019 Oct 3;11(10).
- Kennedy DO, Little W, Scholey AB. Attenuation of laboratory-induced stress in humans after acute administration of Melissa officinalis (Lemon Balm). *Psychosom Med*. 2004 Jul-Aug;66(4):607-13.
- Scholey A, Gibbs A, Neale C, et al. Anti-stress effects of lemon balm-containing foods. *Nutrients*. 2014 Oct 30;6(11):4805-21.
- Epel ES, Lithgow GJ. Stress biology and aging mechanisms: toward understanding the deep connection between adaptation to stress and longevity. *J Gerontol A Biol Sci Med Sci*. 2014 Jun;69 Suppl 1(Suppl 1):S10-6.
- Shields GS, Slavich GM. Lifetime Stress Exposure and Health: A Review of Contemporary Assessment Methods and Biological Mechanisms. *Soc Personal Psychol Compass*. 2017 Aug;11(8):e12335.
- Fali T, Vallet H, Sauce D. Impact of stress on aged immune system compartments: Overview from fundamental to clinical data. *Exp Gerontol*. 2018 May;105:19-26.
- Wirtz PH, von Kanel R. Psychological Stress, Inflammation, and Coronary Heart Disease. *Curr Cardiol Rep*. 2017 Sep 20;19(11):111.
- World Health O. Depression and other common mental disorders: global health estimates. Geneva: World Health Organization; 2017 2017.
- Lopes Sakamoto F, Metzker Pereira Ribeiro R, Amador Bueno A, et al. Psychotropic effects of L-theanine and its clinical properties: From the management of anxiety and stress to a potential use in schizophrenia. *Pharmacol Res*. 2019 Sep;147:104395.
- Yoto A, Motoki M, Murao S, et al. Effects of L-theanine or caffeine intake on changes in blood pressure under physical and psychological stresses. *J Physiol Anthropol*. 2012 Oct 29;31:28.
- Kimura K, Ozeki M, Juneja LR, et al. L-Theanine reduces psychological and physiological stress responses. *Biol Psychol*. 2007 Jan;74(1):39-45.
- Tian X, Sun L, Gou L, et al. Protective effect of l-theanine on chronic restraint stress-induced cognitive impairments in mice. *Brain Res*. 2013 Mar 29;1503:24-32.
- Adhikary R, Mandal V. l-theanine: A potential multifaceted natural bioactive amide as health supplement. *Asian Pacific Journal of Tropical Biomedicine*. 2017 2017/09/01;7(9):842-8.
- Lee D, Shin Y, Jang J, et al. The herbal extract ALS-L1023 from *Melissa officinalis* alleviates visceral obesity and insulin resistance in obese female C57BL/6J mice. *J Ethnopharmacol*. 2020 May 10;253:112646.
- Miraj S, Rafieian K, Kiani S. *Melissa officinalis* L: A Review Study With an Antioxidant Prospective. *J Evid Based Complementary Altern Med*. 2017 Jul;22(3):385-94.
- Hampe CS, Mitoma H, Manto M. GABA and Glutamate: Their Transmitter Role in the CNS and Pancreatic Islets. *GABA And Glutamate - New Developments In Neurotransmission Research 2018*.
- Popoli M, Yan Z, McEwen BS, et al. The stressed synapse: the impact of stress and glucocorticoids on glutamate transmission. *Nat Rev Neurosci*. 2011 Nov 30;13(1):22-37.



ACTIVATE CELLULAR



GEROPROTECT® Autophagy Renew stimulates the body's natural "cellular cleanup" process essential to youthful cellular function and overall health.

Artificial Intelligence was one of the tools utilized by researchers to help identify the best nutrients in this advanced formulation.

This new longevity formula contains **luteolin** and **piperlongumine** to:

- Promote ongoing cellular housekeeping
- Encourage healthy cell debris removal
- Inhibit mTOR signaling

Activating **autophagy** supports healthy cellular function and longevity.

SUPER SALE PRICE

Item #02415 • 30 vegetarian capsules

1 bottle **\$17.55** • 4 bottles \$15.75 each

Autophagy

Help Your Cells
Remove Internal
Debris



For full product description and
to order GEROPROTECT®
Autophagy Renew,
call 1-800-544-4440 or
visit www.LifeExtension.com



GLUTEN FREE



NON
GMO
LE CERTIFIED

†Developed in collaboration with Insilico Medicine, Inc.

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

CoQ10

When
Your
Energy
Matters
Most



GLUTEN FREE



SUPER SALE PRICE

Item #01426 • 100 mg, 60 softgels

1 bottle \$41.85 • 4 bottles \$35.10 each

When every second counts, you need to make sure energy levels are up for any task. **Super Ubiquinol CoQ10 with Enhanced Mitochondrial Support™** can help.

Formulated with a highly-absorbable form of CoQ10 and a patented delivery system, our best-selling CoQ10 formula promotes your heart health and your body's youthful cellular energy production, so you can get the job done.

For full product description and to order **Super Ubiquinol CoQ10 with Enhanced Mitochondrial Support™**, call 1-800-544-4440 or visit www.LifeExtension.com

PrimaVie® is a registered trademark of Natreon, Inc.
Q+®, Kaneka Ubiquinol™, and the quality seal™ are registered or pending trademarks of Kaneka Corp.

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

Promote Calm and Relaxation

L-Theanine helps control overstimulation of brain cells—promoting relaxation and a feeling of well-being.¹

The **L-Theanine** in this product:

- Inhibits excitatory stimuli at glutamate receptors in the brain^{2,3}
- Stimulates production of relaxing neurotransmitter GABA³

References

1. *Pharmacol Biochem Behav.* 2012;103(2):245-52.
2. *J Physiol Anthropol.* 2012;31:28.
3. *J Herb Pharmacother.* 2006;6(2):21-30.



SUPER SALE PRICE

Item #01683 • 60 vegetarian capsules

1 bottle **\$16.20**

4 bottles \$13.84 each



For full product description and to order **L-Theanine**, call 1-800-544-4440 or visit www.LifeExtension.com

STRESSED OUT AND ANXIOUS?

Experience Tranquility
with

Enhanced STRESS Relief

Daily stress disrupts our sense of well-being.
Maintaining healthy stress response and
physiological health are important.

Enhanced Stress Relief capsules provide
lemon balm and **L-theanine**, which
are clinically known to promote reduced
stress levels and support healthy relaxation.¹⁻³



SUPER SALE PRICE

Item #00987 • 30 vegetarian capsules

1 bottle **\$18.90** • 4 bottles \$16.20 each

References

1. *Journal of Functional Foods*. 2011;3(3):171-8.
2. *Asia Pac J Clin Nutr*. 2008;17 Suppl 1:167-8.
3. *Nutrients*. 2014 Oct 30;6(11):4805-21.


For full product description and
to order **Enhanced Stress Relief**,
call 1-800-544-4440 or
visit www.LifeExtension.com



These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

Senolytics for Longer Life

BY DR. ALAN S. GREEN



The medical establishment believes that aging is inevitable and that humans are destined to become old and sick.

Yet, **Dr. Alan S. Green** believes that aging can be managed and delayed through interventions such as senolytic therapies.

In his New York practice, Dr. Green uses **senolytic** compounds to target and remove dysfunctional senescent cells.

These compounds include a drug and two nutrients. By removing old, senescent cells, the body then produces more youthful cells that can slow aging processes and restore more youthful functionality.

In this interview with ***Life Extension***[®] magazine, Dr. Green discusses the science and theory behind his innovative practice of anti-aging medicine.

LE: You assert that there are two very different types of aging, passive and active. Can you explain your theory?

Dr. Green: *Passive* or *natural aging* is the classic concept of aging. As a result of wear and tear over time, there is slow accumulation of damage. The damaged parts include mitochondria, DNA, nuclear membranes, proteins, etc. In natural aging, the body does its best to repair the damage which accumulates.

In *active aging*, the organism's own actions cause damage, decline, and death. This is the type of damage that causes age-related disease. Almost everybody dies from *active* aging.

LE: Is it possible to treat or slow active aging?

Dr. Green: Yes. Active aging and age-related disease are driven to a significant degree by two things: **senescent cells** and **mTOR**. They present targets for anti-aging treatments. Drugs or compounds that

treat active aging must be able to **prolong lifespan and prevent age-related diseases**, including atherosclerotic heart disease, Alzheimer's disease, and cancer. In mouse studies, removing senescent cells or lowering mTOR does both of these things.

LE: What exactly are senescent cells?

Dr. Green: Senescent cells have three main characteristics:

1. They are blocked from cell division and can't become two new cells. This has a major impact on tissues that require stem cells to replace lost cells. For example, senescent cells contribute to age-associated **cardiomyopathy** (a disease of the heart muscle that makes it harder for the heart to pump blood to the body). In 70-year-old subjects, over **half** of cardiac stem cells are senescent and can't form healthy new heart cells. This contributes to **cardiac failure**.

2. They cause a damaging bystander effect in neighboring healthy cells, causing *them* to become senescent. In effect, one rotten apple spoils the barrel. In a 2018 study, injection of a small number of senescent cells in young mice spread cellular senescence into host tissues. This led to physical dysfunction and a **five-fold** increased risk of death.

3. They produce what's called a **senescence-associated secretory phenotype**, or **SASP**. This is a witch's brew of highly active substances, including a fearsome mixture of **pro-inflammatory** compounds. Various SASP phenotypes cause specific diseases.

LE: What can we do about senescent cells?

Dr. Green: Senolytics are drugs or other compounds that *remove* senescent cells. In mouse studies, removal of senescent cells increases lifespan and ameliorates age-related disease. There is now a sufficient body of evidence to justify the introduction of senolytics into clinical anti-aging medicine.

LE: What are some effective senolytics?

Dr. Green: The main three senolytics I use are **dasatinib**, **fisetin**, and **quercetin**. Dasatinib is the generic name for Sprycel®, a drug approved since 1996 for the treatment of leukemia. Fisetin and quercetin are flavonoids present in fruits and vegetables. They're sold over the counter and are known to be very safe.

My method is to use all three: **100 mg** dasatinib for three days, **1,000 mg** of regular quercetin for three



days, **1,500 mg** of regular **fisetin** for three days. That's a maximum dose. Patients can begin with a smaller dose and determine sensitivity.

There are now two human studies and more than 20 animal studies regarding dasatinib's role as a senolytic. Quercetin has been used in two human studies, and all mouse studies with dasatinib included quercetin. Fisetin had an excellent result in a 2018 mouse study. It was even *more* effective than quercetin, and there are several human studies using fisetin now listed on: **www.clinicaltrials.gov**. There have been no apparent harmful effects from long-term removal of senescent cells.

LE: What do studies of senolytics show?

Dr. Green: In **mouse studies**, removal of senescent cells improves cardiac function and reduces cardiovascular disease, alleviates frailty and muscle weakness, decreases osteoporosis, improves running endurance, decreases fatty liver disease and lung disease, decreases Alzheimer's-like dementia, and in old mice, **increases lifespan by 36%**.

The two most recent **human studies** were done at the **Mayo Clinic** in **2019**. One showed that a combination of **100 mg of dasatinib** and **1,000 mg of quercetin**, given orally for three days, removed senescent cells in people with diabetic kidney disease. This showed that senolytics may work similarly in humans as they do in mice.

The other study showed that **100 mg of dasatinib** and **1,250 mg of quercetin**, given for three consecutive days each week for three weeks, alleviated physical dysfunction and improved walking distance and speed in patients with idiopathic

pulmonary fibrosis (a lung disease that makes it difficult to breathe). This demonstrated that some of the results in mice can be seen in humans.

LE: What conditions do you think can be treated with senolytics?

Dr. Green: In general, any condition or disease that gets worse with age or has increased incidence with age is likely a senescent-cell-related condition and may respond to treatment with senolytics.

This includes:

- Aging,
- Cancer,
- Cardiovascular disease,
- Alzheimer's disease and neurodegeneration,
- Chronic lung disease and emphysema,
- Chronic kidney disease,
- Non-alcoholic fatty liver disease,
- Obesity and metabolic syndrome,
- Osteoarthritis and osteoporosis,
- Eye cataracts,
- Muscle frailty,
- And more.

LE: Besides senescent cells, you mentioned that the protein **mTOR** plays a role in aging. Can you explain that?

Dr. Green: Since 2009, a large body of scientific studies has shown that increased activity of mTOR (which stands for **mammalian target of rapamycin**, sometimes



called mechanistic target of rapamycin) is a major driver of aging and age-related disease. Many of the harmful actions of mTOR actually relate to senescent cells. mTOR accelerates the production of senescent cells and increases the production of the harmful SASP that senescent cells produce.

LE: How can we reduce mTOR activity?

Dr. Green: It's been shown in some studies that the drug **rapamycin** can increase lifespan in animals by lowering the activity of the mTOR pathway. While senolytics kill senescent cells, rapamycin can help prevent them from developing in the first place. Rapamycin has extended the lifespan of every living thing tested in the laboratory, yeast, worms, flies, and middle-aged mice.

In a 2014 paper, it was reported rapamycin extended the median lifespan **23%** in male mice and **26%** in female mice.

LE: Can you talk a little about rapamycin studies that have been done on humans?

Dr. Green: In a study published in 2014, a **rapalog** (a rapamycin-identical compound) was used to lessen **immunosenescence** (the decline in immune function during aging) in elderly volunteers. It also enhanced response to influenza vaccine by about **20%**. From this study we know that weekly rapamycin may be used to improve immune function in the elderly.

Another study from Taiwan involved the treatment of patients with **acute respiratory distress syndrome (ARDS)** due to the H1N1 strain of flu. Patients who were on respirators were given either the influenza drug **Tamiflu®** alone or Tamiflu® with **2 mg** a day of **rapamycin**. Rapamycin reduced the mortality rate from **42%** to **20%** and cut the average number of days patients were on a respirator from **33 days** to **14 days**.

LE: What is your experience with rapamycin?

Dr. Green: Personally, I've been taking **6 mg** of rapamycin **once a week** since 2016. That's an aggressive treatment. A more conservative treatment would be **3 mg** once every **10 days**.

My practice has been treating patients with intermittent rapamycin for over three years. We now have more than **500** patients. Rapamycin is a prescription drug and should be used under a doctor's supervision.



However, as regards prescription drugs, rapamycin is both safe and effective.

LE: What do you consider the strongest indication for rapamycin?

Dr. Green: To prevent or delay onset of Alzheimer's disease in the **20%** of population heterozygous for ApoE4 and for the **3%** of population which is homozygous for ApoE4 and faces an **18-fold** increased risk with onset **20** years sooner.

If you have any questions on the scientific content of this article, please call a **Life Extension®** Wellness Specialist at 1-866-864-3027.

Dr. Alan S. Green is a physician based in Little Neck, New York. He is an expert in the growing field of anti-aging medicine.

Dr. Green earned his MD from N.Y. State University College of Medicine, Downstate Medical School in 1967.

Restore Connections Between Your Neurons



Neuro-Mag® Magnesium L-Threonate was specifically formulated by MIT scientists to be uniquely absorbable by brain and nerve cells.

The numbers of synapses that connect brain cells decline with aging.

Magnesium L-Threonate has been shown to improve synaptic density and other structural components of the brain.*



SUPER SALE PRICE

Item #01603 • 90 vegetarian capsules
1 bottle \$27 • 4 bottles \$24.30 each



SUPER SALE PRICE

Item #02032 • 93.35 grams of powder
1 jar \$25.65 • 4 jars \$23.40 each

For full product description and to order **Neuro-Mag® Magnesium L-Threonate** or **Neuro-Mag® Magnesium L-Threonate Powder**, call 1-800-544-4440 or visit www.LifeExtension.com

Reference: * *Gerontology*. 1996;42(3):170-80.

Magtein® is a registered trademark of Magceutics, Inc. and is distributed exclusively by AIDP, Inc.
Magtein® is protected under U.S. patents 8,178,118; 8,142,803; 8,163,301 and other patents pending.

These statements have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cure, or prevent any disease.

Cry me a river

Tears are a good thing—until you don't have enough.



SUPER SALE PRICE

Item #01918 • 30 vegetarian capsules

1 bottle \$12.15 • 4 bottles \$10.80 each

You might think tears are produced only when you're happy, sad, etc. But your body constantly makes them: tears lubricate and protect your eyes. Maqui (*Aristotelia chilensis*) berries produce compounds called delphinidins that encourage tear production—an up to **45%** increase in one study. So where can you get a delphinidin-rich maqui extract? **Tear Support with MaquiBright®.**

Go ahead, shed a tear.

For full product description and to order **Tear Support with MaquiBright®** call **1-800-544-4440** or visit **www.LifeExtension.com**



MaquiBright® is a registered trademark of MAQUI NEW LIFE S.A, Chile and ORYZA OIL & FAT CHEMICAL CO., LTD., Japan.

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

TRIPLE ACTION **SENOLYTIC** FORMULA

COMBAT
SENESCENT CELLS
AND AGING

SCIENCE OF SENOLYTICS!

Senolytic compounds selectively help target senescent cells in the body.

Laboratory studies show evidence of **systemic rejuvenation** when the **senescent cell** burden is reduced.*

ONCE-WEEKLY SENOLYTIC FORMULA

Senolytic Activator provides a highly **absorbable** form of **quercetin phytosome**, black tea **theaflavins**, and now with **apigenin** designed to enhance the body's ability to manage **senescent cells**.

The suggested dose is to take two capsules of **Senolytic Activator** just **once weekly**.

* *Aging Cell*. 2015 Aug;14(4):644-58.



SUPER SALE PRICE

Item #02301 • 24 vegetarian capsules

1 box **\$16.20**

4 boxes \$14.40 each

(Each box lasts three months.)

For full product description and to order **Senolytic Activator**,
call 1-800-544-4440 or visit www.LifeExtension.com

Want To Save on Your Orders?



Life Extension customers save an average of
16% a year with AutoShip & Save!

Staying on track of your health has never been so easy—or rewarding!

- Pick the day and frequency of shipments
- Pause, modify or cancel anytime
- Shipping is always FREE (within the United States)
- Enjoy the convenience...and the savings!

Questions? Call 1-855-783-1577
or go to LifeExtension.com/AutoShip
Please use code **AUTOSHIP**



AUTOSHIP
& SAVE

Asparagus

BY LAURIE MATHENA



References

1. *J Agric Food Chem.* 2013 Jun 12;61(23):5520-5.
2. *Phytochemistry.* 2008 May;69(8):1763-6.
3. *Am J Clin Nutr.* 2012 Oct;96(4):781-8.
4. *Circulation.* 2013 Jan 15;127(2):188-96.
5. *Am J Clin Nutr.* 2007 Mar;85(3):895-909.
6. Available at: <https://fdc.nal.usda.gov/fdc-app.html#/food-details/168389/nutrients>. Accessed November 19, 2020.
7. *J Acad Nutr Diet.* 2012 May;112(5):671-84.

Asparagus has been consumed in the Mediterranean region for thousands of years. In the sixteenth and seventeenth centuries, it was reserved for use by nobility, and it didn't make its way to the local marketplace until closer to the eighteenth century.

But long before that, the ancient Greeks believed it had aphrodisiac qualities, and it is reported that Hippocrates used it to treat diarrhea.

Now, modern research is showing what makes asparagus so good for you.

Asparagus is one of the most nutritionally well-balanced vegetables, and consuming it may have heart-healthy benefits.

In one study, rats fed a diet with **5%** asparagus for 10 weeks had **17%** lower blood pressure than those fed a standard diet.¹ The researchers found that asparagus contained a compound that in a large enough quantity could work as a natural ACE inhibitor.

Purple asparagus, in particular, contains **anthocyanins**, which are the plant chemicals that give it its distinct purple color.² Increased intake of anthocyanins has been associated with:

- Improved blood pressure and lower arterial stiffness,³
- Reduced risk of heart attacks,⁴ and
- Reduced mortality risk due to cardiovascular disease, coronary heart disease, and all causes.⁵

With a composition of **94%** water,⁶ asparagus could be beneficial for weight loss as well.⁷

Asparagus has a distinct flavor that is perfect for grilling in the summertime, roasting in the oven with olive oil in cooler weather, or simply lightly steamed any time of the year.

It also makes a great addition to more complex dishes, like stir fries, frittatas, or salads.

Broccoli

THE TREE OF LIFE

Just one daily **Optimized Broccoli and Cruciferous Blend** tablet provides you with the same potent cell-protective and hormone health-promoting benefits as fresh vegetables.

For maximum benefits and absorption this enteric-coated tablet contains two layers:

- Vegetable extracts from broccoli, watercress, cabbage and rosemary, and
- Myrosinase to release **sulforaphane** in the small intestine.



SUPER SALE PRICE

Item #02368 • 30 enteric coated vegetarian tablets

1 bottle \$25.65 • 4 bottles \$23.85 each

For full product description and to order
Optimized Broccoli and Cruciferous Blend,
call 1-800-544-4440 or visit LifeExtension.com



TrueBroc® Produced under US patents 5,725,895; 5,968,505; 5,968,567; 6,177,122; and 6,242,018 licensed from Brassica Protection Products LLC; TrueBroc® is a trademark of Brassica Protection Products LLC. BroccoVital® Myrosinase is a registered trademark of Berg Imports, LLC.

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

PreticX™
IN A TASTY
STRAWBERRY
CHEWABLE



RESTORE YOUTHFUL GUT BALANCE

With Strawberry Flavored
FLORASSIST® Prebiotic Chewable

- With age, our **bifidobacteria** levels decline to as little as **5%**, creating gut imbalance.¹
- *Increasing **bifidobacteria** levels enhances digestion and carbohydrate metabolism.*
- *Strawberry flavored FLORASSIST® Prebiotic Chewable helps restore healthy **bifidobacteria** levels in as little as 14 days using XOS prebiotic.²*
- **1,000 mg** of XOS (xylooligosaccharides) per prebiotic chewable.



SUPER SALE PRICE

Item #02203 • 60 vegetarian chewable tablets

1 bottle **\$13.50** • 4 bottles \$11.70 each

For full product description and to order FLORASSIST® Prebiotic Chewable, call 1-800-544-4440 or visit www.LifeExtension.com

References

1. *Front Microbiol.* 2016;7:1204.
2. *Korean J Nutr.* 2007;40(2):154-61.

PreticX™ is a trademark of AIDP, Inc.

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.



BROAD-SPECTRUM IMMUNE SUPPORT

Lactoferrin is a component of **whey protein** best known for its **immune benefits**.

An array of published studies describes how **lactoferrin** up-regulates innate and adaptive **immune** responses to a variety of antigens.



For full product description and to order
Lactoferrin Caps, call 1-800-544-4440
or visit www.LifeExtension.com

SUPER SALE PRICE

Item #01681 • 300 mg, 60 vegetarian capsules

1 bottle **\$40.50** • 2 bottles **\$36** each
(Two-Month Supply)

Contains milk.

Bioferrin® is a registered trademark of Glanbia.

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

Gordon Ramsay Quick and Delicious: 100 Recipes to Cook in 30 Minutes or Less



Gordon Ramsay is an internationally renowned, multi-Michelin-starred chef who has opened successful restaurants in countries across the world. He is also the star of hit TV shows like *Hell's Kitchen* and *Master Chef*.

But you don't have to travel to France or Singapore or the United Kingdom to indulge in Ramsay's famous fare—and it doesn't take hours in the kitchen to recreate his masterpieces.

In his latest book, *Gordon Ramsay Quick and Delicious*, Ramsay teaches the everyday home cook how to produce some of his favorite mouth-watering meals in 30 minutes or less.

Using bold flavors and aromatic spices, Ramsay proves that quick, simple dishes don't have to compromise on taste or flavor.

While many of the techniques used in the tastiest dishes take time (like marinating, roasting, and slow-cooking), Ramsay gives insider tips that give you all the complexity of flavor in a fraction of the time.

"When I'm home, I don't want to spend hours cooking, but I still want to eat well," said Ramsay. "The recipes in this book are some of my go-to dishes when time is short but the appetite for something delicious is strong."

Before diving into the 100 recipes detailed in the book, Ramsay gives a run-down of time-saving kitchen equipment (good knives, speedy peeler, and stick blender make the list) and adds a few unusual seasoning essentials to have on hand (like harissa and dashi powder).

He also suggests purchasing pre-prepped ingredients, like frozen chopped onions and herbs, spiralized vegetables, and bags of salad greens.

After all, "It isn't cheating to buy pre-prepped ingredients—it's like having a secret sous chef in your pantry and a junior chef in the freezer!" Ramsay said.

Here, *Life Extension*® highlights three of Ramsay's quick and delicious dishes that are accessible for any home cook.

—Laurie Mathena

Spiced Squash and Lentil Soup

SERVES 4

- 1 tablespoon light olive oil
- 3 tablespoons butter
- 1 onion, peeled and diced
- 1 teaspoon cumin seeds
- 4 garlic cloves, peeled
- 1-inch piece of fresh ginger, peeled
- 2 red chiles, seeded if you want a milder hit
- 1 teaspoon mild curry powder
- 2 pounds butternut squash
- 1¼ quarts chicken or vegetable stock
- 1⅓ cups red lentils
- 1 cup coconut cream
- Sea salt and freshly ground black pepper

To garnish

- 2 tablespoons light olive oil
- 1 teaspoon cumin seeds
- Large handful of fresh curry leaves
- ½ teaspoon mild curry powder
- 1 red chile, seeded if you want a milder hit, thinly sliced

1. Heat the oil and butter in a large saucepan over medium heat. When the butter has melted, add the onion and cumin seeds and cook for 2-3 minutes.

2. Meanwhile, place the garlic, ginger, and chiles in a small food processor and blend to a paste.



Add this to the pan along with the curry powder and cook for another 2-3 minutes.

3. Prepare the squash by peeling the skin off and removing all the seeds with a spoon. Cut the flesh into 1/2-inch cubes and add to the pan together with the stock. Increase the heat to high and bring to a boil.

4. Add the lentils and cook for 10 minutes.

5. Put the coconut cream into a small bowl and whisk until smooth. Reserve 6 tablespoons for the garnish and add the rest to the pan.

Cook over high heat until the squash is soft and the lentils are cooked.

6. While the soup is cooking, heat the oil for the garnish in a small frying pan. When hot, add the cumin seeds, curry leaves, and curry powder. Stir well, then remove the pan from the heat.

7. Using a stick blender, blend the soup until smooth, then season with salt and pepper and ladle into individual bowls. Drizzle over the reserved coconut cream and the curry oil. Sprinkle with a few slices of red chile before serving.

Tuna Steaks with Preserved Lemon Couscous

SERVES 2

2 (7-ounce) tuna steaks

1 tablespoon olive oil

For the preserved lemon couscous

½ cup couscous

Pinch of saffron

½ preserved lemon, finely chopped

½ cup vegetable stock

¼ cucumber

2 tablespoons cilantro leaves

2 tablespoons mint leaves

1 (15-ounce) can of chickpeas,
drained and rinsed

2 tablespoons extra virgin olive oil

Lemon juice, to taste

Sea salt and freshly ground
black pepper

To serve

½ teaspoon sumac

Lemon wedges

* If you have more time, make the *Moroccan Carrot Salad* to go with this (see next page). It will turn a simple lunch into a feast.

1. Put the couscous into a heat-proof bowl. Using a mortar and pestle, grind the saffron to a powder, then place in a small saucepan with the preserved lemon and vegetable stock. Bring to a boil and pour over the couscous. Stir well, cover the bowl with plastic wrap, and leave to sit for 5-10 minutes.



2. Meanwhile, finely dice the cucumber and roughly chop the herbs.

3. Uncover the couscous and fluff it up with a fork. Add the cucumber, herbs, chickpeas, extra virgin olive oil, and a little lemon juice. Mix well and season with salt and pepper. Set aside.

4. Place a large nonstick frying pan over medium-high heat. Drizzle the tuna steaks with the olive oil and

season both sides with salt and pepper. When the pan is smoking hot, add the tuna and cook for 2 minutes on each side.

5. Spoon the couscous onto plates and place the tuna on top. Sprinkle each plate with the sumac and serve with lemon wedges and a green salad.

Moroccan Carrot Salad

SERVES 4

- 1 pound carrots
- 2 tablespoons rose harissa
- 1 tablespoon finely chopped preserved lemon
- 1 green chile, seeded and thinly sliced
- 2 garlic cloves, peeled and crushed
- Juice of 1 lemon
- 1 teaspoon ground cumin
- 2 tablespoons olive oil
- Large handful of cilantro leaves, roughly chopped
- Sea salt and freshly ground black pepper

1. Bring a kettle of water to a boil, then pour it into a saucepan and place over medium heat.
2. Peel the carrots and cut them into thin rounds. Add them to the boiling water, bring to a boil again, then drain immediately. Transfer the carrots to a bowl of iced water to stop them from cooking.
3. Meanwhile, put the harissa, preserved lemon, chile, garlic, lemon juice, cumin, and olive oil into a small saucepan and place it over medium heat for 2-3 minutes to warm through and combine.
4. Drain the carrots thoroughly and transfer them to a serving dish. Spoon over the dressing and stir well. Season with salt and pepper, then sprinkle with the chopped cilantro and stir again before serving.




If you have any questions on the scientific content of this article, please call a **Life Extension®** Wellness Specialist at 1-866-864-3027.

Excerpted from the book
*Gordon Ramsay Quick and Delicious:
 100 Recipes to Cook in 30 Minutes or
 Less* by Gordon Ramsay.
 Copyright © 2019 by Gordon Ramsay.
 Reprinted with permission of Grand
 Central Publishing. All rights reserved.

Photo credit: Louise Hagger

To order a copy of Gordon
 Ramsay Quick and Delicious, call
 1-800-544-4440 or visit
www.LifeExtension.com



Item #34178 • Price: \$24



SUPER SALE PRICE
Item #02497 • 60 Softgels
1 bottle **\$39.15** • 2 bottles \$36 each

Triple Protection for Your Ticker.

Your heart keeps the beat for your entire body. Hidden inside your arteries and veins is the vascular endothelium—a thin layer of cells that keeps your system running like clockwork.

Endothelial Defense™ Pomegranate Plus keeps your cardiovascular gears turning with pomegranate, melon extract and more.

Pomegranate—protects arteries from oxidation with free-radical-quenching polyphenols.

Extramel® melon concentrate—encourages production of superoxide dismutase, a naturally occurring antioxidant.

Cardiose®—promotes circulatory health with hesperetin extracted from sweet orange peels.

For full product description and to order **Endothelial Defense™ Pomegranate Plus**, call 1-800-544-4440 or visit LifeExtension.com

Cardiose® is a registered trademark of INTERQUIM, S.A. d.b.a. Ferrer HealthTech. Extramel® is a registered trademark of Bionov. POMELLA® Extract is covered under U.S. Patent 7,638,640 and POMELLA® is a registered trademark of Verdure Sciences, Inc.



These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

ACTIVE LIFESTYLE & FITNESS

- 01529 Creatine Capsules
- 02318 Keto Brain and Body Boost
- 02020 Super Carnosine
- 02023 Tart Cherry with CherryPURE®
- 02146 Wellness Bar—Chocolate Brownie
- 02147 Wellness Bar—Cookie Dough
- 02246 Wellness Code® Advanced Whey Protein Isolate Vanilla
- 02221 Wellness Code® Muscle Strength & Restore Formula
- 02127 Wellness Code® Plant Protein Complete & Amino Acid Complex
- 02261 Wellness Code® Whey Protein Concentrate Chocolate
- 02260 Wellness Code® Whey Protein Concentrate Vanilla
- 02243 Wellness Code® Whey Protein Isolate Chocolate
- 02242 Wellness Code® Whey Protein Isolate Vanilla

AMINO ACIDS

- 01039 Arginine & Ornithine Capsules
- 00038 Arginine Ornithine Powder
- 01253 Branched Chain Amino Acids
- 01829 Carnosine
- 01671 D,L-Phenylalanine Capsules
- 01624 L-Arginine Caps
- 01532 L-Carnitine
- 00345 L-Glutamine
- 00141 L-Glutamine Powder
- 01678 L-Lysine
- 01827 Taurine
- 00133 Taurine Powder
- 00326 Tyrosine Tablets

BLOOD PRESSURE & VASCULAR SUPPORT

- 01824 Advanced Olive Leaf Vascular Support
- 02004 Arterial Protect
- 70000 Blood Pressure Monitor Arm Cuff
- 02497 Endothelial Defense™ Pomegranate Plus
- 02320 NitroVasc™ Boost
- 00984 Optimal BP Management
- 01953 Pomegranate Complete
- 00956 Pomegranate Fruit Extract
- 02024 Triple Action Blood Pressure AM/PM
- 02102 VenoFlow™

BONE HEALTH

- 01726 Bone Restore
- 02123 Bone Restore Chewable Tablet
- 02416 Bone Restore Elite with Super Potent K2
- 01727 Bone Restore with Vitamin K2
- 01725 Bone Strength Collagen Formula
- 00313 Bone-Up™
- 01963 Calcium Citrate with Vitamin D
- 01506 Dr. Strum's Intensive Bone Formula
- 02417 Mega Vitamin K2
- 01476 Strontium Caps

BRAIN HEALTH

- 01524 Acetyl-L-Carnitine
- 01974 Acetyl-L-Carnitine Arginate
- 01659 Citicoline® (CDP-Choline)
- 02321 Cognitex® Basics
- 02396 Cognitex® Elite
- 02397 Cognitex® Elite Pregnenolone
- 01540 DMAE Bitartrate (dimethylaminoethanol)
- 02006 Dopa-Mind™
- 02212 Focus Tea™
- 01658 Ginkgo Biloba Certified Extract™
- 01527 Huperzine A
- 00020 Lecithin Granules
- 02101 Memory Protect

- 00709 Migra-Eeze™
- 01603 Neuro-Mag® Magnesium L-Threonate Caps
- 02032 Neuro-Mag® Magnesium L-Threonate Powder
- 00888 Optimized Ashwagandha
- 01676 PS (Phosphatidylserine) Caps
- 02406 Quick Brain Nootropic
- 01327 Vinpocetine

CHOLESTEROL MANAGEMENT

- 01828 Advanced Lipid Control
- 01359 Cho-Less™
- 01910 CHOL-Support™
- 01030 Red Yeast Rice
- 01304 Theaflavins Standardized Extract
- 00372 Vitamin B3 Niacin Capsules

DIGESTION SUPPORT

- 53348 Betaine HCl
- 54160 Black Vinegar
- 02412 Bloat Relief
- 30747 Digest RC®
- 07136 Effervescent Vitamin C - Magnesium Crystals
- 02021 Enhanced Super Digestive Enzymes
- 02022 Enhanced Super Digestive Enzymes and Probiotics
- 02033 EsophaCool™
- 01737 Esophageal Guardian
- 01706 Extraordinary Enzymes
- 02100 Gastro-Ease™
- 01122 Ginger Force™
- 00605 Regimint
- 01386 TruFiber®

ENERGY MANAGEMENT

- 01628 Adrenal Energy Formula • 60 veg capsules
- 01630 Adrenal Energy Formula • 120 veg capsules
- 01805 Asian Energy Boost
- 00972 D-Ribose Powder
- 01473 D-Ribose Tablets
- 01900 Energy Renew
- 01544 Forskolin
- 00668 Metabolic Advantage Thyroid Formula™
- 01869 Mitochondrial Basics with PQQ
- 01868 Mitochondrial Energy Optimizer with PQQ
- 01904 NAD+ Cell Regenerator™ • 100 mg, 30 veg capsules
- 02344 NAD+ Cell Regenerator™ 300 mg, 30 veg capsules
- 02348 NAD+ Cell Regenerator™ and Resveratrol
- 01500 PQQ Caps • 10 mg
- 01647 PQQ Caps • 20 mg
- 00889 Rhodiola Extract
- 02003 Triple Action Thyroid

EYE HEALTH

- 01923 Astaxanthin with Phospholipids
- 00893 Brite Eyes III
- 02323 Digital Eye Support
- 01514 Eye Pressure Support with Mirtogenol®
- 01992 MacuGuard® Ocular Support with Saffron
- 01993 MacuGuard® Ocular Support with Saffron & Astaxanthin
- 01873 Standardized European Bilberry Extract
- 01918 Tear Support with MaquiBright®

FISH OIL & OMEGAS

- 02311 Clearly EPA/DHA Fish Oil
- 00463 Flaxseed Oil
- 01937 Mega EPA/DHA
- 02218 Mega GLA Sesame Lignans
- 01983 Super Omega-3 EPA/DHA Fish Oil, Sesame Lignans & Olive Extract
- 01988 Super Omega-3 Plus EPA/DHA Fish Oil, Sesame Lignans, Olive Extract, Krill & Astaxanthin

- 01982 Super Omega-3 EPA/DHA Fish Oil, Sesame Lignans & Olive Extract • 120 softgels
- 01985 Super Omega-3 EPA/DHA Fish Oil, Sesame Lignans & Olive Extract • 60 enteric coated softgels
- 01984 Super Omega-3 EPA/DHA Fish Oil, Sesame Lignans & Olive Extract • 120 enteric coated softgels
- 01986 Super Omega-3 EPA/DHA Fish Oil, Sesame Lignans & Olive Extract • 240 softgels
- 01812 Provinal® Purified Omega-7
- 01640 Vegetarian DHA

FOOD

- 02008 California Estate Extra Virgin Olive Oil
- 02170 Rainforest Blend Decaf Ground Coffee
- 02169 Rainforest Blend Ground Coffee
- 02171 Rainforest Blend Whole Bean Coffee
- 00438 Stevia™ Organic Liquid Sweetener
- 00432 Stevia™ Sweetener

GLUCOSE MANAGEMENT

- 01503 CinSulin® with InSea²® and Crominex® 3+
- 01620 CoffeeGenic® Green Coffee Extract
- 02122 Glycemic Guard™
- 00925 Mega Benfotiamine
- 01803 Tri Sugar Shield®

HEART HEALTH

- 01066 Aspirin (Enteric Coated)
- 01842 BioActive Folate & Vitamin B12 Caps
- 01700 Cardio Peak™ with Standardized Hawthorn and Arjuna
- 02121 Homocysteine Resist
- 02018 Optimized Carnitine
- 01949 Super-Absorbable CoQ10 Ubiquinone with *d*-Limonene • 50 mg, 60 softgels
- 01951 Super-Absorbable CoQ10 Ubiquinone with *d*-Limonene • 100 mg, 60 softgels
- 01929 Super Ubiquinol CoQ10
- 01427 Super Ubiquinol CoQ10 with Enh Mitochondrial Support™ • 50 mg, 30 softgels
- 01425 Super Ubiquinol CoQ10 with Enh Mitochondrial Support™ • 50 mg, 100 softgels
- 01437 Super Ubiquinol CoQ10 with Enh Mitochondrial Support™ • 100 mg, 30 softgels
- 01426 Super Ubiquinol CoQ10 with Enh Mitochondrial Support™ • 100 mg, 60 softgels
- 01431 Super Ubiquinol CoQ10 with Enh Mitochondrial Support™ • 200 mg, 30 softgels
- 01733 Super Ubiquinol CoQ10 with PQQ
- 01859 TMG Liquid Capsules
- 00349 TMG Powder

HORMONE BALANCE

- 00454 DHEA (Dehydroepiandrosterone) 15 mg, 100 capsules
- 00335 DHEA (Dehydroepiandrosterone) 25 mg, 100 capsules
- 00882 DHEA (Dehydroepiandrosterone) 50 mg, 60 capsules
- 00607 DHEA (Dehydroepiandrosterone) 25 mg, 100 vegetarian dissolve in mouth tablets
- 01689 DHEA (Dehydroepiandrosterone) 100 mg, 60 veg capsules
- 02368 Optimized Broccoli and Cruciferous Blend
- 00302 Pregnenolone • 50 mg, 100 capsules
- 00700 Pregnenolone • 100 mg, 100 capsules
- 01468 Triple Action Cruciferous Vegetable Extract
- 01469 Triple Action Cruciferous Vegetable Extract with Resveratrol

IMMUNE SUPPORT

- 02411 5 Day Elderberry Immune
- 00681 AHCC®
- 02302 Bio-Quercetin
- 02410 Black Elderberry + Vitamin C
- 01961 Enhanced Zinc Lozenges
- 01704 Immune Modulator with Tinofend®
- 00955 Immune Protect with PARACTIN®
- 02005 Immune Senescence Protection Formula™
- 29727 Kinoko® Gold AHCC
- 24404 Kinoko® Platinum AHCC
- 00316 Kyolic® Garlic Formula 102
- 00789 Kyolic® Reserve
- 01681 Lactoferrin (Apolactoferrin) Caps
- 01903 NK Cell Activator™
- 01394 Optimized Garlic
- 01309 Optimized Quercetin
- 01811 Peony Immune
- 00525 ProBoost Thymic Protein A
- 01708 Reishi Extract Mushroom Complex
- 01906 Standardized Cistanche
- 13685 Ten Mushroom Formula®
- 01097 Ultra Soy Extract
- 01561 Zinc Lozenges

INFLAMMATION MANAGEMENT

- 01639 5-LOX Inhibitor with AprèsFlex®
- 02324 Advanced Curcumin Elite™
Turmeric Extract, Ginger & Turmerones
- 01709 Black Cumin Seed Oil
- 02310 Black Cumin Seed Oil and Curcumin Elite™
- 00202 Boswellia
- 02467 Curcumin Elite™ Turmeric Extract • 30 veg capsules
- 02407 Curcumin Elite™ Turmeric Extract • 60 veg capsules
- 01804 Cytokine Suppress® with EGCG
- 02223 Pro-Resolving Mediators
- 00318 Serrafazyme
- 01203 Specially-Coated Bromelain
- 00407 Super Bio-Curcumin® Turmeric Extract
- 01254 Zyflamend™ Whole Body

JOINT SUPPORT

- 02404 Arthro-Immune Joint Support
- 02238 ArthroMax® Advanced NT2 Collagen™ & AprèsFlex®
- 01617 ArthroMax® with Theaflavins & AprèsFlex®
- 02138 ArthroMax® Elite
- 00965 Fast-Acting Joint Formula
- 00522 Glucosamine/Chondroitin Capsules
- 01600 Krill Healthy Joint Formula
- 01050 Krill Oil
- 00451 MSM (Methylsulfonylmethane)
- 02231 NT2 Collagen™

KIDNEY & BLADDER SUPPORT

- 00862 Cran-Max® Cranberry Whole Fruit Concentrate
- 01424 Optimized Cran-Max® with Ellirose™
- 01921 Uric Acid Control
- 01209 Water-Soluble Pumpkin Seed Extract

LIVER HEALTH & DETOXIFICATION

- 01922 Advanced Milk Thistle • 60 softgels
- 01925 Advanced Milk Thistle • 120 softgels
- 02240 Anti-Alcohol Complex
- 01651 Calcium D-Glucarate
- 00550 Chlorella
- 01571 Chlorophyllin
- 01522 Milk Thistle • 60 veg capsules
- 02402 FLORASSIST® Liver Restore™
- 01541 Glutathione, Cysteine & C
- 01393 HepatoPro

- 01608 Liver Efficiency Formula
- 01534 N-Acetyl-L-Cysteine
- 00342 PectaSol-C® Modified Citrus Pectin Powder
- 01080 PectaSol-C® Modified Citrus Pectin Capsules
- 01884 Silymarin
- 02361 SOD Booster

LONGEVITY & WELLNESS

- 00457 Alpha-Lipoic Acid
- 01625 AppleWise Polyphenol Extract
- 02414 Bio-Fisetin
- 01214 Blueberry Extract
- 01438 Blueberry Extract and Pomegranate
- 02270 DNA Protection Formula
- 02405 Endocannabinoid System Booster
- 02119 GEROPROTECT® Ageless Cell™
- 02415 GEROPROTECT® Autophagy Renew
- 02133 GEROPROTECT® Longevity A.I.™
- 02401 GEROPROTECT® Stem Cell
- 02211 Grapeseed Extract
- 00954 Mega Green Tea Extract (decaffeinated)
- 00953 Mega Green Tea Extract (lightly caffeinated)
- 01513 Optimized Fucoidan with Maritech® 926
- 02230 Optimized Resveratrol
- 01637 Pycnogenol® French Maritime Pine Bark Extract
- 02210 Resveratrol
- 00070 RNA (Ribonucleic Acid)
- 02301 Senolytic Activator
- 01208 Super R-Lipoic Acid
- 01919 X-R Shield

MEN'S HEALTH

- 02209 Male Vascular Sexual Support
- 00455 Mega Lycopene Extract
- 02306 Men's Bladder Control
- 01789 PalmettoGuard® Saw Palmetto and Beta-Sitosterol
- 01790 PalmettoGuard® Saw Palmetto/Nettle Root Formula with Beta-Sitosterol
- 01837 Pomi-T®
- 01373 Prelox® Enhanced Sex for Men
- 01940 Super MiraForte with Standardized Lignans
- 01909 Triple Strength ProstaPollen™
- 02029 Ultra Prostate Formula

MINERALS

- 01661 Boron
- 02107 Extend-Release Magnesium
- 30731 Ionic Selenium
- 01677 Iron Protein Plus
- 02403 Lithium
- 01459 Magnesium Caps
- 01682 Magnesium (Citrate)
- 01328 Only Trace Minerals
- 01504 Optimized Chromium with Crominex® 3+
- 02309 Potassium with Extend-Release Magnesium
- 01740 Sea-Iodine™
- 01879 Se-Methyl L-Selenocysteine
- 01778 Super Selenium Complex
- 00213 Vanadyl Sulfate
- 01813 Zinc Caps

MISCELLANEOUS

- 00577 Potassium Iodide
- 00657 Solarshield® Sunglasses

MOOD & STRESS MANAGEMENT

- 02312 Cortisol-Stress Balance
- 00987 Enhanced Stress Relief
- 01074 5 HTP
- 01683 L-Theanine

- 02175 SAME (S-Adenosyl-Methionine)
200 mg, 30 enteric coated vegetarian tablets
- 02176 SAME (S-Adenosyl-Methionine)
400 mg, 30 enteric coated vegetarian tablets
- 02174 SAME (S-Adenosyl-Methionine)
400 mg, 60 enteric coated vegetarian tablets

MULTIVITAMINS

- 02199 Children's Formula Life Extension Mix™
- 02498 Comprehensive Nutrient Packs ADVANCED
- 02354 Life Extension Mix™ Capsules
- 02364 Life Extension Mix™ Capsules without Copper
- 02356 Life Extension Mix™ Powder
- 02355 Life Extension Mix™ Tablets
- 02357 Life Extension Mix™ Tablets with Extra Niacin
- 02365 Life Extension Mix™ Tablets without Copper
- 02292 Once-Daily Health Booster • 30 softgels
- 02291 Once-Daily Health Booster • 60 softgels
- 02313 One-Per-Day Tablets
- 02317 Two-Per-Day Capsules • 60 capsules
- 02314 Two-Per-Day Capsules • 120 capsules
- 02316 Two-Per-Day Tablets • 60 tablets
- 02315 Two-Per-Day Tablets • 120 tablets

NERVE & COMFORT SUPPORT

- 02202 ComfortMAX™
- 02303 PEA Discomfort Relief

PERSONAL CARE

- 01006 Biosil™ • 5 mg, 30 veg capsules
- 01007 Biosil™ • 1 fl oz
- 00321 Dr. Proctor's Advanced Hair Formula
- 00320 Dr. Proctor's Shampoo
- 02322 Hair, Skin & Nails Collagen Plus Formula
- 01278 Life Extension Toothpaste
- 00408 Venotone
- 00409 Xyliwhite Mouthwash
- 02304 Youthful Collagen
- 02252 Youthful Legs

PET CARE

- 01932 Cat Mix
- 01931 Dog Mix

PROBIOTICS

- 01622 Bifido GI Balance
- 01825 FLORASSIST® Balance
- 02125 FLORASSIST® GI with Phage Technology
- 01821 FLORASSIST® Heart Health
- 02250 FLORASSIST® Mood Improve
- 02208 FLORASSIST® Immune & Nasal Defense
- 02120 FLORASSIST® Oral Hygiene
- 02203 FLORASSIST® Prebiotic
- 01920 FLORASSIST® Throat Health
- 02400 FLORASSIST® Winter Immune Support
- 52142 Jarro-Dophilus® for Women
- 00056 Jarro-Dophilus EPS® • 60 veg capsules
- 21201 Jarro-Dophilus EPS® • 120 veg capsules
- 01038 Theralac® Probiotics
- 01389 TruFlora® Probiotics

SKIN CARE

- 80157 Advanced Anti-Glycation Peptide Serum
- 80165 Advanced Growth Factor Serum
- 80170 Advanced Hyaluronic Acid Serum
- 80154 Advanced Lightening Cream
- 80155 Advanced Peptide Hand Therapy
- 80175 Advanced Probiotic-Fermented Eye Serum
- 80177 Advanced Retinol Serum
- 80152 Advanced Triple Peptide Serum
- 80140 Advanced Under Eye Serum with Stem Cells
- 80137 All-Purpose Soothing Relief Cream

80139 Amber Self MicroDermAbrasion
 80118 Anti-Aging Mask
 80151 Anti-Aging Rejuvenating Face Cream
 80153 Anti-Aging Rejuvenating Scalp Serum
 80176 Collagen Boosting Peptide Cream
 80156 Collagen Boosting Peptide Serum
 02408 Collagen Peptides for Skin & Joints
 80169 Cucumber Hydra Peptide Eye Cream
 80141 DNA Support Cream
 80163 Eye Lift Cream
 80123 Face Rejuvenating Anti-Oxidant Cream
 80109 Hyaluronic Facial Moisturizer
 80110 Hyaluronic Oil-Free Facial Moisturizer
 80138 Hydrating Anti-Oxidant Facial Mist
 00661 Hydroderm
 80103 Lifting & Tightening Complex
 80168 Melatonin Advanced Peptide Cream
 80114 Mild Facial Cleanser
 80172 Multi Stem Cell Hydration Cream
 80159 Multi Stem Cell Skin Tightening Complex
 80122 Neck Rejuvenating Anti-Oxidant Cream
 80174 Purifying Facial Mask
 80150 Renewing Eye Cream
 80142 Resveratrol Anti-Oxidant Serum
 01938 Shade Factor™
 02129 Skin Care Collection Anti-Aging Serum
 02130 Skin Care Collection Day Cream
 02131 Skin Care Collection Night Cream
 80166 Skin Firming Complex
 02096 Skin Restoring Ceramides
 80130 Skin Stem Cell Serum
 80164 Skin Tone Equalizer
 80143 Stem Cell Cream with Alpine Rose
 80148 Tightening & Firming Neck Cream
 80161 Triple-Action Vitamin C Cream
 80162 Ultimate MicroDermabrasion
 80173 Ultimate Peptide Serum
 80178 Ultimate Telomere Cream
 80160 Ultra Eyelash Booster
 80101 Ultra Wrinkle Relaxer
 80113 Under Eye Refining Serum
 80104 Under Eye Rescue Cream
 80171 Vitamin C Lip Rejuvenator
 80129 Vitamin C Serum
 80136 Vitamin D Lotion
 80102 Vitamin K Cream

SLEEP

01512 Bioactive Milk Peptides
 02300 Circadian Sleep
 01551 Enhanced Sleep with Melatonin
 01511 Enhanced Sleep without Melatonin
 02234 Fast-Acting Liquid Melatonin
 01669 Glycine
 02308 Herbal Sleep PM
 01722 L-Tryptophan
 01668 Melatonin • 300 mcg, 100 veg capsules
 01083 Melatonin • 500 mcg, 200 veg capsules
 00329 Melatonin • 1 mg, 60 capsules
 00330 Melatonin • 3 mg, 60 veg capsules
 00331 Melatonin • 10 mg, 60 veg capsules
 00332 Melatonin • 3 mg, 60 veg lozenges
 02201 Melatonin IR/XR
 01787 Melatonin 6 Hour Timed Release
 300 mcg, 100 veg tablets
 01788 Melatonin 6 Hour Timed Release
 750 mcg, 60 veg tablets
 01786 Melatonin 6 Hour Timed Release
 3 mg, 60 veg tablets

01721 Optimized Tryptophan Plus
 01444 Quiet Sleep
 01445 Quiet Sleep Melatonin

VITAMINS

01533 Ascorbyl Palmitate
 00920 Benfotiamine with Thiamine
 00664 Beta-Carotene
 01945 BioActive Complete B-Complex
 00102 Biotin
 00084 Buffered Vitamin C Powder
 02229 Fast-C® and Bio-Quercetin Phytosome
 02075 Gamma E Mixed Tocopherol Enhanced with
 Sesame Lignans
 02070 Gamma E Mixed Tocopherol/Tocotrienols
 01913 High Potency Optimized Folate
 01674 Inositol Caps Liquid Emulsified
 02244 Liquid Vitamin D3 • 2,000 IU, 1 fl oz
 02232 Liquid Vitamin D3 • 2,000 IU, 1 fl oz, mint
 01936 Low-Dose Vitamin K2
 00065 MK-7
 00373 No Flush Niacin
 01939 Optimized Folate (L-Methylfolate)
 01217 Pyridoxal 5'-Phosphate Caps
 01400 Super Absorbable Tocotrienols
 02334 Super K
 02335 Super K Elite
 01863 Super Vitamin E
 02028 Vitamin B5 (Pantothenic Acid)
 01535 Vitamin B6
 00361 Vitamin B12 Methylcobalamin
 01536 Vitamin B12 Methylcobalamin • 1 mg, 60 veg lozenges
 01537 Vitamin B12 Methylcobalamin • 5 mg, 60 veg lozenges
 02228 Vitamin C and Bio-Quercetin Phytosome
 1,000 mg, 60 veg tablets
 02227 Vitamin C and Bio-Quercetin Phytosome
 1,000 mg, 250 veg tablets
 01753 Vitamin D3 • 25 mcg (1,000 IU), 90 softgels
 01751 Vitamin D3 • 25 mcg (1,000 IU), 250 softgels
 01713 Vitamin D3 • 125 mcg (5,000 IU), 60 softgels
 01718 Vitamin D3 • 175 mcg (7,000 IU), 60 softgels
 01758 Vitamin D3 with Sea-Iodine™
 02040 Vitamins D and K with Sea-Iodine™

WEIGHT MANAGEMENT & BODY COMPOSITION

00658 7-Keto® DHEA Metabolite • 25 mg, 100 capsules
 02479 7-Keto® DHEA Metabolite • 100 mg, 60 veg capsules
 01509 Advanced Anti-Adipocyte Formula
 01807 Advanced Appetite Suppress
 02207 AMPK Metabolic Activator
 02478 DHEA Complete
 01738 Garcinia HCA
 01292 Integra-Lean®
 01908 Mediterranean Trim with Sinetrol™ -XPur
 01492 Optimized Irvingia with Phase 3™ Calorie Control Complex
 01432 Optimized Saffron
 00818 Super CLA Blend with Sesame Lignans
 01902 Waist-Line Control™
 02151 Wellness Code® Appetite Control

WOMEN'S HEALTH

01942 Breast Health Formula
 01626 Enhanced Sex for Women 50+
 01894 Estrogen for Women
 01064 Femmenessence MacaPause®
 02204 Menopause 731™
 02319 Prenatal Advantage
 01441 Progesta-Care®
 01649 Super-Absorbable Soy Isoflavones

HIGHER POTENCY CARNOSINE



Carnosine is a unique dipeptide that can inhibit *glycation* throughout the body, thereby helping to slow normal aging processes. Suggested dose is one **500 mg** Carnosine cap taken twice daily.

Super Carnosine provides 500 mg of carnosine per capsule along with fat-soluble vitamin B1 (**benfotiamine**) to further impede glycation reactions.

SUPER SALE PRICE

Item #01829 • 60 vegetarian capsules

1 bottle **\$24.30** • 4 bottles \$21.60 each

Life Extension® was the first to introduce high-dose (**500 mg**) carnosine back in **1999**.

SUPER SALE PRICE

Item #02020 • 60 vegetarian capsules

1 bottle **\$27** • 4 bottles \$24.30 each

Life Extension® carnosine is available in *three different* formulas to allow you to customize your longevity program

For full product description and to order **Carnosine** or **Super Carnosine**, call **1-800-544-4440** or visit www.LifeExtension.com



These statements have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cure, or prevent any disease.

45 times Greater Bioavailability Curcumin



Patented turmeric extract (500 mg) results in **45 times** greater bioavailability of free curcuminoids.

SUPER SALE PRICE • Item #02407

500 mg, 60 vegetarian capsules

1 bottle **\$21.60** • 4 bottles \$19.80 each



Same 500 mg potency patented turmeric extract with added benefits of ginger and other turmeric actives.

SUPER SALE PRICE • Item #02324

500 mg curcumin + gingerol, 30 softgels

1 bottle **\$18** • 4 bottles \$16.20 each



For full product description and to order
Curcumin Elite™ or **Advanced Curcumin Elite™**, call
1-800-544-4440 or visit www.LifeExtension.com

These statements have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cure, or prevent any disease.



The Science of a Healthier Life®

PO BOX 407198
FORT LAUDERDALE, FLORIDA 33340-7198



IN THIS EDITION OF *LIFE EXTENSION*® MAGAZINE



7



26

7 EXPEDITING MEDICAL PROGRESS

Clinical trials are enrolling people in the United States to evaluate the ability of **fisetin** to combat degenerative aging.

26 BUILD NEW BONE AND REDUCE FRACTURE RISK

Used in Japan as a prescription drug, high-dose **vitamin K2** increases bone density and reduces fracture incidence.



38



49

38 Fisetin: A SENOLYTIC THAT EXTENDS LIFESPAN

Fisetin can lengthen lifespan even when initiated in old age. A novel formulation increases fisetin bioavailability.

49 BENEFITS OF INTERMITTENT FASTING

The New England Journal of Medicine describes multiple benefits of intermittent fasting, including reversal of clinical measures of biological aging.

58 ASTAXANTHIN PROMOTES HEART HEALTH

Astaxanthin, best known for eye, brain, and skin health, also reduces cardiovascular risk factors.



58



66

66 PLANT-DERIVED COMPOUNDS REDUCE CHRONIC STRESS

Chronic stress can suppress immune function. Two plant compounds safely neutralize anxiety and constant stress.

VISIT US ONLINE AT LIFEEXTENSION.COM